



















HD-ANALOG PRICING MODEL

Full Color Cameras


Product Show	Megapixel	Model NO.	Sensor+ISP	Key Features	FWB Discounted Price > 200 Units	Additional Functions & Prices	Specification	Lens
	2MP 4-IN-1 UTC	FT-DFSGBHY200SH	S291+ FH8536H	1/3" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$9.62	<ul style="list-style-type: none"> Built-In Microphone + \$2.10 USD Base + \$3.75 USD 	IR Range: <ul style="list-style-type: none"> White Light IR LED: 4PCS IR range: 20M General: <ul style="list-style-type: none"> IP66 3" Metal IR Dome Camera 24PCS Per Carton Weight: 600g 	<ul style="list-style-type: none"> Fixed 3.6mm Optional Fixed 2.8mm + \$0.75 USD
	2MP 4-IN-1 UTC & OSD	FT-DFSGBHY200GH	GC2053 + FH8536H	1/2.7" 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$11.52			
	5MP 4-IN-1 UTC & OSD	FT-DFSGBHY500F	C18 + FH8538E	1/2.5" 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD , UTC Optional DIP Switch	\$13.09			
		FT-DFSGBHY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD , UTC Optional DIP Switch	\$13.54			
		FT-DFSGBHY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$19.14			
	4K 4-IN-1 UTC & OSD	FT-DFSGBHY4KT	IMX415 + TP3818	1/2.8" SONY 8MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$22.39			
	2MP 4-IN-1 UTC	FT-DFSTDHY200SH	S291+ FH8536H	1/3" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$10.29	<ul style="list-style-type: none"> Built-In Microphone + \$2.10 USD 	IR Range: <ul style="list-style-type: none"> White Light IR LED: 3PCS IR range: 20M General: <ul style="list-style-type: none"> IP66 Metal IR Dome Camera 24PCS Per Carton Weight: 600g 	<ul style="list-style-type: none"> Fixed 3.6mm Optional Fixed 2.8mm + \$0.75 USD
	2MP 4-IN-1 UTC & OSD	FT-DFSTDHY200GH	GC2053 + FH8536H	1/2.7" 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$12.20			
	5MP 4-IN-1 UTC & OSD	FT-DFSTDHY500F	C18 + FH8538E	1/2.5" 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD , UTC Optional DIP Switch	\$13.65			
		FT-DFSTDHY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD , UTC Optional DIP Switch	\$14.21			
		FT-DFSTDHY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$19.81			
	4K 4-IN-1 UTC & OSD	FT-DFSTDHY4KT	IMX415 + TP3818	1/2.8" SONY 8MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$23.96			
	2MP 4-IN-1 UTC	FT-DFSWP25HY200SH	S291+ FH8536H	1/3" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$8.50	<ul style="list-style-type: none"> Built-In Microphone + 	IR Range: <ul style="list-style-type: none"> White light 2PCS IR range: 30M General: <ul style="list-style-type: none"> IP66 3.5" Plastic IR 	<ul style="list-style-type: none"> Fixed 3.6mm Optional Fixed
	2MP 4-IN-1 UTC & OSD	FT-DFSWP25HY200GH	GC2053 + FH8536H	1/2.7" 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$10.40			
	FT-DFSWP25HY500F	C18 + FH8538E	1/2.5" 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD , UTC Optional DIP Switch	\$11.86				

Product Show	Megapixel	Model NO.	Sensor+HSP	Key Features	FWB Discounted Price > 200 Units	Additional Functions & Prices	Specification	Lens
	5MP 4-IN-1 UTC & OSD	FT-DFSWP25HY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD , UTC Optional DIP Switch	\$12.42	\$2.10 USD	General: • Size: \varnothing 102 x 105(H) mm • 24CS Per Carton • Weight: 450g	2.8mm + \$0.75 USD
		FT-DFSWP25HY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$18.02			
	4K 4-IN-1 UTC & OSD	FT-DFSWP25HY4KT	IMX415 + TP3818	1/2.8" SONY 8MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$22.16			
 	2MP 4-IN-1 UTC	FT-DFSTSHY200SH	S291+ FH8536H	1/3" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$9.17	Built-In Microphone + \$2.10 USD	IR Range: • White Light • IR LED: 4PCS • IR range: 30M General: • IP66 3.5" Plastic IR Dome Camera • Size: \varnothing 107 x 109(H) mm • 24CS Per Carton • Weight: 450g	• Fixed 3.6mm • Optional Fixed 2.8mm + \$0.5USD
	2MP 4-IN-1 UTC & OSD	FT-DFSTSHY200GH	GC2053 + FH8536H	1/2.7" 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$11.08			
	5MP 4-IN-1 UTC & OSD	FT-DFSTSHY500F	C18 + FH8538E	1/2.5" 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD , UTC Optional DIP Switch	\$12.53			
		FT-DFSTSHY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD , UTC Optional DIP Switch	\$13.09			
		FT-DFSTSHY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$18.69			
		4K 4-IN-1 UTC & OSD	FT-DFSTSHY4KT	IMX415 + TP3818	1/2.8" SONY 8MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch			
 	2MP 4-IN-1 UTC	FT-WFIKT20HY200SH	S291+ FH8536H	1/3" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$10.63	Built-In Microphone + \$2.10 USD	IR Range: • Warm White light • IR LED: 3PCS • IR range: 20M General: • IP66 Metal IR Bullet • Yellow & Red OEM Color + \$0.75 USD/set • 40PCS Per Carton • Size: 158x108x78mm • Weight: 600g	• Fixed 3.6mm • Optional Fixed 2.8mm + \$0.75 USD
	2MP 4-IN-1 UTC & OSD	FT-WFIKT20HY200GH	GC2053 + FH8536H	1/2.7" 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$12.53			
	5MP 4-IN-1 UTC & OSD	FT-WFIKT20HY500F	C18 + FH8538E	1/2.5" 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD , UTC Optional DIP Switch	\$13.99			
		FT-WFIKT20HY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD , UTC Optional DIP Switch	\$14.55			
		FT-WFIKT20HY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$20.15			
		4K 4-IN-1 UTC & OSD	FT-WFIKT20HY4KT	IMX415 + TP3818	1/2.8" SONY 8MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch			
 	2MP 4-IN-1 UTC	FT-WFSTD20HY200SH	S291+ FH8536H	1/3" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$10.63	Built-In Microphone +	IR Range: • White Light • IR LED: 2PCS • IR range: 20M	• Fixed 3.6mm • Optional Fixed
	2MP 4-IN-1 UTC & OSD	FT-WFSTD20HY200GH	GC2053 + FH8536H	1/2.7" 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$12.53			
		FT-WFSTD20HY500F	C18 + FH8538E	1/2.5" 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD , UTC Optional DIP Switch	\$13.99			


Product Show	Megapixel	Model NO.	Sensor+HSP	Key Features	FWB Discounted Price > 200 Units	Additional Functions & Prices	Specification	Lens
	5MP 4-IN-1 UTC & OSD	FT-WFSTD20HY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD , UTC Optional DIP Switch	\$14.55	\$2.10 USD	General: • IP67 Metal Bullet Waterproof IR Camera • 40CS Per Carton • Weight: 650g	2.8mm + \$0.75 USD
		FT-WFSTD20HY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$20.15			
	4K 4-IN-1 UTC & OSD	FT-WFSTD20HY4KT	IMX415 + TP3818	1/2.8" SONY 8MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$24.29			
 	2MP 4-IN-1 UTC	FT-WFIK25VHY200SH	S291+ FH8536H	1/3" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$10.63	Built-In Microphone + \$2.10 USD	IR Range: • White light • IR LED: 4PCS • IR range: 25M General: • IP66 Metal IR Bullet • 40PCS Per Carton • Size: 158x108x78mm • Weight: 600g	• Fixed 3.6mm • Optional Fixed 2.8mm + \$0.75 USD
	2MP 4-IN-1 UTC & OSD	FT-WFIK25VHY200GH	GC2053 + FH8536H	1/2.7" 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$12.53			
	5MP 4-IN-1 UTC & OSD	FT-WFIK25VHY500F	C18 + FH8538E	1/2.5" 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD , UTC Optional DIP Switch	\$13.99			
		FT-WFIK25VHY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD , UTC Optional DIP Switch	\$14.55			
	4K 4-IN-1 UTC & OSD	FT-WFIK25VHY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$20.15			
		FT-WFIK25VHY4KT	IMX415 + TP3818	1/2.8" SONY 8MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$24.29			
 	2MP 4-IN-1 UTC	FT-WFIB30FHHY200SH	S291+ FH8536H	1/3" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$10.63	Built-In Microphone + \$2.10 USD	IR Range: • Warm White light • IR LED: 6PCS • IR range: 30M General: • IP66 Metal IR Bullet • 50PCS Per Carton • Size: 215x120x90mm • Weight: 750g	• Fixed 3.6mm • Optional Fixed 2.8mm + \$0.75 USD
	2MP 4-IN-1 UTC & OSD	FT-WFIB30FHHY200GH	GC2053 + FH8536H	1/2.7" 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$12.53			
	5MP 4-IN-1 UTC & OSD	FT-WFIB30FHHY500F	C18 + FH8538E	1/2.5" 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD , UTC Optional DIP Switch	\$13.99			
		FT-WFIB30FHHY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD , UTC Optional DIP Switch	\$14.55			
	4K 4-IN-1 UTC & OSD	FT-WFIB30FHHY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$20.15			
		FT-WFIB30FHHY4KT	IMX415 + TP3818	1/2.8" SONY 8MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$24.29			
 	2MP 4-IN-1 UTC	FT-WFSBTHY200SH	S291+ FH8536H	1/3" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$11.19	Built-In Microphone + \$2.10 USD	IR Range: • White Light • IR LED: 4PCS • IR range: 30M General: • IP67 Metal Bullet Waterproof IR Camera • 40CS Per Carton • Weight: 0.55KG	• Fixed 3.6mm • Optional Fixed 2.8mm + \$0.75 USD
	2MP 4-IN-1 UTC & OSD	FT-WFSBTHY200GH	GC2053 + FH8536H	1/2.7" 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$13.09			
	5MP 4-IN-1 UTC & OSD	FT-WFSBTHY500F	C18 + FH8538E	1/2.5" 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD , UTC Optional DIP Switch	\$14.55			
		FT-WFSBTHY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD , UTC Optional DIP Switch	\$15.11			
	4K 4-IN-1 UTC & OSD	FT-WFSBTHY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$20.71			

Product Show	Megapixel	Model NO.	Sensor+ISP	Key Features	FWB Discounted Price > 200 Units	Additional Functions & Prices	Specification	Lens
 	4K 4-IN-1 UTC & OSD	FT-WFSBTHY4KT	IMX415 + TP3818	1/2.8" SONY 8MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$24.85	Built-In Microphone + \$2.10 USD	IR Range: • White light 2PCS • IR range: 25M General: • IP67 Metal Bullet Waterproof IR Camera • 40CS Per Carton • Weight: 0.55KG	• Fixed 3.6mm • Optional Fixed 2.8mm + \$0.75 USD
	2MP 4-IN-1 UTC	FT-WFSDG25HY200SH	S291+ FH8536H	1/3" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$9.62			
	2MP 4-IN-1 UTC & OSD	FT-WFSDG25HY200GH	GC2053 + FH8536H	1/2.7" 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$11.52			
	5MP 4-IN-1 UTC & OSD	FT-WFSDG25HY500F	C18 + FH8538E	1/2.5" 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$12.98			
		FT-WFSDG25HY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$13.54			
		FT-WFSDG25HY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$19.14			
4K 4-IN-1 UTC & OSD	FT-WFSDG25HY4KT	IMX415 + TP3818	1/2.8" SONY 8MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$23.28				
 	2MP 4-IN-1 UTC	FT-WZSTD40HY200SH	S291+ FH8536H	1/3" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$19.14	Built-In Microphone + \$2.10 USD	IR Range: • White Light • IR LED: 4PCS • IR range: 40M General: • IP67 Metal Waterproof IR Camera • 24CS Per Carton • Weight: 0.75KG	• 2.8-12mm Manual Zoom Lens • Optional 9-22mm Manual Zoom Lens + \$3.25 USD
	2MP 4-IN-1 UTC & OSD	FT-WZSTD40HY200GH	GC2053 + FH8536H	1/2.7" 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$21.04			
	5MP 4-IN-1 UTC & OSD	FT-WZSTD40HY500F	C18 + FH8538E	1/2.5" 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$22.50			
		FT-WZSTD40HY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$23.06			
		FT-WZSTD40HY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$28.66			
	4K 4-IN-1 UTC & OSD	FT-WZSTD40HY4KT	IMX415 + TP3818	1/2.8" SONY 8MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$32.80			




Fixed Lens Dome Cameras

Product Show	Megapixel	Model NO.	Sensor+ISP	Key Features	FWB Discounted Price > 200 Units	Additional Functions & Prices	Specification	Lens
	2MP 4-IN-1 UTC	FT-DFSTV20HY200M	XC5029A + MIS2006	1/2.9" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$7.83	Built-In Microphone +	IR Range: • IR LED: 14 μ X12PCS • IR range: 20M • SMT IR LED General: • IP66 3" Plastic IR Dome	• Fixed 3.6mm • Optional Fixed 2.8mm + \$0.75 USD
		FT-DFSTV20HY200K	F37 + XM330	1/3" Silicon 1080P Sensor With IR-CUT, Low Illumination, UTC	\$8.84			
		FT-DFSTV20HY200X	F33 + FH8536E	1/2.7" Silicon 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$10.40			
	2MP 4-IN-1 UTC & OSD	FT-DFSTV20HY200SV	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$16.90			






Product Show	Megapixel	Model NO.	Sensor+HSP	Key Features	FWB Discounted Price > 200 Units	Additional Functions & Prices	Specification	Lens	
	5MP 4-IN-1 UTC & OSD	FT-DFSTV20HY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$14.10	\$2.10 USD	IP66 Plastic IR Dome Camera • 50PCS Per Carton • Size: Ø 94 x 69(H) mm • Weight: 350g		
		FT-DFSTV20HY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$18.58				
	4K 4-IN-1 UTC & OSD	FT-DFSTV20HY4KP	C08 + FH8556	1/2.5" Silicon 4K/8MP@15fps Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$16.79				
		FT-DFSTV20HY4KS	OV12895 + NVP2481	1/2.3" OV 4K/8MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$28.77				
	2MP 4-IN-1 UTC	FT-DFSWP30HY200M	XC5029A + MIS2006	1/4" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$7.49	Built-In Microphone + \$2.10 USD	IR Range: • IR LED: 24 μ X3PCS • IR range: 30M • 3.5" Plastic IR Dome General: • IP66 Plastic IR Dome Camera • 50PCS Per Carton • Size: Ø 94 x 69(H) mm • Weight: 350g	• Fixed 3.6mm • Optional Fixed 2.8mm + \$0.75 USD	
		FT-DFSWP30HY200K	F37 + XM330	1/3" Silicon 1080P Sensor With IR-CUT, Low Illumination, UTC	\$8.50				
		FT-DFSWP30HY200X	F33 + FH8536E	1/2.7" Silicon 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$10.18				
	2MP 4-IN-1 UTC & OSD	FT-DFSWP30HY200SV	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$17.01				
	5MP 4-IN-1 UTC & OSD	FT-DFSWP30HY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$14.10				
		FT-DFSWP30HY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$18.58				
	4K 4-IN-1 UTC & OSD	FT-DFSWP30HY4KP	C08 + FH8556	1/2.5" Silicon 4K/8MP@15fps Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$16.12				
		FT-DFSWP30HY4KS	OV12895 + NVP2481	1/2.3" OV 4K/8MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$28.32				
	2MP 4-IN-1 UTC	FT-DFSMP30HY200M	XC5029A + MIS2006	1/4" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$10.07	Built-In Microphone + \$2.10 USD	IR Range: • IR LED: 24 μ X3PCS • IR range: 30M General: • IP66 Plastic IR Dome Camera • 50PCS Per Carton • Size: Ø 94 x 69(H) mm • Weight: 500g	• Fixed 3.6mm • Optional Fixed 2.8mm + \$0.75 USD	
		FT-DFSMP30HY200K	F37 + XM330	1/3" Silicon 1080P Sensor With IR-CUT, Low Illumination, UTC	\$11.08				
		FT-DFSMP30HY200X	F33 + FH8536E	1/2.7" Silicon 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$12.42				
	2MP 4-IN-1 UTC & OSD	FT-DFSMP30HY200SV	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$18.92				
	5MP 4-IN-1 UTC & OSD	FT-DFSMP30HY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$16.12				
		FT-DFSMP30HY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$20.60				
	4K 4-IN-1 UTC & OSD	FT-DFSMP30HY4KP	C08 + FH8556	1/2.5" Silicon 4K/8MP@15fps Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$18.69				
		FT-DFSMP30HY4KS	OV12895 + NVP2481	1/2.3" OV 4K/8MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$30.56				
	2MP 4-IN-1 UTC	FT-DFIHX20HY200M	XC5029A + MIS2006	1/4" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$7.72	Built-In Microphone +	IR Range: • IR LED: 24μX3PCS • IR range: 20M • SMT IR LED General: • IP66 Plastic IR Dome	• Fixed 3.6mm • Optional Fixed 2.8mm + \$0.75 USD	
		FT-DFIHX20HY200K	F37 + XM330	1/3" Silicon 1080P Sensor With IR-CUT, Low Illumination, UTC	\$8.72				
		FT-DFIHX20HY200X	F33 + FH8536E	1/2.7" Silicon 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$9.73				
	2MP 4-IN-1 UTC & OSD	FT-DFIHX20HY200SV	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$16.45				







Product Show	Megapixel	Model NO.	Sensor+ISP	Key Features	FWB Discounted Price > 200 Units	Additional Functions & Prices	Specification	Lens
	5MP 4-IN-1 UTC & OSD	FT-DFIHX20HY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$13.65	\$2.10 USD	<ul style="list-style-type: none"> ▪ Obscured Glass, Hidden IR LED ▪ 50PCS Per Carton ▪ Size: \varnothing 94 x 69(H) mm ▪ Weight: 370g 	
		FT-DFIHX20HY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$18.58			
	4K 4-IN-1 UTC & OSD	FT-DFIHX20HY4KP	C08 + FH8556	1/2.5" Silicon 4K/8MP@15fps Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$16.56			
		FT-DFIHX20HY4KS	OV12895 + NVP2481	1/2.3" OV 4K/8MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$28.32			


4K 8MP F1.0 4mm lens

Product Show	Megapixel	Model NO.	Sensor+ISP	Key Features	FWB Discounted Price > 200 Units	Additional Functions & Prices	Specification	Lens
	2MP 4-IN-1 UTC	FT-DFSW20HY200M	XC5029A + MIS2006	1/4" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$7.27	Built-In Microphone + \$2.10 USD	IR Range: • IR LED: 14 μ X12PCS • IR range: 20M • SMT IR LED General: • IP66 Plastic IR Dome Camera • 50PCS Per Carton • Size: ∅ 94 x 69(H) mm • Weight: 350g	• Fixed 3.6mm • Optional Fixed 2.8mm + \$0.75 USD
		FT-DFSW20HY200K	F37 + XM330	1/3" Silicon 1080P Sensor With IR-CUT, Low Illumination, UTC	\$8.28			
		FT-DFSW20HY200X	F33 + FH8536E	1/2.7" Silicon 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$9.73			
	2MP 4-IN-1 UTC & OSD	FT-DFSW20HY200SV	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$16.34			
	5MP 4-IN-1 UTC & OSD	FT-DFSW20HY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$13.65			
		FT-DFSW20HY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$18.13			
	4K 4-IN-1 UTC & OSD	FT-DFSW20HY4KP	C08 + FH8556	1/2.5" Silicon 4K/8MP@15fps Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$15.33			
		FT-DFSW20HY4KS	OV12895 + NVP2481	1/2.3" OV 4K/8MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$28.32			
	2MP 4-IN-1 UTC	FT-DFSV20HY200M	XC5029A + MIS2006	1/4" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$7.16	Built-In Microphone + \$2.10 USD	IR Range: • IR LED: 14 μ X12PCS • IR range: 20M • SMT IR LED General: • IP66 Plastic IR Dome Camera • 50PCS Per Carton • Size: ∅ 94 x 69(H) mm • Weight: 370g	• Fixed 3.6mm • Optional Fixed 2.8mm + \$0.75 USD
		FT-DFSV20HY200K	F37 + XM330	1/3" Silicon 1080P Sensor With IR-CUT, Low Illumination, UTC	\$8.16			
		FT-DFSV20HY200X	F33 + FH8536E	1/2.7" Silicon 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$9.62			
	2MP 4-IN-1 UTC & OSD	FT-DFSV20HY200SV	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$16.23			
	5MP 4-IN-1 UTC & OSD	FT-DFSV20HY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$13.54			
		FT-DFSV20HY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$18.02			
	4K 4-IN-1 UTC & OSD	FT-DFSV20HY4KP	C08 + FH8556	1/2.5" Silicon 4K/8MP@15fps Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$15.22			
		FT-DFSV20HY4KS	OV12895 + NVP2481	1/2.3" OV 4K/8MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$28.21			
	2MP 4-IN-1 UTC	FT-DFIE10HY200M	XC5029A + MIS2006	1/4" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$10.52	Built-In Microphone + \$2.10 USD	IR Range: • IR LED: ∅ 5X12PCS • IR range: 10M General: • IP66 Mini Vandalproof IR Dome Camera • 100PCS Per Carton • Size: ∅ 59 x 55(H) mm • Weight: 480g	• Fixed 3.6mm • Optional Fixed 2.8mm + \$0.75 USD
		FT-DFIE10HY200K	F37 + XM330	1/3" Silicon 1080P Sensor With IR-CUT, Low Illumination, UTC	\$11.52			
		FT-DFIE10HY200X	F33 + FH8536E	1/2.7" Silicon 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$12.98			
	2MP 4-IN-1 UTC & OSD	FT-DFIE10HY200SV	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$19.59			
	5MP 4-IN-1 UTC & OSD	FT-DFIE10HY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$16.90			
		FT-DFIE10HY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$21.38			
		FT-DFIPK5HY200M	XC5029A + MIS2006	1/4" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$11.64			




IR Range:





Product Show	Megapixel	Model NO.	Sensor+HSP	Key Features	FWB Discounted Price > 200 Units	Additional Functions & Prices	Specification	Lens
	2MP 4-IN-1 UTC	FT-DFIPK5HY200K	F37 + XM330	1/3" Silicon 1080P Sensor With IR-CUT, Low Illumination, UTC	\$12.64	Built-In Microphone + \$2.10 USD	<u>IR Range:</u> • IR LED: \varnothing 5X3PCS • IR range: 5M <u>General:</u> • 360 Degree Panoramic camera • 24PCS Per Carton • Size: \varnothing 120 x 70(H) mm • Weight: 600g	• Board Lens 1.7mm
		FT-DFIPK5HY200X	F33 + FH8536E	1/2.7" Silicon 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$14.10			
	2MP 4-IN-1 UTC & OSD	FT-DFIPK5HY200SV	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$20.71			
	5MP 4-IN-1 UTC & OSD	FT-DFIPK5HY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$18.02			
		FT-DFIPK5HY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$22.50			
 	2MP 4-IN-1 UTC	FT-DFSP20HY200M	XC5029A + MIS2006	1/4" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$8.61	Built-In Microphone + 2 USD Obscured Glass, Hidden IR LED + 0.75 USD Deep Base + \$3.25 USD 	<u>IR Range:</u> • IR LED: 14 μ X12PCS • IR range: 20M • SMT IR LED <u>General:</u> • IP66 Vandalproof IR Dome Camera • 50PCS Per Carton • Size: \varnothing 94 x 69(H) mm • Weight: 500g	• Fixed 3.6mm • Optional Fixed 2.8mm + \$0.75 USD
		FT-DFSP20HY200K	F37 + XM330	1/3" Silicon 1080P Sensor With IR-CUT, Low Illumination, UTC	\$9.68			
		FT-DFSP20HY200X	F33 + FH8536E	1/2.7" Silicon 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$11.08			
	2MP 4-IN-1 UTC & OSD	FT-DFSP20HY200SV	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$17.91			
	5MP 4-IN-1 UTC & OSD	FT-DFSP20HY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$14.77			
		FT-DFSP20HY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$19.70			
	4K 4-IN-1 UTC & OSD	FT-DFSP20HY4KP	C08 + FH8556	1/2.5" Silicon 4K/8MP@15fps Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$17.24			
		FT-DFSP20HY4KS	OV12895 + NVP2481	1/2.3" OV 4K/8MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$30.12			
		2MP 4-IN-1 UTC	FT-DFST20HY200M	XC5029A + MIS2006	1/4" 1080P Sensor With IR-CUT, Low Illumination, UTC			\$9.28
FT-DFST20HY200K			F37 + XM330	1/3" Silicon 1080P Sensor With IR-CUT, Low Illumination, UTC	\$10.29			
FT-DFST20H200X			F33 + FH8536E	1/2.7" Silicon 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$11.75			
2MP 4-IN-1 UTC & OSD		FT-DFST20HY200SV	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$18.36			
5MP 4-IN-1 UTC & OSD		FT-DFST20HY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$15.67			
		FT-DFST20HY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$20.15			
4K 4-IN-1 UTC & OSD		FT-DFST20HY4KP	C08 + FH8556	1/2.5" Silicon 4K/8MP@15fps Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$17.35			
		FT-DFST20HY4KS	OV12895 + NVP2481	1/2.3" OV 4K/8MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$30.34			




Product Show	Megapixel	Model NO.	Sensor+ISP	Key Features	FWB Discounted Price > 200 Units	Additional Functions & Prices	Specification	Lens
	2MP 4-IN-1 UTC	FT-DFSM20HY200M	XC5029A + MIS2006	1/4" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$9.12	Built-In Microphone + 2 USD Obscured Glass, Hidden IR LED + 0.5 USD Deep Base + \$3.25 USD	IR Range: • IR LED: 14 μ X12PCS • IR range: 20M • SMT IR LED	• Fixed 3.6mm • Optional Fixed 2.8mm + \$0.75 USD
		FT-DFSM20HY200K	F37 + XM330	1/3" Silicon 1080P Sensor With IR-CUT, Low Illumination, UTC	\$10.12			
		FT-DFSM20HY200X	F33 + FH8536E	1/2.7" Silicon 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$11.58			
	2MP 4-IN-1 UTC & OSD	FT-DFSM20HY200SV	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$18.19			
	5MP 4-IN-1 UTC & OSD	FT-DFSM20HY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$15.50			
		FT-DFSM20HY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$19.98			
4K 4-IN-1 UTC & OSD	FT-DFSM20HY4KP	C08 + FH8556	1/2.5" Silicon 4K/8MP@15fps Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$17.18		General: • IP66 Vandalproof IR Dome Camera • 50PCS Per Carton • Size: ∅ 94 x 69(H) mm • Weight: 550g	4K 8MP F1.0 4mm lens	
	FT-DFSM20HY4KS	OV12895 + NVP2481	1/2.3" OV 4K/8MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$30.17				
 	2MP 4-IN-1 UTC	FT-DFSPB30HY200M	XC5029A + MIS2006	1/4" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$12.48	Built-In Microphone + 2 USD Obscured Glass, Hidden IR LED + \$0.75 USD Deep Base + 3.5 USD	IR Range: • IR LED: 14μX24PCS • IR range: 30M • SMT IR LED	• Fixed 3.6mm • Optional Fixed 2.8mm + \$0.75 USD
		FT-DFSPB30HY200K	F37 + XM330	1/3" Silicon 1080P Sensor With IR-CUT, Low Illumination, UTC	\$13.48			
		FT-DFSPB30HY200X	F33 + FH8536E	1/2.7" Silicon 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$14.94			
	2MP 4-IN-1 UTC & OSD	FT-DFSPB30HY200SV	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$21.55			
	5MP 4-IN-1 UTC & OSD	FT-DFSPB30HY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$18.86			
		FT-DFSPB30HY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$23.34			
4K 4-IN-1 UTC & OSD	FT-DFSPB30HY4KP	C08 + FH8556	1/2.5" Silicon 4K/8MP@15fps Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$20.54		General: • IP66 Vandalproof IR Dome Camera • 24PCS Per Carton • Size: ∅ 131 x 93(H) mm • Weight: 900g(Without Deep Base) 1.8KG(With Deep Base)	4K 8MP F1.0 4mm lens	
	FT-DFSPB30HY4KS	OV12895 + NVP2481	1/2.3" OV 4K/8MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$33.53				
	2MP 4-IN-1 UTC	FT-DFITS5HY200M	XC5029A + MIS2006	1/4" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$21.16	Built-In Microphone + \$2.10 USD	IR Range: • IR LED: 16μX 1PCS • IR range: 5M	• Board Lens 2.8mm
		FT-DFITS5HY200K	F37 + XM330	1/3" Silicon 1080P Sensor With IR-CUT, Low Illumination, UTC	\$22.16			
		FT-DFITS5HY200X	F33 + FH8536E	1/2.7" Silicon 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$23.62			
	2MP 4-IN-1 UTC & OSD	FT-DFITS5HY200SV	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$30.23			
	5MP 4-IN-1	FT-DFITS5HY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$27.54			



Product Show	Megapixel	Model NO.	Sensor+ISP	Key Features	FWB Discounted Price > 200 Units	Additional Functions & Prices	Specification	Lens
	UTC & OSD	FT-DFITS5HY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$32.02			
	2MP 4-IN-1 UTC	FT-DFIRS10HY200M	XC5029A + MIS2006	1/4" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$11.64	Built-In Microphone + \$2.10 USD	IR Range: • IR LED: ∅ 5X12PCS • IR range: 10M General: • IP66 Vandalproof IR Dome Camera • 24PCS Per Carton • Size: ∅ 120 x 60(H) mm • Weight: 550g	Fixed 3.6mm • Optional Fixed 2.8mm + \$0.75 USD
		FT-DFIRS10HY200K	F37 + XM330	1/3" Silicon 1080P Sensor With IR-CUT, Low Illumination, UTC	\$12.64			
		FT-DFIRS10HY200X	F33 + FH8536E	1/2.7" Silicon 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$14.10			
	2MP 4-IN-1 UTC & OSD	FT-DFIRS10HY200SV	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$20.71			
	5MP 4-IN-1 UTC & OSD	FT-DFIRS10HY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$18.02			
		FT-DFIRS10HY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$22.50			
	4K 4-IN-1 UTC & OSD	FT-DFIRS10HY4KP	C08 + FH8556	1/2.5" Silicon 4K/8MP@15fps Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$19.70			
		FT-DFIRS10HY4KS	OV12895 + NVP2481	1/2.3" OV 4K/8MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$32.80			




Varifocal Lens Dome Cameras







Product Show	Megapixel	Model NO.	Sensor+ISP	Key Features	FWB Discounted Price > 200 Units	Additional Functions & Prices	Specification	Lens
 	2MP 4-IN-1 UTC	FT-DZSP30HY200M	XC5029A + MIS2006	1/4" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$15.22	Built-In Microphone + 2 USD Obscured Glass, Hidden IR LED + 0.5 USD Deep Base + 3.75 USD	IR Range: • IR LED: 14μ X24PCS • IR range: 30M • SMT IR LED General: • IP66 Vandalproof IR Dome Camera • 24PCS Per Carton • Size: ∅ 131 x 93(H) mm • Weight: 900g(Without Deep Base) 1.8KG(With Deep Base)	2.8-12mm Manual Zoom Lens • Optional 9-22mm Manual Zoom Lens + \$3.25 USD
		FT-DZSP30HY200K	F37 + XM330	1/3" Silicon 1080P Sensor With IR-CUT, Low Illumination, UTC	\$16.23			
		FT-DZSP30HY200X	F33 + FH8536E	1/2.7" Silicon 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$17.57			
	2MP 4-IN-1 UTC & OSD	FT-DZSP30HY200SV	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$24.52			
	5MP 4-IN-1 UTC & OSD	FT-DZSP30HY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$20.82			
		FT-DZSP30HY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$25.19			
	4K 4-IN-1 UTC & OSD	FT-DZSP30HY4KP	C08 + FH8556	1/2.5" Silicon 4K/8MP@15fps Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$21.38			
		FT-DZSP30HY4KS	OV12895 + NVP2481	1/2.3" OV 4K/8MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$39.08			
2MP 4XAF 4-IN-1 UTC & OSD	FT-DZSP30AH200Z	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$31.57		2.8-12mm Auto FOCUS Lens		
5MP 4XAF 4-IN-1 UTC & OSD	FT-DZSP30AH500S	IMX335 + NVP2477	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$35.83				
2MP 4-IN-1 UTC	FT-DZST30HY200M	XC5029A + MIS2006	1/4" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$15.78				
	FT-DZST30HY200K	F37 + XM330	1/3" Silicon 1080P Sensor With IR-CUT, Low Illumination, UTC	\$16.79				




Product Show	Megapixel	Model NO.	Sensor+ISP	Key Features	FWB Discounted Price > 200 Units	Additional Functions & Prices	Specification	Lens
		FT-DZST30HY200X	F33 + FH8536E	1/2.7" Silicon 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$17.91	Built-In Microphone + \$2.10 USD	IR Range: <ul style="list-style-type: none"> IR LED: 14μX24PCS IR range: 30M SMT IR LED General: <ul style="list-style-type: none"> IP66 Vandalproof IR Dome Camera 27PCS Per Carton Size: ∅ 131 x 93(H) mm Weight: 900g 	<ul style="list-style-type: none"> 2.8-12mm Manual Zoom Lens Optional 9-22mm Manual Zoom Lens + \$3.25 USD
	2MP 4-IN-1 UTC & OSD	FT-DZST30HY200SV	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$24.96			
	5MP 4-IN-1 UTC & OSD	FT-DZST30HY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$21.94			
		FT-DZST30HY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$26.08			
	4K 4-IN-1 UTC & OSD	FT-DZST30HY4KP	C08 + FH8556	1/2.5" Silicon 4K/8MP@15fps Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$21.72			
		FT-DZST30HY4KS	OV12895 + NVP2481	1/2.3" OV 4K/8MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$39.08			
	2MP 4XAF 4-IN-1 UTC & OSD	FT-DZST30AH200Z	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$31.80			
	5MP 4XAF 4-IN-1 UTC & OSD	FT-DZST30AH500S	IMX335 + NVP2477	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$36.39			
 	2MP 4-IN-1 UTC	FT-DZSM30HY200M	XC5029A + MIS2006	1/4" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$15.78	Built-In Microphone + 2 USD Obscured Glass, Hidden IR LED + \$0.75 USD Deep Base + \$3.75 USD	IR Range: <ul style="list-style-type: none"> IR LED: 14μX24PCS IR range: 30M SMT IR LED General: <ul style="list-style-type: none"> IP66 Vandalproof IR Dome Camera 24PCS Per Carton Size: ∅ 131 x 93(H) mm Weight: 900g(Without Deep Base) 1.8KG(With Deep Base) 	<ul style="list-style-type: none"> 2.8-12mm Manual Zoom Lens Optional 9-22mm Manual Zoom Lens + \$3.25 USD
		FT-DZSM30HY200K	F37 + XM330	1/3" Silicon 1080P Sensor With IR-CUT, Low Illumination, UTC	\$16.79			
		FT-DZSM30HY200X	F33 + FH8536E	1/2.7" Silicon 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$17.91			
	2MP 4-IN-1 UTC & OSD	FT-DZSM30HY200SV	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$24.85			
	5MP 4-IN-1 UTC & OSD	FT-DZSM30HY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$21.49			
		FT-DZSM30HY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$25.52			
	4K 4-IN-1 UTC & OSD	FT-DZSM30HY4KP	C08 + FH8556	1/2.5" Silicon 4K/8MP@15fps Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$21.72			
		FT-DZSM30HY4KS	OV12895 + NVP2481	1/2.3" OV 4K/8MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$39.41			
2MP 4XAF 4-IN-1 UTC & OSD	FT-DZSM30AH200Z	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$31.91		2.8-12mm Auto FOCUS Lens		
5MP 4XAF 4-IN-1 UTC & OSD	FT-DZSM30AH500S	IMX335 + NVP2477	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$36.16				
2MP 4-IN-1 UTC	FT-DZIB20HY200M	XC5029A + MIS2006	1/4" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$14.88		IR Range:	<ul style="list-style-type: none"> 2.8-12mm Manual Zoom Lens 	
	FT-DZIB20HY200K	F37 + XM330	1/3" Silicon 1080P Sensor With IR-CUT, Low Illumination, UTC	\$15.89				
	FT-DZIB20HY200X	F33 + FH8536E	1/2.7" Silicon 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$16.90				




Product Show	Megapixel	Model NO.	Sensor+ISP	Key Features	FWB Discounted Price > 200 Units	Additional Functions & Prices	Specification	Lens				
	2MP 4-IN-1 UTC & OSD	FT-DZIB20HY200SV	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$24.40	Built-In Microphone + \$2.10 USD	<ul style="list-style-type: none"> IR LED: \varnothing 5X21PCS IR range: 20M General: <ul style="list-style-type: none"> IP65 Plastic IR Dome Camera 3-Axis Plastic Dome Camera 24PCS Per Carton Size: \varnothing 131 x 93(H) mm Weight: 800g 	<ul style="list-style-type: none"> Optional 9-22mm Manual Zoom Lens + \$3.25 USD 				
	5MP 4-IN-1 UTC & OSD	FT-DZIB20HY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$20.60							
		FT-DZIB20HY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$25.08							
	4K 4-IN-1 UTC & OSD	FT-DZIB20HY4KP	C08 + FH8556	1/2.5" Silicon 4K/8MP@15fps Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$20.37				4K 8MP 2.7-13.5mm Manual Zoom Lens			
		FT-DZIB20HY4KS	OV12895 + NVP2481	1/2.3" OV 4K/8MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$37.40							
	2MP 4XAF 4-IN-1 UTC & OSD	FT-DZIB20AH200Z	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$30.68				2.8-12mm Auto FOCUS Lens			
5MP 4XAF 4-IN-1 UTC & OSD	FT-DZIB20AH500S	IMX335 + NVP2477	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$35.16								
	2MP 4-IN-1 UTC	FT-DZIX25HY200M	XC5029A + MIS2006	1/4" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$21.62	Built-In Microphone + 2 USD Deep Base + \$4.35 USD	IR Range: <ul style="list-style-type: none"> IR LED: \varnothing 5X25PCS IR range: 25M General: <ul style="list-style-type: none"> IP66 VandalProof IR Dome Camera 27PCS Per Carton SIZE: \varnothing140mmx144(H)mm Weight: 1.4KG 	<ul style="list-style-type: none"> 2.8-12mm Manual Zoom Lens Optional 9-22mm Manual Zoom Lens + \$3.25 USD 				
		FT-DZIX25HY200K	F37 + XM330	1/3" Silicon 1080P Sensor With IR-CUT, Low Illumination, UTC	\$22.62							
		FT-DZIX25HY200X	F33 + FH8536E	1/2.7" Silicon 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$23.17							
	2MP 4-IN-1 UTC & OSD	FT-DZIX25HY200SV	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$31.24					4K 8MP 2.7-13.5mm Manual Zoom Lens		
	5MP 4-IN-1 UTC & OSD	FT-DZIX25HY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$26.66							
		FT-DZIX25HY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$31.70							
	4K 4-IN-1 UTC & OSD	FT-DZIX25HY4KP	C08 + FH8556	1/2.5" Silicon 4K/8MP@15fps Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$26.43							4K 8MP 2.7-13.5mm Manual Zoom Lens
		FT-DZIX25HY4KS	OV12895 + NVP2481	1/2.3" OV 4K/8MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$44.58							
	2MP 4XAF 4-IN-1 UTC & OSD	FT-DZIX25AH200Z	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$36.74							2.8-12mm Auto FOCUS Lens
	5MP 4XAF 4-IN-1 UTC & OSD	FT-DZIX25AH500S	IMX335 + NVP2477	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$41.78							

Product Show	Megapixel	Model NO.	Sensor+ISP	Key Features	FWB Discounted Price > 200 Units	Additional Functions & Prices	Specification	Lens
Fixed Lens Waterproof IR Cameras								
Product Show	Megapixel	Model NO.	Sensor+ISP	Key Features	FWB Discounted Price > 200 Units	Additional Functions & Prices	Specification	Lens
	2MP 4-IN-1 UTC	FT-WFSVP20HY200M	XC5029A + MIS2006	1/4" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$9.28	Built-In Microphone + \$2.10 USD Dual Voltage DC 12V/AC 24V + \$4.35 USD	IR Range: • IR LED: 14µX12PCS • IR range: 20M • SMT IR LED General: • Obscured Glass, Hidden IR LED • IP67 Metal Waterproof IR Camera • SIZE: Ø93mmx65(H)mm • 24PCS Per Carton • Weight: 0.8KG	• Fixed 3.6mm • Optional Fixed 2.8mm + \$0.75 USD
		FT-WFSVP20HY200K	F37 + XM330	1/3" Silicon 1080P Sensor With IR-CUT, Low Illumination, UTC	\$10.29			
		FT-WFSVP20HY200X	F33 + FH8536E	1/2.7" Silicon 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$11.52			
	2MP 4-IN-1 UTC & OSD	FT-WFSVP20HY200SV	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$18.36			
	5MP 4-IN-1 UTC & OSD	FT-WFSVP20HY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$15.22			
		FT-WFSVP20HY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$20.15			
	4K 4-IN-1 UTC & OSD	FT-WFSVP20HY4KP	C08 + FH8556	1/2.5" Silicon 4K/8MP@15fps Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$18.24			
		FT-WFSVP20HY4KS	OV12895 + NVP2481	1/2.3" OV 4K/8MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$30.00			
	2MP 4-IN-1 UTC	FT-WFSKS20HY200M	XC5029A + MIS2006	1/4" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$10.40	Built-In Microphone + \$2.10 USD Dual Voltage DC 12V/AC 24V + \$4.35 USD	IR Range: • IR LED: 14µX12PCS • IR range: 20M • SMT IR LED General: • IP67 Metal Waterproof IR Camera • Obscured Glass, Hidden IR LED • SIZE: Ø100mmx68(H)mm • 24PCS Per Carton • Weight: 0.8KG	• Fixed 3.6mm • Optional Fixed 2.8mm + \$0.75 USD
		FT-WFSKS20HY200K	F37 + XM330	1/3" Silicon 1080P Sensor With IR-CUT, Low Illumination, UTC	\$11.41			
		FT-WFSKS20HY200X	F33 + FH8536E	1/2.7" Silicon 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$12.53			
	2MP 4-IN-1 UTC & OSD	FT-WFSKS20HY200SV	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$19.48			
	5MP 4-IN-1 UTC & OSD	FT-WFSKS20HY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$16.12			
		FT-WFSKS20HY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$21.16			
	4K 4-IN-1 UTC & OSD	FT-WFSKS20HY4KP	C08 + FH8556	1/2.5" Silicon 4K/8MP@15fps Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$19.03			
		FT-WFSKS20HY4KS	OV12895 + NVP2481	1/2.3" OV 4K/8MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$31.24			
2MP 4-IN-1 UTC	FT-WFIAX30HY200M	XC5029A + MIS2006	1/4" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$10.29		IR Range: • IR LED: 14µX24PCS • IR range: 30M	• Fixed 3.6mm • Optional Fixed	
	FT-WFIAX30HY200K	F37 + XM330	1/3" Silicon 1080P Sensor With IR-CUT, Low Illumination, UTC	\$11.30				
	FT-WFIAX30HY200X	F33 + FH8536E	1/2.7" Silicon 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$12.31				


Product Show	Megapixel	Model NO.	Sensor+HSP	Key Features	FWB Discounted Price > 200 Units	Additional Functions & Prices	Specification	Lens			
	2MP 4-IN-1 UTC & OSD	FT-WFIAX30HY200SV	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$19.25	Built-In Microphone + \$2.10 USD Dual Voltage DC 12V/AC 24V + \$4.35 USD	<ul style="list-style-type: none"> • SMT IR LED General: <ul style="list-style-type: none"> • IP67 Metal Waterproof IR Camera • Obscured Glass, Hidden IR LED • SIZE: Ø100mmx64(H)mm • 24PCS Per Carton • Weight: 0.55KG 	2.8mm + \$0.75 USD			
	5MP 4-IN-1 UTC & OSD	FT-WFIAX30HY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$16.12						
		FT-WFIAX30HY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$20.93						
	4K 4-IN-1 UTC & OSD	FT-WFIAX30HY4KP	C08 + FH8556	1/2.5" Silicon 4K/8MP@15fps Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$18.92						
		FT-WFIAX30HY4KS	OV12895 + NVP2481	1/2.3" OV 4K/8MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$31.01						
	2MP 4-IN-1 UTC	FT-WFSTP20HY200M	XC5029A + MIS2006	1/4" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$7.38	Built-In Microphone + \$2.10 USD Dual Voltage DC 12V/AC 24V + \$4.35 USD	IR Range: <ul style="list-style-type: none"> • IR LED: 14µX12PCS • IR range: 20M • SMT IR LED General: <ul style="list-style-type: none"> • IP67 Plastic Waterproof IR Camera • 60PCS Per Carton • Size: 86(W) x 60(H) x 55(D)mm • Weight: 400g 	Fixed 3.6mm Optional Fixed 2.8mm + \$0.75 USD			
		FT-WFSTP20HY200K	F37 + XM330	1/3" Silicon 1080P Sensor With IR-CUT, Low Illumination, UTC	\$8.39						
		FT-WFSTP20HY200X	F33 + FH8536E	1/2.7" Silicon 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$9.68						
	2MP 4-IN-1 UTC & OSD	FT-WFSTP20HY200SV	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$16.51						
		5MP 4-IN-1 UTC & OSD	FT-WFSTP20HY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch			\$13.43			
	4K 4-IN-1 UTC & OSD	FT-WFSTP20HY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$18.30						
		FT-WFSTP20HY4KP	C08 + FH8556	1/2.5" Silicon 4K/8MP@15fps Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$16.79						
		FT-WFSTP20HY4KS	OV12895 + NVP2481	1/2.3" OV 4K/8MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$28.27						
			2MP 4-IN-1 UTC	FT-WFIE25HY200M	XC5029A + MIS2006			1/4" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$10.18	Built-In Microphone + \$2.10 USD Dual Voltage DC 12V/AC 24V + \$4.35 USD	IR Range: <ul style="list-style-type: none"> • IR LED: Ø 5X30PCS • IR range: 25M General: <ul style="list-style-type: none"> • IP67 Metal Waterproof IR Camera • 40PCS Per Carton • Size: 86(W) x 60(H) x 55(D)mm • Weight: 900g
	FT-WFIE25HY200K			F37 + XM330	1/3" Silicon 1080P Sensor With IR-CUT, Low Illumination, UTC			\$11.19			
FT-WFIE25HY200X	F33 + FH8536E			1/2.7" Silicon 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$12.20						
2MP 4-IN-1 UTC & OSD	FT-WFIE25HY200SV		IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$19.14						
5MP 4-IN-1 UTC & OSD	FT-WFIE25HY500P		K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$16.00						
	FT-WFIE25HY500S		IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$20.82						
4K 4-IN-1 UTC & OSD	FT-WFIE25HY4KP		C08 + FH8556	1/2.5" Silicon 4K/8MP@15fps Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$18.80						
	FT-WFIE25HY4KS	OV12895 + NVP2481	1/2.3" OV 4K/8MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$30.90							


Product Show	Megapixel	Model NO.	Sensor+HSP	Key Features	FWB Discounted Price > 200 Units	Additional Functions & Prices	Specification	Lens	
	2MP 4-IN-1 UTC	FT-WFIPK30HY200M	XC5029A + MIS2006	1/4" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$10.07	Built-In Microphone + \$2.10 USD Dual Voltage DC 12V/AC 24V + \$4.35 USD Bracket + \$6.35 USD	IR Range: • IR LED: ∅ 28X6PCS • IR range: 30M General: • IP67 Metal Waterproof IR Camera • 40PCS Per Carton • Size: 86(W) x 60(H) x 55(D)mm • Weight: 800g	• Fixed 3.6mm • Optional Fixed 2.8mm + \$0.75 USD	
		FT-WFIPK30HY200K	F37 + XM330	1/3" Silicon 1080P Sensor With IR-CUT, Low Illumination, UTC	\$11.08				
		FT-WFIPK30HY200X	F33 + FH8536E	1/2.7" Silicon 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$12.08				
	2MP 4-IN-1 UTC & OSD	FT-WFIPK30HY200SV	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$19.03				
	5MP 4-IN-1 UTC & OSD	FT-WFIPK30HY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$15.89				
		FT-WFIPK30HY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$20.71				
	4K 4-IN-1 UTC & OSD	FT-WFIPK30HY4KP	C08 + FH8556	1/2.5" Silicon 4K/8MP@15fps Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$18.69				4K 8MP F1.0 4mm lens
		FT-WFIPK30HY4KS	OV12895 + NVP2481	1/2.3" OV 4K/8MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$30.79				
	2MP 4-IN-1 UTC	FT-WFIPS30HY200M	XC5029A + MIS2006	1/4" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$10.29	Built-In Microphone + \$2.10 USD Dual Voltage DC 12V/AC 24V + \$4.35 USD	IR Range: • IR LED: ∅ 5 X 36PCS • IR range: 30M General: • IP67 Metal Waterproof IR Camera • 24PCS Per Carton • Size: 155(W) x 86(H) x 102mm(D) • Weight: 0.8KG		• Fixed 3.6mm • Optional Fixed 2.8mm + \$0.75 USD
		FT-WFIPS30HY200K	F37 + XM330	1/3" Silicon 1080P Sensor With IR-CUT, Low Illumination, UTC	\$11.30				
		FT-WFIPS30HY200X	F33 + FH8536E	1/2.7" Silicon 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$12.31				
	2MP 4-IN-1 UTC & OSD	FT-WFIPS30HY200SV	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$19.25				
	5MP 4-IN-1 UTC & OSD	FT-WFIPS30HY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$16.12				
		FT-WFIPS30HY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$20.93				
	4K 4-IN-1 UTC & OSD	FT-WFIPS30HY4KP	C08 + FH8556	1/2.5" Silicon 4K/8MP@15fps Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$18.92				4K 8MP F1.0 4mm lens
		FT-WFIPS30HY4KS	OV12895 + NVP2481	1/2.3" OV 4K/8MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$31.01				
	2MP 4-IN-1 UTC	FT-WFSX20HY200M	XC5029A + MIS2006	1/4" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$9.40	Built-In Microphone + \$2.10 USD Dual Voltage DC 12V/AC 24V + \$4.35 USD	IR Range: • IR LED: 14μX12PCS • IR range: 20M • SMT IR LED General: • IP67 Metal Waterproof IR Camera • 60PCS Per Carton • Size: 200(W) x 65(H) x 71(D)mm • Weight: 750g		• Fixed 3.6mm • Optional Fixed 2.8mm + \$0.75 USD
		FT-WFSX20HY200K	F37 + XM330	1/3" Silicon 1080P Sensor With IR-CUT, Low Illumination, UTC	\$10.40				
		FT-WFSX20HY200X	F33 + FH8536E	1/2.7" Silicon 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$11.52				
	2MP 4-IN-1 UTC & OSD	FT-WFSX20HY200SV	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$18.36				
	5MP 4-IN-1 UTC & OSD	FT-WFSX20HY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$15.44				
		FT-WFSX20HY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$20.15				






Product Show	Megapixel	Model NO.	Sensor+HSP	Key Features	FWB Discounted Price > 200 Units	Additional Functions & Prices	Specification	Lens
	4K 4-IN-1 UTC & OSD	FT-WFSX20HY4KP	C08 + FH8556	1/2.5" Silicon 4K/8MP@15fps Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$17.91			4K 8MP F1.0 4mm lens
		FT-WFSX20HY4KS	OV12895 + NVP2481	1/2.3" OV 4K/8MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$30.12			
	2MP 4-IN-1 UTC	FT-WFSME20HY200M	XC5029A + MIS2006	1/4" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$9.62	Built-In Microphone + \$2.10 USD Dual Voltage DC 12V/AC 24V + 4.35 USD	R Range: <ul style="list-style-type: none"> IR LED: 14μX12PCS IR range: 20M SMT IR LED General: <ul style="list-style-type: none"> IP67 Metal Waterproof IR Camera 60PCS Per Carton Size: 155.5(W) x 72.5(H) x 71(D)mm Weight: 650g 	<ul style="list-style-type: none"> Fixed 3.6mm Optional Fixed 2.8mm + \$0.75 USD
		FT-WFSME20HY200K	F37 + XM330	1/3" Silicon 1080P Sensor With IR-CUT, Low Illumination, UTC	\$10.63			
		FT-WFSME20HY200X	F33 + FH8536E	1/2.7" Silicon 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$11.86			
	2MP 4-IN-1 UTC & OSD	FT-WFSME20HY200SV	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$18.69			
	5MP 4-IN-1 UTC & OSD	FT-WFSME20HY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$15.78			
		FT-WFSME20HY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$20.48			
	4K 4-IN-1 UTC & OSD	FT-WFSME20HY4KP	C08 + FH8556	1/2.5" Silicon 4K/8MP@15fps Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$18.36			
		FT-WFSME20HY4KS	OV12895 + NVP2481	1/2.3" OV 4K/8MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$30.45			
	2MP 4-IN-1 UTC	FT-WFIDN25HY200M	XC5029A + MIS2006	1/4" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$10.29	Built-In Microphone + \$2.10 USD Dual Voltage DC 12V/AC 24V + \$4.35 USD	IR Range: <ul style="list-style-type: none"> IR LED: ∅ 5X30PCS IR range: 25M General: <ul style="list-style-type: none"> IP67 Metal Waterproof IR Camera 40PCS Per Carton Size: 86(W) x 60(H) x 55(D)mm Weight: 650g 	<ul style="list-style-type: none"> Fixed 3.6mm Optional Fixed 2.8mm + \$0.75 USD
		FT-WFIDN25HY200K	F37 + XM330	1/3" Silicon 1080P Sensor With IR-CUT, Low Illumination, UTC	\$11.30			
		FT-WFIDN25HY200X	F33 + FH8536E	1/2.7" Silicon 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$12.31			
	2MP 4-IN-1 UTC & OSD	FT-WFIDN25HY200SV	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$19.25			
	5MP 4-IN-1 UTC & OSD	FT-WFIDN25HY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$16.12			
		FT-WFIDN25HY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$20.93			
	4K 4-IN-1 UTC & OSD	FT-WFIDN25HY4KP	C08 + FH8556	1/2.5" Silicon 4K/8MP@15fps Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$18.92			
		FT-WFIDN25HY4KS	OV12895 + NVP2481	1/2.3" OV 4K/8MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$31.01			
	2MP 4-IN-1 UTC	FT-WFSB20HY200M	XC5029A + MIS2006	1/4" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$8.44	Built-In Microphone + \$2.10 USD	R Range: <ul style="list-style-type: none"> IR LED: 14μX12PCS IR range: 20M SMT IR LED General: <ul style="list-style-type: none"> IP67 Metal Waterproof 	<ul style="list-style-type: none"> Fixed 3.6mm Optional Fixed 2.8mm + \$0.75 USD
		FT-WFSB20HY200K	F37 + XM330	1/3" Silicon 1080P Sensor With IR-CUT, Low Illumination, UTC	\$9.45			
		FT-WFSB20HY200X	F33 + FH8536E	1/2.7" Silicon 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$10.57			
	2MP 4-IN-1 UTC & OSD	FT-WFSB20HY200SV	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$17.40			


Product Show	Megapixel	Model NO.	Sensor+ISP	Key Features	FWB Discounted Price > 200 Units	Additional Functions & Prices	Specification	Lens		
	5MP 4-IN-1 UTC & OSD	FT-WFSB20HY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$14.49	Dual Voltage DC 12V/AC 24V + \$4.35 USD	IR Camera • 60PCS Per Carton • Size: 155.5(W) x 72.5(H) x 71(D)mm • Weight: 750g	4K 8MP F1.0 4mm lens		
		FT-WFSB20HY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$19.20					
	4K 4-IN-1 UTC & OSD	FT-WFSB20HY4KP	C08 + FH8556	1/2.5" Silicon 4K/8MP@15fps Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$17.74					
		FT-WFSB20HY4KS	OV12895 + NVP2481	1/2.3" OV 4K/8MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$29.16					
	2MP 4-IN-1 UTC	FT-WFISP30HY200M	XC5029A + MIS2006	1/4" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$10.18	Built-In Microphone + \$2.10 USD Dual Voltage DC 12V/AC 24V + \$4.35 USD Bracket + \$6.35 USD	IR Range: • IR LED: ∅ 28X6PCS • IR range: 30M	Fixed 3.6mm • Optional Fixed 2.8mm + \$0.75 USD		
		FT-WFISP30HY200K	F37 + XM330	1/3" Silicon 1080P Sensor With IR-CUT, Low Illumination, UTC	\$11.19					
		FT-WFISP30HY200X	F33 + FH8536E	1/2.7" Silicon 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$12.20					
	2MP 4-IN-1 UTC & OSD	FT-WFISP30HY200SV	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$19.14					
	5MP 4-IN-1 UTC & OSD	FT-WFISP30HY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$16.00					General: • IP67 Metal Waterproof IR Camera • Obscured Glass, Hidden IR LED • 40PCS Per Carton • Size: 175(W) x 69(H) x 55(D)mm • Weight: 600g
		FT-WFISP30HY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$20.82					
	4K 4-IN-1 UTC & OSD	FT-WFISP30HY4KP	C08 + FH8556	1/2.5" Silicon 4K/8MP@15fps Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$18.80					
		FT-WFISP30HY4KS	OV12895 + NVP2481	1/2.3" OV 4K/8MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$30.90					

Varifocal Lens Waterproof IR Cameras



Product Show	Megapixel	Model NO.	Sensor+ISP	Key Features	FWB Discounted Price > 200 Units	Additional Functions & Prices	Specification	Lens
	2MP 4-IN-1 UTC	FT-WZSKS40HY200M	XC5029A + MIS2006	1/4" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$19.59	Built-In Microphone + \$2.10 USD Dual Voltage DC 12V/AC	IR Range: • IR LED: ∅ 24 X 6PCS • IR range: 40M	2.8-12mm Manual Zoom Lens • Optional 9-22mm Manual Zoom Lens + \$3.35 USD
		FT-WZSKS40HY200K	F37 + XM330	1/3" Silicon 1080P Sensor With IR-CUT, Low Illumination, UTC	\$20.60			
		FT-WZSKS40HY200X	F33 + FH8536E	1/2.7" Silicon 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$21.72			
	2MP 4-IN-1 UTC & OSD	FT-WZSKS40HY200SV	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$28.66			
	5MP 4-IN-1	FT-WZSKS40HY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$25.08			










Product Show	Megapixel	Model NO.	Sensor+ISP	Key Features	FWB Discounted Price > 200 Units	Additional Functions & Prices	Specification	Lens
	UTC & OSD	FT-WZSKS40HY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$29.33	24V + \$4.35 USD Built-in Heater + 5.35 USD	IP67 Metal Waterproof IR Camera • 24PCS Per Carton • Size: 268(W) x 70(H) x 71(D)mm • Weight: 1.4kg	4K 8MP 2.7-13.5mm Manual Zoom Lens
	4K 4-IN-1 UTC & OSD	FT-WZSKS40HY4KP	C08 + FH8556	1/2.5" Silicon 4K/8MP@15fps Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$25.64			
		FT-WZSKS40HY4KS	OV12895 + NVP2481	1/2.3" OV 4K/8MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$42.32			
	2MP 4XAF 4-IN-1 UTC & OSD	FT-WZSKS40AH200Z	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$35.83			
	5MP 4XAF 4-IN-1 UTC & OSD	FT-WZSKS40AH500S	IMX335 + NVP2477	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$39.75			
	2MP 4-IN-1 UTC	FT-WZIE40HY200M	XC5029A + MIS2006	1/4" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$16.13	Built-In Microphone + \$2.10 USD Dual Voltage DC 12V/AC 24V + \$4.35 USD Built-in Heater + \$5.35 USD	IR Range: • IR LED: 5X42PCS • IR range: 40M	• 2.8-12mm Manual Zoom Lens • Optional 9-22mm Manual Zoom Lens + \$3.35 USD
		FT-WZIE40HY200K	F37 + XM330	1/3" Silicon 1080P Sensor With IR-CUT, Low Illumination, UTC	\$17.14			
		FT-WZIE40HY200X	F33 + FH8536E	1/2.7" Silicon 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$18.58			
	2MP 4-IN-1 UTC & OSD	FT-WZIE40HY200SV	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$25.52			
	5MP 4-IN-1 UTC & OSD	FT-WZIE40HY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$21.94			
		FT-WZIE40HY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$26.20			
	4K 4-IN-1 UTC & OSD	FT-WZIE40HY4KP	C08 + FH8556	1/2.5" Silicon 4K/8MP@15fps Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$22.50			
		FT-WZIE40HY4KS	OV12895 + NVP2481	1/2.3" OV 4K/8MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$39.19			
	2MP 4XAF 4-IN-1 UTC & OSD	FT-WZIE40AH200Z	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$32.69			
	5MP 4XAF 4-IN-1 UTC & OSD	FT-WZIE40AH500S	IMX335 + NVP2477	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$36.61			


Product Show	Megapixel	Model NO.	Sensor+HSP	Key Features	FWB Discounted Price > 200 Units	Additional Functions & Prices	Specification	Lens	
	2MP 4-IN-1 UTC	FT-WZIPK40HY200M	XC5029A + MIS2006	1/4" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$16.23	Built-In Microphone + \$2.10 USD Dual Voltage DC 12V/AC 24V + \$4.35 USD Bracket + 6USD	IR Range: • IR LED: ∅ 28X6PCS • IR range: 40M General: • IP67 Metal Waterproof IR Camera • Obscured Glass, Hidden IR LED • 40PCS Per Carton • Size: 180(W) x 35(H) x 70(D)mm • Weight: 1.4kg	• 2.8-12mm Manual Zoom Lens • Optional 9-22mm Manual Zoom Lens + \$3.35 USD	
		FT-WZIPK40HY200K	F37 + XM330	1/3" Silicon 1080P Sensor With IR-CUT, Low Illumination, UTC	\$17.24				
		FT-WZIPK40HY200X	F33 + FH8536E	1/2.7" Silicon 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$18.24				
	2MP 4-IN-1 UTC & OSD	FT-WZIPK40HY200SV	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$25.52				
	5MP 4-IN-1 UTC & OSD	FT-WZIPK40HY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$21.83				
	4K 4-IN-1 UTC & OSD	FT-WZIPK40HY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$26.08				
		FT-WZIPK40HY4KP	C08 + FH8556	1/2.5" Silicon 4K/8MP@15fps Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$22.50				
	2MP 4XAF 4-IN-1 UTC & OSD	FT-WZIPK40HY4KS	OV12895 + NVP2481	1/2.3" OV 4K/8MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$39.64				
		FT-WZIPK40AH200Z	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$32.47				
5MP 4XAF 4-IN-1 UTC & OSD	FT-WZIPK40AH500S	IMX335 + NVP2477	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$35.60					
	2MP 4-IN-1 UTC	FT-WZISP40HY200M	XC5029A + MIS2006	1/4" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$16.45	Built-In Microphone + \$2.10 USD Dual Voltage DC 12V/AC 24V + \$4.35 USD Bracket + 6.35 USD	IR Range: • IR LED: ∅ 28X8PCS • IR range: 40M General: • IP67 Metal Waterproof IR Camera • Obscured Glass, Hidden IR LED • 24PCS Per Carton • Size: 228(W) x 97(H) x 82(D)mm • Weight: 1.4kg		• 2.8-12mm Manual Zoom Lens • Optional 9-22mm Manual Zoom Lens + \$3.35 USD
		FT-WZISP40HY200K	F37 + XM330	1/3" Silicon 1080P Sensor With IR-CUT, Low Illumination, UTC	\$17.46				
		FT-WZISP40HY200X	F33 + FH8536E	1/2.7" Silicon 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$18.47				
	2MP 4-IN-1 UTC & OSD	FT-WZISP40HY200SV	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$25.75				
	5MP 4-IN-1 UTC & OSD	FT-WZISP40HY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$22.05				
	4K 4-IN-1 UTC & OSD	FT-WZISP40HY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$26.31				
		FT-WZISP40HY4KP	C08 + FH8556	1/2.5" Silicon 4K/8MP@15fps Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$22.72				
	2MP 4XAF 4-IN-1 UTC & OSD	FT-WZISP40HY4KS	OV12895 + NVP2481	1/2.3" OV 4K/8MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$39.86				
		FT-WZISP40AH200Z	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$32.69				
5MP 4XAF 4-IN-1 UTC & OSD	FT-WZISP40AH500S	IMX335 + NVP2477	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$35.83					
	2MP 4-IN-1 UTC	FT-WZIPS40HY200M	XC5029A + MIS2006	1/4" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$15.89	Built-In Microphone + \$2.10 USD Dual Voltage DC 12V/AC 24V + \$4.35 USD Built-in Heater + \$5.35 USD	IR Range: • IR LED: ∅ 5X42PCS • IR range: 40M General: • IP67 Metal Waterproof IR Camera • Obscured Glass, Hidden IR LED • 4NPCS Per Carton		• 2.8-12mm Manual Zoom Lens • Optional 9-22mm Manual Zoom Lens + \$3.35 USD
		FT-WZIPS40HY200K	F37 + XM330	1/3" Silicon 1080P Sensor With IR-CUT, Low Illumination, UTC	\$16.90				
		FT-WZIPS40HY200X	F33 + FH8536E	1/2.7" Silicon 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$17.91				
	2MP 4-IN-1 UTC & OSD	FT-WZIPS40HY200SV	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$25.19				
	5MP 4-IN-1 UTC & OSD	FT-WZIPS40HY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$21.49				
		FT-WZIPS40HY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$25.75				
4K 4-IN-1	FT-WZIPS40HY4KP	C08 + FH8556	1/2.5" Silicon 4K/8MP@15fps Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$22.16					

Product Show	Megapixel	Model NO.	Sensor+HSP	Key Features	FWB Discounted Price > 200 Units	Additional Functions & Prices	Specification	Lens	
	UTC & OSD	FT-WZIPS40HY4KS	OV12895 + NVP2481	1/2.3" OV 4K/8MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$39.30	Built-In Microphone + \$2.10 USD Dual Voltage DC 12V/AC 24V + \$4.35 USD Built-in Heater + \$5.35 USD	• Size: 180(W) x 35(H) x 70(D)mm • Weight: 1.4kg	Manual Zoom Lens	
	2MP 4XAF 4-IN-1 UTC & OSD	FT-WZIPS40AH200Z	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$32.13			2.8-12mm Auto FOCUS Lens	
	5MP 4XAF 4-IN-1 UTC & OSD	FT-WZIPS40AH500S	IMX335 + NVP2477	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$35.27				
	2MP 4-IN-1 UTC	FT-WZIW80HY200M	XC5029A + MIS2006	1/4" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$27.78		• IR LED: \varnothing 42X4PCS • IR range: 80M	General: • IP67 Metal Waterproof IR Camera • Anti-Cut Bracket • 16PCS Per Carton • Size: 230(W) x 180(H) x 115(D)mm • Weight: 2.8kg	• 6-22mm Manual Zoom Lens • Optional 5-50mm Manual Zoom Lens + \$3.35 USD
		FT-WZIW80HY200K	F37 + XM330	1/3" Silicon 1080P Sensor With IR-CUT, Low Illumination, UTC	\$28.78				
		FT-WZIW80HY200X	F33 + FH8536E	1/2.7" Silicon 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$30.35				
		FT-WZIW80HY200SV	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$36.18				
2MP 4-IN-1 UTC & OSD	FT-WZIW80HY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$33.94					
5MP 4-IN-1 UTC & OSD	FT-WZIW80HY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$39.54					
4K 4-IN-1 UTC & OSD	FT-WZIW80HY4KP	C08 + FH8556	1/2.5" Silicon 4K/8MP@15fps Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$36.74					

Miniature and Spy Cameras




Product Show	Megapixel	Model NO.	Sensor+HSP	Key Features	FWB Discounted Price > 200 Units	Additional Functions & Prices	Specification	Lens
	2MP 4-IN-1 UTC	FT-MTSHHY200X	F33 + FH8536E	1/2.7" Silicon 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$10.75		General: • Size: 36mm x 10mm x 35mm • 160PCS Per Carton • Weight: 160g	• 3.6mm Board Lens
		FT-MTSHHY200SV	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, UTC Optional OSD / DIP Switch + 0.5USD	\$18.26			
	5MP 4-IN-1 UTC	FT-MTSHHY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, UTC Optional OSD / DIP Switch + 0.5USD	\$22.74			
	2MP 4-IN-1 UTC	FT-MTPHHY200X	F33 + FH8536E	1/2.7" Silicon 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$13.55		General: • Size: 35mm x 10mm x 35mm • 160PCS Per Carton • Weight: 160g	• 3.7mm Taper Pinhole Lens
		FT-MTPHHY200SV	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, UTC Optional OSD / DIP Switch + 0.5USD	\$21.06			
	5MP 4-IN-1 UTC	FT-MTPHHY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, UTC Optional OSD / DIP Switch + 0.5USD	\$25.54			

Product Show	Megapixel	Model NO.	Sensor+HSP	Key Features	FWB Discounted Price > 200 Units	Additional Functions & Prices	Specification	Lens
	2MP UTC	FT-MBSHY200SV	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, UTC	\$17.70		General: <ul style="list-style-type: none"> Size: \varnothing 20 x 62(H) mm 160PCS Per Carton Weight: 240g 	• 3.6mm Board Lens
	2MP 4-IN-1 UTC	FT-FSKHY200M	XC5029A + MIS2006	1/4" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$8.61		General: <ul style="list-style-type: none"> Smoke Detector Camera 24PCS Per Carton Size: \varnothing 119 x 56(H) mm Weight: 420g 	• Fixed 3.6mm • Optional Fixed 2.8mm + \$0.75 USD
		FT-FSKHY200K	F37 + XM330	1/3" Silicon 1080P Sensor With IR-CUT, Low Illumination, UTC	\$9.62			
		FT-FSKHY200X	F33 + FH8536E	1/2.7" Silicon 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$8.51			
	2MP 4-IN-1 UTC & OSD	FT-FSKHY200SV	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$16.02			
		FT-FSKHY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$12.66			
		FT-FSKHY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$19.94			
  	2MP 4-IN-1 UTC	FT-FSA15HY200M	XC5029A + MIS2006	1/4" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$17.02		IR Range: <ul style="list-style-type: none"> IR LED: \varnothing 18PCS 920nm IR range: 15M Invisible IR LED With IR-CUT 	• 3.7mm Taper Pinhole Lens
		FT-FSA15HY200K	F37 + XM330	1/3" Silicon 1080P Sensor With IR-CUT, Low Illumination, UTC	\$18.03			
		FT-FSA15HY200X	F33 + FH8536E	1/2.7" Silicon 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$17.47			
	2MP 4-IN-1 UTC	FT-FSA15HY200SV	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$24.42			
		FT-FSA15HY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$21.62			
		FT-FSA15HY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$27.22			
  	2MP 4-IN-1 UTC	FT-FSB30HY200M	XC5029A + MIS2006	1/4" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$18.14		IR Range: <ul style="list-style-type: none"> IR LED: \varnothing 48PCS 920nm IR range: 30M Invisible IR LED With IR-CUT 	• 3.7mm Taper Pinhole Lens
		FT-FSB30HY200K	F37 + XM330	1/3" Silicon 1080P Sensor With IR-CUT, Low Illumination, UTC	\$19.15			
		FT-FSB30HY200X	F33 + FH8536E	1/2.7" Silicon 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$18.59			
	2MP 4-IN-1 UTC	FT-FSB30HY200SV	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$25.54			
		FT-FSB30HY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$22.74			
		FT-FSB30HY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$28.34			
	2MP 4-IN-1 UTC	FT-FSAHY200M	XC5029A + MIS2006	1/4" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$10.86		General: <ul style="list-style-type: none"> PIR Spy Camera Size: 60(W) x 104(H) x 33(D)mm 60PCS Per Carton Weight: 450g 	• 3.7mm Taper Pinhole Lens
		FT-FSAHY200K	F37 + XM330	1/3" Silicon 1080P Sensor With IR-CUT, Low Illumination, UTC	\$11.87			
		FT-FSAHY200X	F33 + FH8536E	1/2.7" Silicon 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$10.75			
	2MP 4-IN-1 UTC & OSD	FT-FSAHY200SV	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$18.82			

Product Show	Megapixel	Model NO.	Sensor+ISP	Key Features	FWB Discounted Price > 200 Units	Additional Functions & Prices	Specification	Lens
	5MP 4-IN-1 UTC & OSD	FT-FSAHY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$16.02		General: ▪ PIR Spy Camera ▪ Size: 69(W) x 126(H) x 50(D)mm ▪ 40PCS Per Carton ▪ Weight: 550g	▪ 3.7mm Taper Pinhole Lens
		FT-FSAHY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$21.62			
	2MP 4-IN-1 UTC	FT-FSBHY200M	XC5029A + MIS2006	1/4" 1080P Sensor With IR-CUT, Low Illumination, UTC	\$11.42			
		FT-FSBHY200K	F37 + XM330	1/3" Silicon 1080P Sensor With IR-CUT, Low Illumination, UTC	\$12.43			
		FT-FSBHY200X	F33 + FH8536E	1/2.7" Silicon 1080P Sensor, With IR-CUT, DWDR, UTC Optional OSD / DIP Switch + 0.5USD	\$11.31			
	2MP 4-IN-1 UTC & OSD	FT-FSBHY200SV	IMX307 + NVP2441H	1/2.8" SONY Starvis Back-illuminated 1080P Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$19.94			
	5MP 4-IN-1 UTC & OSD	FT-FSBHY500P	K05 + FH8538M	1/2.7" Silicon 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$16.58			
		FT-FSBHY500S	IMX335 + FH8558M	1/2.8" SONY 5MP Sensor, With IR-CUT, DWDR, 3D NR, OSD, UTC Optional DIP Switch	\$21.62			

PTZ Cameras

Picture	Resolution	Model	Solution	Chief Characteristics	FWB Discounted Price > 200 Units	Specification	Lens Optional
	2 MP 4-IN-1	FT-18XHEH200S	IMX307 + NVP2441H	<ul style="list-style-type: none"> IP66 Waterproof High Speed Dome PTZ 6" Inch High performance Osram infrared LED light, night vision infrared distance 150M (8Pcs laser LED) Manual speed 80°/s, Pan 360° vertical 90°, Auto Flip 180° 	\$119.84	1/2.8" SONY CMOS Sensor, 1080P With IR-CUT, Low Illumination, DWDR, 3D NR, Sense-up,	<ul style="list-style-type: none"> 18x Zoom F=5-90MM Support 30x optional
	5 MP 4-IN-1	FT-18XHEH500S	05A10 + NVP2477	<ul style="list-style-type: none"> Support A-B scan, horizontal scan, random scan Support Wall-mounting and Hoisting, default is wall-mount. DC12V/4A 2PCS Per Carton Size: 300MM X 300MM X 420MM Weight: 9KG 	\$138.88	5MP With IR-CUT, Low Illumination, DWDR, 3D NR, Sense-up,	<ul style="list-style-type: none"> 18x Zoom F=5-90MM Support 30x optional
	2 MP 4-IN-1	FT-18XHKK200S	IMX307 + NVP2441H	<ul style="list-style-type: none"> IP66 Waterproof High Speed Dome PTZ 7" Inch High performance Osram infrared LED light, night vision infrared distance 150M (8Pcs laser LED) Manual speed 80°/s, Pan 360° vertical 90°, Auto Flip 180° 	\$146.72	1/2.8" SONY CMOS Sensor, 1080P With IR-CUT, Low Illumination, DWDR, 3D NR, Sense-up,	<ul style="list-style-type: none"> 18x Zoom F=5-90MM Support 30x optional
	5 MP 4-IN-1	FT-18XHKK500S	05A10 + NVP2477	<ul style="list-style-type: none"> Support A-B scan, horizontal scan, random scan Support Wall-mounting and Hoisting, default is wall-mount. DC12V/4A 2PCS Per Carton Size: 300MM X 300MM X 420MM Weight: 10KG 	\$162.40	5MP With IR-CUT, Low Illumination, DWDR, 3D NR, Sense-up,	<ul style="list-style-type: none"> 18x Zoom F=5-90MM Support 30x optional

Product Show	Megapixel	Model NO.	Sensor+ISP	Key Features	FWB Discounted Price > 200 Units	Additional Functions & Prices	Specification	Lens
	5 MP 4-IN-1	FT-33XHSH500S	05A10 + NVP2477	<ul style="list-style-type: none"> IP66 Waterproof High Speed Dome PTZ 7" Inch High performance Osram infrared LED light, night vision infrared distance 200 meters (8Pcs IR LED+2Pcs laser LED) Manual control 30°/s, horizontal 360°, vertical 90°, Automatic turnover 180° Protocol: support TCP/IP、UDP、RTP、RTSP、RTCP、HTTP、DNS、DDNS、DHCP、FTP、NTP、PPPOE、SMTP、UPNP Support ONVIF protocol 2PCS Per Carton 	\$286.72	5MP With IR-CUT, Low Illumination, DWDR, 3D NR, Sense-up,		<ul style="list-style-type: none"> 33X ZOOM (4.6-151.8mm)
	2 MP 4-IN-1	FT-18XHTH200S	IMX307 + NVP2441H	<ul style="list-style-type: none"> IP66 Waterproof Middle Speed Dome PTZ 5" Inch 10PCS IR LED, IR Range 80M Manual speed 80°/s, Pan 360° Vertical 90°, Auto Flip 180° Support A-B scan, horizontal scan, random scan Wall-mount or hoisting bracket 	\$110.88	1/2.8" SONY CMOS Sensor, 1080P With IR-CUT, Low Illumination, DWDR, 3D NR, Sense-up,		<ul style="list-style-type: none"> 18x Zoom F=5-90MM Support 30x optional
	5 MP 4-IN-1	FT-18XHTH500S	05A10 + NVP2477	<ul style="list-style-type: none"> DC12V/3A 4PCS Per Carton Size: 385*385*3050MM Weight: 3.5KG 	\$122.08	5MP With IR-CUT, Low Illumination, DWDR, 3D NR, Sense-up,		<ul style="list-style-type: none"> 18x Zoom F=5-90MM Support 30x optional
	/	FT-KGHD003	/	<ul style="list-style-type: none"> 3D Analog Controller Analog (RS485) controller 	\$69.44	/		/