

PORTABLE EV CHARGERS, DISCHARGERS & ACCESSORIES

All Pure Copper, Compliant with EU Standards
Products carry CE / ROHS / UKCA / UDEM certifications, compliant with IEC-61851 standard | 1-Year Manufacturers Warranty

Product Name	Connector Configuration	Product Image	Parameters	Material	FWB Discounted
NDCDQ-AC-3.5 TYPE2 Charge & Discharge All-in-One Portable EV Charger	TYPE2 + EU plug		Max Current: 16A Voltage: 80V-265V Max Power: 3.5kw Cable Length: 5m Function: Charge & discharge 2-in-1 Color screen display + touch-key scheduled charging + 4-step adjustable current 8/10/13/16A with EU socket strip	Housing: ABS+PC Cable: TPU flame-retardant (premium) Gun head: PC flame-retardant Protection rating: IP55	\$56.00
NDCDQ-AC-3.5 TYPE2 Charge-Only All-in-One Portable EV Charger	TYPE2 + EU plug		Max Current: 16A Voltage: 80V-265V Max Power: 3.5kw Cable Length: 5m Function: Charge-only function Color screen display + touch-key scheduled charging + 4-step adjustable current 8/10/13/16A	Housing: ABS+PC Cable: TPU flame-retardant (premium) Gun head: PC flame-retardant Protection rating: IP55	\$50.40
NDCDQ-AC-3.5 EU TYPE2 Multi-Function No.1 Portable EV Charger	TYPE2 + EU plug		Max Current: 16A Voltage: 80V-265V Max Power: 3.5kw Cable Length: 5m Function: Color screen display + dual touch-key scheduled charging + 4-step adjustable current 8/10/13/16A	Housing: ABS+PC Cable: TPU flame-retardant (premium) Gun head: PC flame-retardant Protection rating: IP55	\$70.56



PORTABLE EV CHARGERS, DISCHARGERS & ACCESSORIES

All Pure Copper, Compliant with EU Standards
Products carry CE / ROHS / UKCA / UDEM certifications, compliant with IEC-61851 standard | 1-Year Manufacturers Warranty

Product Name	Connector Configuration	Product Image	Parameters	Material	FWB Discounted
NDCDQ-AC-3.5 China GBT Multi-Function No.1 Portable EV Charger	GBT + EU plug		Max Current: 16A Voltage: 80V-265V Max Power: 3.5kw Cable Length: 5m Function: Color screen display + dual touch-key scheduled charging + 4-step adjustable current 8/10/13/16A	Housing: ABS+PC Cable: TPU flame-retardant (premium) Gun head: PC flame-retardant Protection rating: IP55	\$70.56
NDCDQ-AC-3.5 US TYPE1 Multi-Function No.1 Portable EV Charger	TYPE1 + EU plug		Max Current: 16A Voltage: 80V-265V Max Power: 3.5kw Cable Length: 5m Function: Color screen display + dual touch-key scheduled charging + 4-step adjustable current 8/10/13/16A	Housing: ABS+PC Cable: TPU flame-retardant (premium) Gun head: PC flame-retardant Protection rating: IP55	\$70.56
NDCDQ-AC-3.5 Tesla NACS Multi-Function No.1 Portable EV Charger	NACS + EU plug		Max Current: 16A Voltage: 80V-265V Max Power: 3.5kw Cable Length: 5m Function: Color screen display + dual touch-key scheduled charging + 4-step adjustable current 8/10/13/16A	Housing: ABS+PC Cable: TPU flame-retardant (premium) Gun head: PC flame-retardant Protection rating: IP55	\$92.96

PORTABLE EV CHARGERS, DISCHARGERS & ACCESSORIES

All Pure Copper, Compliant with EU Standards
Products carry CE / ROHS / UKCA / UDEM certifications, compliant with IEC-61851 standard | 1-Year Manufacturers Warranty

Product Name	Connector Configuration	Product Image	Parameters	Material	FWB Discounted
NDCDQ-AC-7 EU TYPE2 Multi-Function No.1 Portable EV Charger	TYPE2 + EU plug		Max Current: 32A Voltage: 80V-265V Max Power: 7kw Cable Length: 5m Function: Color screen display + dual touch-key scheduled charging + 4-step adjustable current 8/16/24/32A	Housing: ABS+PC Cable: TPU flame-retardant (premium) Gun head: PC flame-retardant Protection rating: IP55	\$95.20
NDCDQ-AC-7 US TYPE1 Multi-Function No.1 Portable EV Charger	TYPE1 + EU plug		Max Current: 32A Voltage: 80V-265V Max Power: 7kw Cable Length: 5m Function: Color screen display + dual touch-key scheduled charging + 4-step adjustable current 8/16/24/32A	Housing: ABS+PC Cable: TPU flame-retardant (premium) Gun head: PC flame-retardant Protection rating: IP55	\$95.20
NDCDQ-AC-7 Tesla NACS Multi-Function No.1 Portable EV Charger	NACS + EU plug		Max Current: 32A Voltage: 80V-265V Max Power: 7kw Cable Length: 5m Function: Color screen display + dual touch-key scheduled charging + 4-step adjustable current 8/16/24/32A	Housing: ABS+PC Cable: TPU flame-retardant (premium) Gun head: PC flame-retardant Protection rating: IP55	\$115.36

PORTABLE EV CHARGERS, DISCHARGERS & ACCESSORIES

All Pure Copper, Compliant with EU Standards
Products carry CE / ROHS / UKCA / UDEM certifications, compliant with IEC-61851 standard | 1-Year Manufacturers Warranty

Product Name	Connector Configuration	Product Image	Parameters	Material	FWB Discounted
NDCDQ-AC-11 EU TYPE2 Multi-Function No.1 Portable EV Charger	TYPE2 + EU plug		Max Current: 16A Voltage: 380V Max Power: 11kw Cable Length: 5m Function: Color screen display + dual touch-key scheduled charging + 4-step adjustable current 8/10/13/16A	Housing: ABS+PC Cable: TPU flame-retardant (premium) Gun head: PC flame-retardant Protection rating: IP55	\$119.84
NDCDQ-AC-3.5 EU TYPE2 Multi-Function No.3 Portable EV Charger	TYPE2 + EU plug		Max Current: 16A Voltage: 80V-265V Max Power: 3.5kw Cable Length: 5m Function: Color screen display + dual touch-key scheduled charging + 4-step adjustable current 8/10/13/16A	Housing: ABS+PC Cable: TPU flame-retardant (premium) Gun head: PC flame-retardant Protection rating: IP55	\$70.56
NDCDQ-AC-3.5 US TYPE1 Multi-Function No.3 Portable EV Charger	TYPE1 + EU plug		Max Current: 16A Voltage: 80V-265V Max Power: 3.5kw Cable Length: 5m Function: Color screen display + dual touch-key scheduled charging + 4-step adjustable current 8/10/13/16A	Housing: ABS+PC Cable: TPU flame-retardant (premium) Gun head: PC flame-retardant Protection rating: IP55	\$70.56

PORTABLE EV CHARGERS, DISCHARGERS & ACCESSORIES

All Pure Copper, Compliant with EU Standards
Products carry CE / ROHS / UKCA / UDEM certifications, compliant with IEC-61851 standard | 1-Year Manufacturers Warranty

Product Name	Connector Configuration	Product Image	Parameters	Material	FWB Discounted
NDCDQ-AC-3.5 Tesla NACS Multi-Function No.3 Portable EV Charger	NACS + EU plug		Max Current: 16A Voltage: 80V-265V Max Power: 3.5kw Cable Length: 5m Function: Color screen display + dual touch-key scheduled charging + 4-step adjustable current 8/10/13/16A	Housing: ABS+PC Cable: TPU flame-retardant (premium) Gun head: PC flame-retardant Protection rating: IP55	\$70.56
NDCDQ-AC-7 EU TYPE2 Multi-Function No.3 Portable EV Charger	TYPE2 + EU plug		Max Current: 32A Voltage: 80V-265V Max Power: 7kw Cable Length: 5m Function: Color screen display + dual touch-key scheduled charging + 4-step adjustable current 8/16/24/32A	Housing: ABS+PC Cable: TPU flame-retardant (premium) Gun head: PC flame-retardant Protection rating: IP55	\$95.20
NDCDQ-AC-11 EU TYPE2 Multi-Function No.3 Portable EV Charger	TYPE2 + EU plug		Max Current: 16A Voltage: 380V Max Power: 11kw Cable Length: 5m Function: Color screen display + dual touch-key scheduled charging + 4-step adjustable current 8/10/13/16A	Housing: ABS+PC Cable: TPU flame-retardant (premium) Gun head: PC flame-retardant Protection rating: IP55	\$120.96

PORTABLE EV CHARGERS, DISCHARGERS & ACCESSORIES

All Pure Copper, Compliant with EU Standards
Products carry CE / ROHS / UKCA / UDEM certifications, compliant with IEC-61851 standard | 1-Year Manufacturers Warranty

Product Name	Connector Configuration	Product Image	Parameters	Material	FWB Discounted
NDCDQ-AC-3.5 EU TYPE2 Multi-Function No.5 Portable EV Charger	TYPE2 + EU plug		Max Current: 16A Voltage: 80V-265V Max Power: 3.5kw Cable Length: 5m Function: Color screen display + dual touch-key scheduled charging + 4-step adjustable current 8/10/13/16A	Housing: ABS+PC Cable: TPU flame-retardant (premium) Gun head: PC flame-retardant Protection rating: IP55	\$70.56
NDCDQ-AC-3.5 EU TYPE2 Multi-Function No.5 Portable EV Charger	GBT + EU plug		Max Current: 16A Voltage: 80V-265V Max Power: 3.5kw Cable Length: 5m No display	Housing: ABS+PC Cable: TPU flame-retardant (premium) Gun head: PC flame-retardant Protection rating: IP55	\$54.88
NDCDQ-AC-3.5 EU TYPE2 Multi-Function No.5 Portable EV Charger	TYPE2 + EU plug		Max Current: 16A Voltage: 80V-265V Max Power: 3.5kw Cable Length: 5m No display	Housing: ABS+PC Cable: TPU flame-retardant (premium) Gun head: PC flame-retardant Protection rating: IP55	\$59.36

PORTABLE EV CHARGERS, DISCHARGERS & ACCESSORIES

All Pure Copper, Compliant with EU Standards
Products carry CE / ROHS / UKCA / UDEM certifications, compliant with IEC-61851 standard | 1-Year Manufacturers Warranty

Product Name	Connector Configuration	Product Image	Parameters	Material	FWB Discounted
NDCDQ-AC-3.5 EU TYPE2 Multi-Function No.1 Portable EV Charger	TYPE2 + EU plug		Max Current: 16A Voltage: 380V Max Power: 3.5kw Cable Length: 5m Function: Color screen display + dual touch-key scheduled charging 6-16A linearly adjustable Tuya APP Bluetooth/WiFi version + RMB 30	Housing: ABS+PC Cable: TPU flame-retardant (premium) Gun head: PC flame-retardant Protection rating: IP67	\$87.36
NDCDQ-AC-7 EU TYPE2 Multi-Function No.1 Portable EV Charger	TYPE2 + CEE		Max Current: 32A Voltage: 380V Max Power: 7kw Cable Length: 5m Function: Color screen display + dual touch-key scheduled charging 6-32A linearly adjustable Tuya APP Bluetooth/WiFi version + RMB 30	Housing: ABS+PC Cable: TPU flame-retardant (premium) Gun head: PC flame-retardant Protection rating: IP67	\$113.12
NDCDQ-AC-11 EU TYPE2 Multi-Function No.1 Portable EV Charger	TYPE2 + CEE		Max Current: 16A Voltage: 380V Max Power: 11kw Cable Length: 5m Function: Color screen display + dual touch-key scheduled charging 6-16A linearly adjustable Tuya APP Bluetooth/WiFi version + RMB 30	Housing: ABS+PC Cable: TPU flame-retardant (premium) Gun head: PC flame-retardant Protection rating: IP67	\$137.76

PORTABLE EV CHARGERS, DISCHARGERS & ACCESSORIES

All Pure Copper, Compliant with EU Standards
Products carry CE / ROHS / UKCA / UDEM certifications, compliant with IEC-61851 standard | 1-Year Manufacturers Warranty

Product Name	Connector Configuration	Product Image	Parameters	Material	FWB Discounted
NDCDQ-AC-22 EU TYPE2 Multi-Function No.1 Portable EV Charger	TYPE2 + CEE		Max Current: 32A Voltage: 380V Max Power: 22kw Cable Length: 5m Function: Color screen display + dual touch-key scheduled charging 6-32A linearly adjustable Tuya APP Bluetooth/WiFi version + RMB 30	Housing: ABS+PC Cable: TPU flame-retardant (premium) Gun head: PC flame-retardant Protection rating: IP67	\$162.40
NDCDQ-AC-3.5 EU TYPE2 Multi-Function No.1 Portable EV Charger	TYPE2 + EU plug		Max Current: 16A Voltage: 380V Max Power: 3.5kw Cable Length: 5m Function: Color screen display + dual touch-key scheduled charging 6-16A linearly adjustable Tuya APP Bluetooth/WiFi version + RMB 30	Housing: ABS+PC Cable: TPU flame-retardant (premium) Gun head: PC flame-retardant Protection rating: IP67	\$87.36
NDCDQ-AC-7 EU TYPE2 Multi-Function No.1 Portable EV Charger	TYPE2 + CEE		Max Current: 32A Voltage: 380V Max Power: 7kw Cable Length: 5m Function: Color screen display + dual touch-key scheduled charging 6-32A linearly adjustable Tuya APP Bluetooth/WiFi version + RMB 30	Housing: ABS+PC Cable: TPU flame-retardant (premium) Gun head: PC flame-retardant Protection rating: IP67	\$113.12

PORTABLE EV CHARGERS, DISCHARGERS & ACCESSORIES

All Pure Copper, Compliant with EU Standards
Products carry CE / ROHS / UKCA / UDEM certifications, compliant with IEC-61851 standard | 1-Year Manufacturers Warranty

Product Name	Connector Configuration	Product Image	Parameters	Material	FWB Discounted
NDCDQ-AC-11 EU TYPE2 Multi-Function No.1 Portable EV Charger	TYPE2 + CEE		Max Current: 16A Voltage: 380V Max Power: 11kw Cable Length: 5m Function: Color screen display + dual touch-key scheduled charging 6-16A linearly adjustable Tuya APP Bluetooth/WiFi version + RMB 30	Housing: ABS+PC Cable: TPU flame-retardant (premium) Gun head: PC flame-retardant Protection rating: IP67	\$137.76
NDCDQ-AC-22 EU TYPE2 Multi-Function No.1 Portable EV Charger	TYPE2 + CEE		Max Current: 32A Voltage: 380V Max Power: 22kw Cable Length: 5m Function: Color screen display + dual touch-key scheduled charging 6-32A linearly adjustable Tuya APP Bluetooth/WiFi version + RMB 30	Housing: ABS+PC Cable: TPU flame-retardant (premium) Gun head: PC flame-retardant Protection rating: IP67	\$162.40
NDZX-3.5 EU TYPE2 Double-Headed Gun (Charging Pile Connection Cable)	TYPE2 + TYPE-L		Current: 16A Voltage: 220V-250V Max Power: 3.5kw Cable Length: 5m	Cable: TPU flame-retardant (premium) Gun head: PC flame-retardant, IP67 Protection rating: K10/IP54	\$50.40

PORTABLE EV CHARGERS, DISCHARGERS & ACCESSORIES

All Pure Copper, Compliant with EU Standards
Products carry CE / ROHS / UKCA / UDEM certifications, compliant with IEC-61851 standard | 1-Year Manufacturers Warranty

Product Name	Connector Configuration	Product Image	Parameters	Material	FWB Discounted
NDZX-7 EU TYPE2 Double-Headed Gun (Charging Pile Connection Cable)	TYPE2 + TYPE-L		Current: 32A Voltage: 220V-250V Max Power: 7kw Cable Length: 5m	Cable: TPU flame-retardant (premium) Gun head: PC flame-retardant, IP67 Protection rating: K10/IP54	\$70.56
NDZX-11 EU TYPE2 Double-Headed Gun (Charging Pile Connection Cable)	TYPE2 + TYPE-L		Current: 16A, three-phase Voltage: 380V-480V Max Power: 11kw Cable Length: 5m	Cable: TPU flame-retardant (premium) Gun head: PC flame-retardant, IP67 Protection rating: K10/IP54	\$70.56
NDZX-22 EU TYPE2 Double-Headed Gun (Charging Pile Connection Cable)	TYPE2 + TYPE-L		Current: 32A, three-phase Voltage: 380V-480V Max Power: 22kw Cable Length: 5m	Cable: TPU flame-retardant (premium) Gun head: PC flame-retardant, IP67 Protection rating: K10/IP54	\$104.16

PORTABLE EV CHARGERS, DISCHARGERS & ACCESSORIES

All Pure Copper, Compliant with EU Standards
Products carry CE / ROHS / UKCA / UDEM certifications, compliant with IEC-61851 standard | 1-Year Manufacturers Warranty

Product Name	Connector Configuration	Product Image	Parameters	Material	FWB Discounted
NDYCX-3.5 EU TYPE2 Double-Headed Gun (Extension Cable)	TYPE2M + GBT		Current: 16A Voltage: 220V-250V Max Power: 3.5kw Cable Length: 5m	Cable: TPU flame-retardant (premium) Gun head: PC flame-retardant, IP67 Protection rating: K10/IP54	\$50.40
NDYCX-7 EU TYPE2 Double-Headed Gun (Extension Cable)	TYPE2M + GBT		Current: 32A Voltage: 220V-250V Max Power: 7kw Cable Length: 5m	Cable: TPU flame-retardant (premium) Gun head: PC flame-retardant, IP67 Protection rating: K10/IP54	\$70.56
NDYCX-11 EU TYPE2 Double-Headed Gun (Extension Cable)	TYPE2M + GBT		Current: 16A, three-phase Voltage: 380V-480V Max Power: 11kw Cable Length: 5m	Cable: TPU flame-retardant (premium) Gun head: PC flame-retardant, IP67 Protection rating: K10/IP54	\$70.56

PORTABLE EV CHARGERS, DISCHARGERS & ACCESSORIES

All Pure Copper, Compliant with EU Standards
Products carry CE / ROHS / UKCA / UDEM certifications, compliant with IEC-61851 standard | 1-Year Manufacturers Warranty

Product Name	Connector Configuration	Product Image	Parameters	Material	FWB Discounted
NDYCX-22 EU TYPE2 Double-Headed Gun (Extension Cable)	TYPE2M + GBT		Current: 32A, three-phase Voltage: 380V-480V Max Power: 22kw Cable Length: 5m	Cable: TPU flame-retardant (premium) Gun head: PC flame-retardant, IP67 Protection rating: K10/IP54	\$104.16
EU Gun Discharge Power Strip (TYPE2-EU Schuko)	TYPE2-EU Schuko		Current: 16A Voltage: 220V-250V Max Power: 3.5kw Cable Length: 5m	Cable: TPU flame-retardant (premium) Gun head: PC flame-retardant, IP67 Protection rating: K10/IP54	\$36.96
China GBT Gun Discharge Power Strip	GBT-EU Schuko		Current: 16A Voltage: 220V-250V Max Power: 3.5kw Cable Length: 5m	Cable: TPU flame-retardant (premium) Gun head: PC flame-retardant, IP67 Protection rating: K10/IP54	\$36.96

PORTABLE EV CHARGERS, DISCHARGERS & ACCESSORIES

All Pure Copper, Compliant with EU Standards
Products carry CE / ROHS / UKCA / UDEM certifications, compliant with IEC-61851 standard | 1-Year Manufacturers Warranty

Product Name	Connector Configuration	Product Image	Parameters	Material	FWB Discounted
EU Gun Universal Power Strip (TYPE2-EU Schuko)	TYPE2-EU Schuko		Current: 16A Voltage: 220V-250V Max Power: 3.5kw Cable Length: 5m	Cable: TPU flame-retardant (premium) Gun head: PC flame-retardant, IP67 Protection rating: K10/IP54	\$36.96
China GBT Gun Universal Power Strip	TYPE2-EU Schuko		Current: 16A Voltage: 220V-250V Max Power: 3.5kw Cable Length: 5m	Cable: TPU flame-retardant (premium) Gun head: PC flame-retardant, IP67 Protection rating: K10/IP54	\$36.96
EU Gun UK Power Strip (TYPE2-UK Schuko)	TYPE2-UK Schuko		Current: 16A Voltage: 220V-250V Max Power: 3.5kw Cable Length: 5m	Cable: TPU flame-retardant (premium) Gun head: PC flame-retardant, IP67 Protection rating: K10/IP54	\$36.96

PORTABLE EV CHARGERS, DISCHARGERS & ACCESSORIES

All Pure Copper, Compliant with EU Standards
Products carry CE / ROHS / UKCA / UDEM certifications, compliant with IEC-61851 standard | 1-Year Manufacturers Warranty

Product Name	Connector Configuration	Product Image	Parameters	Material	FWB Discounted
EU Portable Discharger (TYPE2)	TYPE2		16A 230V	Cable: TPU flame-retardant (premium) Gun head: PC flame-retardant, IP67 Protection rating: IP54	\$14.56
EU Portable Discharger (6-Level Adjustable, TYPE2)	TYPE2		16A 230V	Cable: TPU flame-retardant (premium) Gun head: PC flame-retardant, IP67 Protection rating: IP54	\$20.16
EU No.2 Charging Pile (TYPE2)	TYPE2		Current: 32A Voltage: 220V-250V Max Power: 7kw Cable Length: 5m	Dual touch control keys Color screen display (default English) Voltage/Current/Power/Temperature display Host temperature control protection Scheduled charging & timed charging 4-step adjustable 8/16/24/32A Over-voltage, overload & leakage protection Chinese / English / Russian optional	\$115.36

PORTABLE EV CHARGERS, DISCHARGERS & ACCESSORIES

All Pure Copper, Compliant with EU Standards
Products carry CE / ROHS / UKCA / UDEM certifications, compliant with IEC-61851 standard | 1-Year Manufacturers Warranty

Product Name	Connector Configuration	Product Image	Parameters	Material	FWB Discounted
EU No.2 Charging Pile (TYPE2, RFID)	TYPE2		Current: 32A Voltage: 220V-250V Max Power: 7kw Cable Length: 5m	Dual touch control keys + RFID card reader Color screen display (default English) Voltage/Current/Power/Temperature display Host temperature control protection Scheduled charging & timed charging 4-step adjustable 8/10/13/16A Over-voltage, overload & leakage protection Chinese / English / Russian optional	\$120.96
EU No.2 Charging Pile (TYPE2, BT/WiFi)	TYPE2		Current: 32A Voltage: 220V-250V Max Power: 7kw Cable Length: 5m	Dual touch control keys Color screen display (default English) Voltage/Current/Power/Temperature display Host temperature control protection Scheduled charging & timed charging 4-step adjustable 8/10/13/16A Over-voltage, overload & leakage protection Chinese / English / Russian optional Bluetooth/WiFi + Tuya.app	\$120.96

PORTABLE EV CHARGERS, DISCHARGERS & ACCESSORIES

All Pure Copper, Compliant with EU Standards
Products carry CE / ROHS / UKCA / UDEM certifications, compliant with IEC-61851 standard | 1-Year Manufacturers Warranty

Product Name	Connector Configuration	Product Image	Parameters	Material	FWB Discounted
US No.2 Charging Pile (TYPE1)	TYPE1		Current: 32A Voltage: 220V-250V Max Power: 7kw Cable Length: 5m	Dual touch control keys Color screen display (default English) Voltage/Current/Power/Temperature display Host temperature control protection Scheduled charging & timed charging 4-step adjustable 8/16/24/32A Over-voltage, overload & leakage protection Chinese / English / Russian optional	\$115.36
US No.2 Charging Pile (TYPE1, RFID)	TYPE1		Current: 32A Voltage: 220V-250V Max Power: 7kw Cable Length: 5m	Dual touch control keys + RFID card reader Color screen display (default English) Voltage/Current/Power/Temperature display Host temperature control protection Scheduled charging & timed charging 4-step adjustable 8/10/13/16A Over-voltage, overload & leakage protection Chinese / English / Russian optional	\$120.96

PORTABLE EV CHARGERS, DISCHARGERS & ACCESSORIES

All Pure Copper, Compliant with EU Standards
Products carry CE / ROHS / UKCA / UDEM certifications, compliant with IEC-61851 standard | 1-Year Manufacturers Warranty

Product Name	Connector Configuration	Product Image	Parameters	Material	FWB Discounted
US No.2 Charging Pile (TYPE1, BT/WiFi)	TYPE1		Current: 32A Voltage: 220V-250V Max Power: 7kw Cable Length: 5m	Dual touch control keys Color screen display (default English) Voltage/Current/Power/Temperature display Host temperature control protection Scheduled charging & timed charging 4-step adjustable 8/10/13/16A Over-voltage, overload & leakage protection Chinese / English / Russian optional Bluetooth/WiFi + TuYa.app	\$120.96
EU Charging Pile (TYPE2, 7kW)	TYPE2		Current: 32A Voltage: 220V-250V Max Power: 7kw Cable Length: 5m	Dual touch control keys Color screen display (default English) Voltage/Current/Power/Temperature display Host temperature control protection Scheduled charging & timed charging 8-32A adjustable Over-voltage, overload & leakage protection Chinese / English / Russian optional Bluetooth/WiFi + TuYa.app	\$120.96

PORTABLE EV CHARGERS, DISCHARGERS & ACCESSORIES

All Pure Copper, Compliant with EU Standards
Products carry CE / ROHS / UKCA / UDEM certifications, compliant with IEC-61851 standard | 1-Year Manufacturers Warranty

Product Name	Connector Configuration	Product Image	Parameters	Material	FWB Discounted
EU Charging Pile (TYPE2, 11kW)	TYPE2		Current: 16A Voltage: 380V Max Power: 11kw Cable Length: 5m	Dual touch control keys Color screen display (default English) Voltage/Current/Power/Temperature display Host temperature control protection Scheduled charging & timed charging 8-16A adjustable Over-voltage, overload & leakage protection Chinese / English / Russian optional Bluetooth/WiFi + Tuya.app	\$146.72
EU Charging Pile (TYPE2, 22kW)	TYPE2		Current: 32A Voltage: 380V Max Power: 22kw Cable Length: 5m	Dual touch control keys Color screen display (default English) Voltage/Current/Power/Temperature display Host temperature control protection Scheduled charging & timed charging 8-32A adjustable Over-voltage, overload & leakage protection Chinese / English / Russian optional Bluetooth/WiFi + Tuya.app	\$171.36

PORTABLE EV CHARGERS, DISCHARGERS & ACCESSORIES

All Pure Copper, Compliant with EU Standards
Products carry CE / ROHS / UKCA / UDEM certifications, compliant with IEC-61851 standard | 1-Year Manufacturers Warranty

Product Name	Connector Configuration	Product Image	Parameters	Material	FWB Discounted
China No.1 Charging Pile (GBT)	GBT		Current: 32A Voltage: 220V-250V Max Power: 7kw Cable Length: 5m	Dual touch control keys Color screen display (default English) Voltage/Current/Power/Temperature display Host temperature control protection Scheduled charging & timed charging 4-step adjustable 8/16/24/32A Over-voltage, overload & leakage protection Chinese / English / Russian optional	\$115.36
EU No.1 Charging Pile (TYPE2)	TYPE2		Current: 32A Voltage: 220V-250V Max Power: 7kw Cable Length: 5m	Dual touch control keys Color screen display (default English) Voltage/Current/Power/Temperature display Host temperature control protection Scheduled charging & timed charging 4-step adjustable 8/16/24/32A Over-voltage, overload & leakage protection Chinese / English / Russian optional	\$115.36

PORTABLE EV CHARGERS, DISCHARGERS & ACCESSORIES

All Pure Copper, Compliant with EU Standards
Products carry CE / ROHS / UKCA / UDEM certifications, compliant with IEC-61851 standard | 1-Year Manufacturers Warranty

Product Name	Connector Configuration	Product Image	Parameters	Material	FWB Discounted
EU No.1 Charging Pile (TYPE2, BT/WiFi)	TYPE2		Current: 32A Voltage: 220V-250V Max Power: 7kw Cable Length: 5m	Dual touch control keys Color screen display (default English) Voltage/Current/Power/Temperature display Host temperature control protection Scheduled charging & timed charging 8-32A adjustable Over-voltage, overload & leakage protection Chinese / English / Russian optional Bluetooth/WiFi + Tuya.app	\$120.96
EU No.1 Charging Pile (TYPE2, 11kW)	TYPE2		Current: 16A Voltage: 380V Max Power: 11kw Cable Length: 5m	Dual touch control keys Color screen display (default English) Voltage/Current/Power/Temperature display Host temperature control protection Scheduled charging & timed charging 8-16A adjustable Over-voltage, overload & leakage protection Chinese / English / Russian optional Bluetooth/WiFi + Tuya.app	\$146.72

PORTABLE EV CHARGERS, DISCHARGERS & ACCESSORIES

All Pure Copper, Compliant with EU Standards
Products carry CE / ROHS / UKCA / UDEM certifications, compliant with IEC-61851 standard | 1-Year Manufacturers Warranty

Product Name	Connector Configuration	Product Image	Parameters	Material	FWB Discounted
EU No.1 Charging Pile (TYPE2, 22kW)	TYPE2		Current: 32A Voltage: 380V Max Power: 22kw Cable Length: 5m	Dual touch control keys Color screen display (default English) Voltage/Current/Power/Temperature display Host temperature control protection Scheduled charging & timed charging 8-32A adjustable Over-voltage, overload & leakage protection Chinese / English / Russian optional Bluetooth/WiFi + Tuya.app	\$169.12
EU No.4 Charging Pile (TYPE2)	TYPE2		Current: 32A Voltage: 220V-250V Max Power: 7kw Cable Length: 5m	Dual touch control keys Color screen display (default English) Voltage/Current/Power/Temperature display Host temperature control protection Scheduled charging & timed charging 4-step adjustable 8/16/24/32A Over-voltage, overload & leakage protection Chinese / English / Russian optional	\$124.32

PORTABLE EV CHARGERS, DISCHARGERS & ACCESSORIES

All Pure Copper, Compliant with EU Standards
Products carry CE / ROHS / UKCA / UDEM certifications, compliant with IEC-61851 standard | 1-Year Manufacturers Warranty

Product Name	Connector Configuration	Product Image	Parameters	Material	FWB Discounted
EU No.4 Charging Pile (TYPE2, BT/WiFi)	TYPE2		Current: 32A Voltage: 220V-250V Max Power: 7kw Cable Length: 5m	Dual touch control keys Color screen display (default English) Voltage/Current/Power/Temperature display Host temperature control protection Scheduled charging & timed charging 8-32A adjustable Over-voltage, overload & leakage protection Chinese / English / Russian optional Bluetooth/WiFi + Tuya.app	\$129.92
EU No.4 Charging Pile (TYPE2, 11kW)	TYPE2		Current: 16A Voltage: 380V Max Power: 11kw Cable Length: 5m	Dual touch control keys Color screen display (default English) Voltage/Current/Power/Temperature display Host temperature control protection Scheduled charging & timed charging 8-16A adjustable Over-voltage, overload & leakage protection Chinese / English / Russian optional Bluetooth/WiFi + Tuya.app	\$154.56

PORTABLE EV CHARGERS, DISCHARGERS & ACCESSORIES

All Pure Copper, Compliant with EU Standards
Products carry CE / ROHS / UKCA / UDEM certifications, compliant with IEC-61851 standard | 1-Year Manufacturers Warranty

Product Name	Connector Configuration	Product Image	Parameters	Material	FWB Discounted
EU No.4 Charging Pile (TYPE2, 22kW)	TYPE2		Current: 32A Voltage: 380V Max Power: 22kw Cable Length: 5m	Dual touch control keys Color screen display (default English) Voltage/Current/Power/Temperature display Host temperature control protection Scheduled charging & timed charging 8-32A adjustable Over-voltage, overload & leakage protection Chinese / English / Russian optional Bluetooth/WiFi + Tuya.app	\$180.32
EU No.5 Charging Pile (TYPE2)	TYPE2		Current: 32A Voltage: 220V-250V Max Power: 7kw Cable Length: 5m	Dual touch control keys Color screen display (default English) Voltage/Current/Power/Temperature display Host temperature control protection Scheduled charging & timed charging 8-32A adjustable Over-voltage, overload & leakage protection Chinese / English / Russian optional RFID + Bluetooth/WiFi + Tuya.app	\$113.12

PORTABLE EV CHARGERS, DISCHARGERS & ACCESSORIES

All Pure Copper, Compliant with EU Standards
Products carry CE / ROHS / UKCA / UDEM certifications, compliant with IEC-61851 standard | 1-Year Manufacturers Warranty

Product Name	Connector Configuration	Product Image	Parameters	Material	FWB Discounted
EU No.5 Charging Pile (TYPE2, 11kW)	TYPE2		Current: 16A Voltage: 380V Max Power: 11kw Cable Length: 5m	Dual touch control keys Color screen display (default English) Voltage/Current/Power/Temperature display Host temperature control protection Scheduled charging & timed charging 8-16A adjustable Over-voltage, overload & leakage protection Chinese / English / Russian optional RFID + Bluetooth/WiFi + Tuya.app	\$137.76
EU No.5 Charging Pile (TYPE2, 22kW)	TYPE2		Current: 32A Voltage: 380V Max Power: 22kw Cable Length: 5m	Dual touch control keys Color screen display (default English) Voltage/Current/Power/Temperature display Host temperature control protection Scheduled charging & timed charging 8-32A adjustable Over-voltage, overload & leakage protection Chinese / English / Russian optional RFID + Bluetooth/WiFi + Tuya.app	\$162.40