


SHAOJIE® TOOLS PRECISION-ENGINEERED PERFORMANCE FOR PROFESSIONALS.							
PRODUCT IMAGE	PRODUCT NAME	FWB DISCOUNTED PRICE	MOQ	QTY/CTN	MEAS(CM)	GW-(Kg)	PRODUCT DESCRIPTION
	Air impact wrench nut adjustment sleeve	\$1.36	500 UNITS	100	30*17*12	20	Function: Special tools for locomotive maintenance. Universal for electric wrenches: Standard 1/2 inch large flat head, directly connected to lithium battery air gun, no need for manual tightening, faster tire replacement and maintenance. Dimensions: 8/10/12/14/17/19/22/24mm, covers most motorcycle screws. Compatible with long screws and countersunk nuts, will not get stuck or jam. Material: Carbon steel fully forged, blackened for rust prevention treatment. Function: Standard 1/4 inch hex shank, compatible with electric drills, impact drivers and cordless wrenches for direct clamping. One piece molding, easy to assemble and disassemble, compact accessory for vehicle on board use. Application: The sleeve features multi splined inner teeth, specially designed for drive nuts on household scissor jacks. Not for standard hex nuts, NOT for car tire bolts. It converts manual scissor jacks to electric drill driven operation. Material: High hardness carbon steel, one piece forged, torque resistant and wear resistant. Black oxide finish for rust and oxidation protection.
	Pneumatic wrench jack nut adjustment sleeve (black)	\$0.67	1000 UNITS	100	30*17*11	13	
	Pneumatic wrench jack nut adjustment sleeve (silver)	\$0.67	300 UNITS	100	30*17*11	15	

SHAOJIE® TOOLS | PRECISION-ENGINEERED PERFORMANCE FOR PROFESSIONALS.

PRODUCT IMAGE	PRODUCT NAME	FWB DISCOUNTED PRICE	MOQ	QTY/CTN	MEAS(CM)	GW-(Kg)	PRODUCT DESCRIPTION
	Multi-purpose cross-shaped socket wrench	\$0.44	600 UNITS	500	35*30*29	20	Function: Integrated with triangle, square and multi size sleeves. Application: 5 in 1 key, fits multiple locks for elevator control cabinets, water valve meters, electric meter boxes, weak current wells and industrial cabinets. Material: High strength zinc alloy, die cast forming, electroplated anti rust surface, high torque and fracture resistant.
	Multi-purpose cross-shaped socket wrench (NEW)	\$0.67	1,000 UNITS	500	35*30*29	27	
	Multi-purpose cross-shaped socket wrench(KIT)	\$0.78	500 UNITS	500	35*30*29	33	

SHAOJIE® TOOLS PRECISION-ENGINEERED PERFORMANCE FOR PROFESSIONALS.							
PRODUCT IMAGE	PRODUCT NAME	FWB DISCOUNTED PRICE	MOQ	QTY/CTN	MEAS(CM)	GW-(Kg)	PRODUCT DESCRIPTION
	Universal socket	\$2.54	1,000 UNITS	100	30*17*16	20	Function: For disassembly, installation and maintenance of motorcycle spark plugs. Thin wall barrel fits narrow cylinder bores to prevent damage to spark plug ceramics. Standard 1/2 inch square drive, compatible with ratchet wrenches, torque wrenches and electric wrenches for auto repair maintenance. Application: Fits metric nuts & bolts from 10 19 mm, also compatible with partial imperial sizes. Works for standard hex nuts, hex bolts, square nuts, round head bolts and wing nuts. Also grips worn, rounded, rust damaged nuts that ordinary sleeves cannot hold, as well as special shaped non standard screws and raised fasteners. Material: Cut carbon steel with nickel plated surface, rust proof and wear resistant.
	Alloy adjustable internal hexagonal nut adapter	\$0.44	3,000 UNITS	500	31*21*24	27	Function: Ideal for home improvement & repair work in tight spaces. Universal angle adjustment enables offset operation for corner or obstructed screws which straight drill bits cannot reach. Application: Compatible with all 6.35 mm hex shank tools. Quick release ball bearing locking structure allows fast bit installation and removal by pressing. Firm clamping prevents bit throw off; no tedious picking out during bit replacement. Material: Zinc alloy housing, outer rubber protective sleeve, carbon steel hex shank.

SHAOJIE® TOOLS PRECISION-ENGINEERED PERFORMANCE FOR PROFESSIONALS.							
PRODUCT IMAGE	PRODUCT NAME	FWB DISCOUNTED PRICE	MOQ	QTY/CTN	MEAS(CM)	GW-(Kg)	PRODUCT DESCRIPTION
	adjustable internal hexagonal nut adapter	\$0.32	5,000 UNITS	500	31*21*24	21	Function: Perfect for home decoration and repair in narrow spaces. Universal adjustable angle allows offset operation for corner or obstructed screws that straight drill bits cannot reach. Application: Compatible with all 6.35 mm hex shank tools. Quick release ball bearing locking structure enables fast loading and unloading of hex bits by pressing. Secure clamping prevents bits from flying off, no troublesome extraction when replacing bits. Material: Engineering plastic housing, outer rubber protective sleeve, carbon steel hex shank.
	Socket wrench (miniature)	\$0.26	1,500 UNITS	1500	31*21*24	24	Function: Truly adjustable opening, compact and portable. Decorative and practical, works as keychain, backpack ornament, novelty gift or promotional giveaway. Application: Adjustment range 0 6 mm, only for small and micro size screws and nuts. Material: Zinc alloy, equipped with rust proof chain and key ring.
	Universal Key (Refrigerator Magnet)	\$0.26	1,000 UNITS	1000	31*21*24	22	Function: Integrated with cutter, bottle opener, hex wrench, scale ruler, open end wrench and key ring hole. Application: Built in hex socket holes fit 4 8 mm small nuts and bolts for tightening small fasteners, as shown in picture. Material: One piece die cast zinc alloy, electroplated for rust resistance, high hardness, lightweight and portable.

SHAOJIE® TOOLS PRECISION-ENGINEERED PERFORMANCE FOR PROFESSIONALS.							
PRODUCT IMAGE	PRODUCT NAME	FWB DISCOUNTED PRICE	MOQ	QTY/CTN	MEAS(CM)	GW-(Kg)	PRODUCT DESCRIPTION
	Cigar holder	\$0.75	500 UNITS	500	31*21*24	23	Function: Golf divot repair tool, cigar holder, bottle opener with magnetic ball marker, for repairing pitch marks on turf. Application: All in one multi function tool combining divot repair fork, cigar stand, beer bottle opener and magnetic ball marker. Material: One piece die cast zinc alloy with black baked paint finish
	drip pump	\$1.59	1,000 UNITS	50	48*28*37	13	Function: Powered by electric drill. The drill clamps and rotates the hex shaft to drive the inner impeller for liquid pumping and transfer. Application: Pumps low viscosity liquids such as clean water, engine oil and diesel oil. No separate motor required, direct attachment to electric drill for field and powerless scenarios, ready to use after assembly. Fits drills with speed above 1500 RPM. Flow rate depends on drill rotating speed. Material: Reinforced engineering plastic, impact resistant, corrosion resistant, lightweight and rust free. Metal hex adapter for drill chuck. Wear resistant plastic inner impeller. Supplied with metal mounting bracket, stainless steel hose clamps and self tapping screws..