












Model	Products Name	Features	Picture	Unit Price (USD)	Remark & Packing Information
				Discounted	
POS-1513	Reliable 15.1 All-in-one Touch Screen POS Machine with Metal Housing	Reliable 15.1 inch All-in-one Touch Screen POS Machine with Metal Housing CPU: Intel celeron J1900, 2.0GHZ (default), i3/ i5/J1800 for options; Memory: DDR3 4GB RAM (default), 2GB and 8GB RAM for options; Hard disk: 64G SSD (default), 32GB SSD, 128G SSD or 500G HDD for options; 15.1 inch flat capacitive touch screen(default), frame multi-point capacitive touch screen (1024*768), 5wires resistive for options; Second 10" non-touch screen, 2*20 VFD, LCD customer display for options. Power supply: 12V 5A external power adaptor; Other options: Wifi, MSR,RFID and i-Button etc.		Contact Us	Optional functions: Add 2*20 VFD: Add 9.7inches non-touch screen: Add MSR: Change 64G SSD to 128G ssd Change 4G RAM to 8G RAM
POS-G15	15.6/15.1 inch all in one touch POS thermal	J1900+4g+64g standard (Windows) RK3288+2g+16g standard (Optional Android) I3 I5 processor for optional (Windows) KR3399 +4g+32g for optional(Android) 15.6 inch main screen , 15.6inch for option 1024*768 or 1366*768 resolution Hard Driver Msata SSD 64GB ,SSD 128GB an 256 GB for optional 58mm and 80mm high speed thermal printer built in for optional Multi-point projected capacitive touch panel Optional side MSR and VFD220 customer display		Contact Us	Optional functions: Add 15.1" display: Add 12" display: Add VFD display: Add 58mm printer; Add 80mm printer: Change 64G SSD to 128G ssd Change 4G RAM to 8G RAM
POS-H15	15.6/15.1 inch all in one touch POS thermal	J1900+4g+64g standard (Windows) RK3288+2g+16g standard (Android) I3 I5 processor for optional (Windows) 15/15.6 inch screen for optional 1024*768 or 1366*768 resolution Hard Driver Msata SSD 64GB ,SSD 128GB an 256 GB for optional 58mm and 80mm high speed thermal printer built in for optional Multi-point capacitive touch panel Optional side MSR and VFD220 customer display built in 2D barcode sanner module for optional		Contact Us	Optional functions: Add 15.1" display: Add 12" display: Add VFD display: Add 58mm printer; Add 80mm printer: Change 64G SSD to 128G ssd Change 4G RAM to 8G RAM
POS-8618L-W	15 inch Capacitive Touch POS Machine	15 inch Capacitive Touch POS Machine J1900 CPU+Hard Driver SSD 32GB +DDRIII 1066/1333*1 2GB default for windows, Optional large capacity SSD or HDD Ten point Capacitive touch screen 1024*768 Resolution LCD screen I/O Interface Panel is hidden Brightness:350cd/m2		Contact Us	*J1900+2G+32G, Single screen, Capacitive touch screen *J1900+4G+64G, Single screen, Capacitive touch screen Change 64G SSD to 128G ssd Change 4G RAM to 8G RAM

Model	Products Name	Features	Picture	Unit Price (USD)	Remark & Packing Information
				Discounted	
POS-M1106	11.6 inch all-in-one touch POS terminal with battery optional	11.6 inch 1366*768 multi-point capacitive touch screen, 5 usb Default: Windows J1900+4G+64G, 58mm thermal printer built-in. Optional: RK3288 1.5g core+2g+8g, 2 com ports for android version (Rk3288 1.8g core for options) 2*20 VFD, msr, 1/2d scanner, 4G LTE, BATTERY, rfid/ NFC for options		Contact Us	2*20 VFD: 28.5usd/pc MSR: 19USD/pc 1/2D scanner: 26.5usd/pc NFC: +19USD
OCPP-80P	Reliable 80mm Thermal Receipt Printer	Cutter: Auto-cutter; Interface: USB, USB+RS232, USB+LAN, USB+RS232+LAN, USB+BT, USB+WIFI, USB+RS232+LAN+BT, USB+RS232+LAN+WIFI for option Printing speed: max 200mm/sec high speed printing MCBF(life): 100km; Supports multi 1D barcode and QR code printing. 58to80mm adjustable Paper separator for optional Compatible with OPOS/JPOS driver.		Contact Us	USB+LAN Single box: 29*17*16.5cm 12pcs/carton 61.5*37*53cm, 21.5KG/carton
OCPP-80K	Reliable 80mm Thermal Receipt Printer	High Speed 80mm Thermal Receipt Printer Cutter: Auto-cutter and manual cutter for option; Interface: USB, USB+RS232+LAN, RJ11 is default High printing speed: MAX=260mm/s; MCBF(life): 100km; 64K NV logo download printing; Support sound and light alarm Support multiple 1D barcode and QR code printing; Bluetooth version provide free SDK for Win CE, Android and IOS; Driver available for Windows and Linux; Compatible with ESC/POS command.		Contact Us	USB port USB+LAN USB+LAN+SERIAL Single box: 29*17*16.5cm 12pcs/carton 61.5*37*53cm, 21.5KG/carton
OCPP-585	58mm thermal receipt printer	58mm Thermal Receipt Printer Cutter: manual cutter Interface: USB/Serial/Parallel/LAN/USB+Bluetoothfor options Printing Speed: 90mm/sec MCBF(life): 50km Support NV logo download printing Support multiple 1D/QR barcode printing (optional) Compatible with Epson ESC/POS command USB+bluetooth version is compatible with Android and IOS; Free Android and IOS SDK for bluetooth version;		Contact Us	USB port, External power adapter, 1D/QR barcode printing Single box: 20*20*15cm 12pcs/carton 66*44*33cm, 15KG/carton
OCPP-58X	58mm Thermal Receipt Printer With Built-in Power Adaptor	58mm Thermal Receipt Printer With Built-in Power Adaptor Interface: USB, USB+Bluetooth for options Printing speed upto 90mm/s; Cutter: manual cutter MCBF(life): 50km; Supports bitmap download and print; Support 1D barcode printing (default), and QR code printing (optional); Compatible with Android; Small size and elegant design; Compatible with ESC/POS command.		Contact Us	USB port bluetooth for option Single box: 22.3*15*13.2cm 18pcs/carton 69*33*53cm, 16.5KG/carton
OCBP-012	4 Inch Thermal Transfer and Direct Thermal Barcode Label Printer	4 Inch Thermal Transfer and Direct Thermal Barcode Label Printer Multiple Interface: USB, USB+Serial, USB+Parallel, USB+LAN, USB+Bluetooth, USB+WIFI for option; Resolution: 8 dots/mm(203dpi), 12 dots/mm (300dpi) for options; 200 Mhz 32-Bit RISC Processor Memory: 4MB Flash Memory+8MB SDRAM; SD card slot for flash memory expansion, up to 4GB; Support 300 meters (984') length and 25.4mm (1") inner core ribbon; Printing speed: MAX=127mm/s (5"); Printing width: 20mm-108mm (4.25"); Paper width: 20mm-112mm; Dual-Motor Gear Driven Design; TSPL-E2™ Firmware Emulates TPLE And TPLZ Languages Support;		Contact Us	MOQ: 40pcs Single box: 42.5*29.5*30cm 4pcs/carton 58.5*43.5*63cm, 18.5KG/carton

Model	Products Name	Features	Picture	Unit Price (USD)	Remark & Packing Information
				Discounted	
OCBP-010	4" Direct thermal barcode label printer	<p>4" Direct thermal barcode label printer Interface:USB(Standard), USB+LAN, USB+BT,USB+LAN (Optional) Support:Win9X/Win2000//Win2003/WinVista/ Win 7/Window XP /win 8/win8.1/Win 10/IOS/Android Support TSP/ESC/POS Printing Speed:160mm/sec Resolution:203 dpi Cutter life:100km Provide free label making software Exterior paper holder for optional</p>		Contact Us	<p>USB port Single box:30*20*16.5cm 8pcs/carton 61*41*36cm, 16.7KG/carton</p>
OCPP-M06	58mm Mini portable thermal receipt printer	<p>58mm Mini Thermal Receipt Printer Interface: USB+RS232+Bluetooth or USB+RS232; Printing speed: MAX=90mm/s, depends on printing density; Cutter: manual cutter; MCBF(life): 100km. Big paper roll diameter: MAX=40mm; Battery:7.4V, 1500mAh, charging time 4hours, 3days standby; Support Windows Java Android IOS and Win CE; Free SDK for Win CE, Android, and IOS. One printer can be connected with multi smart devices; (Upto 7 android devices+1 ios device) (optional); Car charger, Bag for options; Support a variety of languages; Support 1D and QR code printing; Support raster print bitmap mode; Support Hex mode which facilitate the development; Printer name, password, baud rate can be changed</p>		Contact Us	<p>Single box: 19*12*7cm 40pcs/carton 50*39*34cm, 18KG/carton</p>
OCPP-M15	58mm Mini Bluetooth Portable Thermal Receipt Printer	<p>Mini Portable 58mm Bluetooth Thermal Printer interface:USB,RS-232 Serial and Bluetooth (optional) Print speed:Up to 90mm/sec Windows, Java, Linux, Android (or Android +IOS) operation system supported Paper dimensions:58.0±0.1mm x diameter 40.0mm Battery Power:7.4V DC/ 2200mAh; 18850 battery can stay by for 4-5 days, when it is full power, it can print 120-150m paper Multiple languages supported ESC/POS command set compatible 1D, 2D barcode (QR code), and image printing supported SDK for Android available Can change the printer name, password, baud rate online</p>		Contact Us	Bluetooth+USB
OCPP-M086	80mm mini portable thermal receipt printer with big paper roll	<p>80mm Mini Portable Thermal Receipt Printer Interface: USB+RS232, USB+RS232+Bluetooth or USB+RS232+WIFI; Printing speed: MAX=90mm/s, depends on printing density; Paper roll diameter: MAX=40mm; Battery:7.4V, 2000mAh; 4hours charging and 4days standby; USB and DC charging; Special battery indicator to monitoring power status; Support Windows, Android, Java, IOS and Win CE; One printer can be connected with multi smart devices; (Upto 7 android devices+1 ios device) (optional); Car charger, BAG for options; Support a variety of languages; Support 1D and QR code printing; Support raster print bitmap mode; Support Hex mode which facilitate the development; Printer name, password, baud rate can be changed online; Free SDK for Win CE, Android and IOS.</p>		Contact Us	<p>Single box: 19*12*7cm 40pcs/carton 50*39*45cm, 22KG/carton</p>
OCBS-LA16	Handheld laser barcode scanner with stand	<p>Handheld laser barcode scanner with stand 200MM/S Scan Speed; 10-60cm long depth of field; Compatible with multiple language layout; 1.5m free fall on concrete surface; Can switch to Manual, Continuous scanning; Stand and Auto Sensing for optional.</p>		Contact Us	1D scanner with stand

Model	Products Name	Features	Picture	Unit Price (USD)	Remark & Packing Information
				Discounted	
OCBS-LA15	Auto Sense Handheld Barcode Scanner With Stand	Auto Sense Handheld Barcode Scanner With Stand CPU: 32 bit; Scan rate: 200 scan/sec; Scanning type: bi-directional; Indicator: beeper and LED light; Interface: USB ; Color: black		Contact Us	1D scanner with stand
OCBS-2019	Hot selling 1D/2D Barcode Scanner	Handheld barcode scanner for 1D/2D barcode Scanning Speed: 200scan/s Interface: RS232 / USB/USB virtual COM High performance imaging technology; Omni-directional scanning, easy to scan. High compatibility for all major 1D and 2D symbols. Can read the barcode on the screen and color barcode; 5mil excellent scanning accuracy(Can be customized as required)		Contact Us	Single box: 29*17*16.5cm 50pcs/carton 60*45*38.5cm, 16.5KG/carton
OCBS-2021 -Upper level	High Pixel 1D/2D Barcode Scanner	Subvert traditional design, with simple assembly stand 0.3 million overall situation exposure, 60fps fast speed, 3mil resolution bar code reading ability Support reading many kinds of 1D&2D bar code Support reading difficult bar codes (blurred, wrinkled, fuzzy, low contrast, high density, etc.) Widely used in different host systems, such as windows 7/8/10, iOS, Android and Linux system, etc. Most of application at retail stores, supermarket, chains, medical, luxury, clothing, jewelry, tobacco, etc.		Contact Us	Single box: 20*14*17cmcm 20pcs/carton 60*42*26cm, 12KG/carton
OCBS-T209	Handfree 2D Imaging Barcode Scanner	high-performance movement, possessing the ability, high precision, speed, compatibility and other features, It can quickly identify 1D/2D barcode, mobile screen code, mobile payment code. Support : Alipay and WeChat make collections; 2D barcode mobile payment. Support : Alipay ,National tax, Abiao, Best winner, lightning invoicing Support : WeChat billing assistant, lightning invoicing (custom-made)		Contact Us	Single box: 20*14*17cmcm 20pcs/carton 60*42*26cm, 12KG/carton
OCBS-T214	Handfree 2D Imaging Barcode Scanner	Ultra-high-speed two-dimensional imaging technology can read both high-density bar code and wide-width bar code. Excellent screen bar code reading ability. Can directly read the payment bar code on mobile devices. The high speed camera optical technology and the supporting high speed kernel architecture are adopted. Especially suitable for high speed register bar code in retail industry. Stylish, sophisticated, read code scanning window wider and wider. Solid-state hardware design, high durability, stable and reliable.		Contact Us	Single box: 20*15.5*10cm 20pcs/carton 43.5*34*41.5cm, 14KG/carton
OCBS-T2003	2D Barcode Scanner Platform for Mobile Payment	Big reading window Quickly identify the screen 1D/2D code Non-slip drop design Customizable voice prompts Compatible with Windows, Android, Linux etc.		Contact Us	Payment box, suitable for mobile screen codes Single box: 21*11*8cm 20pcs/carton 46.3*22*44cm, 8KG/carton
OCBS-W013	2.4g wireless 1d laser barcode scanner	2.4g wireless 1d laser barcode scanner Interface: USB cable/Wireless 2.4G transmission Support Linux, Android, Windows XP, 7, 8, 10, MAC Scanning speed 200MM/S Working time about 24 hours 10-80cm long depth of field 70 m long Distance 2.4G Wireless transmission Compatible with multiple language layouts 1.5m free fall on concrete surface 1500mAh lithium-ion battery		Contact Us	2.4G wireless+USB Single box: 18.3*11.8*8.5cm 20pcs/carton 47*40*27cm, 7.5KG/carton

Model	Products Name	Features	Picture	Unit Price (USD)	Remark & Packing Information
				Discounted	
OCBS-W217	wireless 1/2D barcode Scanner	Standard 2.4G+USB Communication 1 million pixel high precision scanning engine Low power design can scan 15000 times Scanning high density barcode has high performance Superior performance for Small two-dimensional codes Big wireless buffer can transfer 600 characters Suitable for Russian tobacco projects		Contact Us	2.4G+USB 2.4+BT+USB Add stand:\$3/pc
ECD-410F	High quality 410mm width Electronic cash drawer	High quality 410mm width Electronic cash drawer 4 or 5 adjustable Bill holders 8 removable Coins holders Metal drawer detachable tray Textured hybrid powder coat 12V or 24V for optional Micro-switch Sensor for optional Black or White;3-position locks;RJ11/RJ12 Two check port		Contact Us	Steel drawer
ECD-410G	410mm width Electrical Metal Cash Drawer	410mm width Electrical Metal Cash Drawer 4 or 5 adjustable Bill holders 8 removable Coins holders Scratch resistant texture powder coat High impact ABS plastic 12V or 24V for options 3-position locks RJ11 Tested to last beyond 1.5 million operations		Contact Us	No MOQ
ECD-420X	405mm Width Metal Cash Drawer	405mm Width Electronic Metal Cash Drawer Steel construction and textured hybrid powder coat; 6B4C or 5B8C for option; Front bill slot available; 3-position locks; 12V/24V for option; Micro-switch sensor optional; Dimensions: 405mm(W) x 420mm(L) x 100mm(H, with feet 10mm); Weight: 5.0kg (net).		Contact Us	MOQ: 100pcs
ECD-335-X	335mm width Small Metal Cash Drawer	335mm Width Small Electronic Metal Cash Drawer 0.8mm SPCC powder spray the surface of cold rolled plate; 4 bill holders and 3 coin holders ; Can add baffle to increase coin holders (optional); 2-position locks; 12V/24V for option; Dimensions: 335mm(W)X368mm(D)X80mm(H); Weight: 3.5kg (net).		Contact Us	MOQ: 100pcs
TM1502	15 Inch Touch Screen POS Monitor with Plastic Stand	15 Inch Touch Screen POS Monitor with Plastic Stand 15" multi-point capacitive (default) or 4/5 resistive screen for options; Grade A LCD screen Framed and flat pannel for option Lifetime: 5 million touch; LCD Screen Size: 15"; Aspect Ratio: 4:3; Resolution: 1024 x 768; Brightness: 400cd/m ² ; Response Time: 8ms; Power consumption: ≤ 30W Interface: VGA for monitor, USB for touch screen; Sturdy base for adjusting the screen elevation angle; Power: 12V DC 3A;		Contact Us	DC+VGA+USB 4pcs/carton 65*30*43cm, 21KG/carton
VFD220C	20X2 Characters Double Line VFD Customer Display with 7mm height characters	20X2 Characters Double Line VFD Customer Display Support multiple national languages; Pole height is adjustable; Interface: USB or USB+RS232 port; 7mm(H) x 5mm(W) characters; Easy programming using Escape sequence commands; Emulation of Aedex, Epson and DSP800 command sets; AC adaptors in various configurations for all AC voltages; Panel dimensions: 80mm(H) x 225mm(W) x 37mm(D); Baud rate: 9600/19200/115200bps is adjustable; Display: VFD Bright blue-green fluorescent display.		Contact Us	RS232+USB Single box:26*21*10cm 10pcs/carton 57*28*44cm, 12KG/carton

Model	Products Name	Features	Picture	Unit Price (USD)	Remark & Packing Information
				Discounted	
LCD-500	5 Inch LCD Customer Display	<p>5 Inch LCD Customer Display</p> <p>Support OPOS driver</p> <p>Compatible with 15 kinds command,like ESC/POS,CD5220 and so on.</p> <p>Compatible with 20 countries Languages,other languages can be customized</p> <p>Provide custom setup software all customizations can be done by the end user</p> <p>Support setting booting image</p> <p>Three display areas can setting background color and character color</p> <p>The bottom display area supports custom scrolling play characters</p>		Contact Us	USB port
POS-Q1/Q2	5.5" Android 6.0 Handheld Terminal With 58mm Receipt Printer	<p>5.5" Android 6.0 Handheld Terminal With 58mm Receipt Printer</p> <p>3G or 4G communication for Options</p> <p>POS-Q1 :4G version, Cortex A53 1.25G Hz quad core Processor, 2G RAM+16G Storage;</p> <p>POS-Q2: 3G version,MTK80 1.3GHz quad core Processor, 1G RAM+8G Storage (can upgrade to 1+8 with moq 1000pcs) ;</p> <p>Built-in high speed 58mm thermal printer module</p> <p>Built-in 5 megapixels camera(can decode 1/2d barcode by app)</p> <p>Built-in large volume speaker</p> <p>AGPS+GPS avilable</p> <p>Support 32GB TF card extended memory</p> <p>Support 12V DC interface charging</p> <p>5000mAh large capacity battery</p> <p>CCD Barcode scanner , and NFC for options</p>		Contact Us	<p>Q1 for 4G</p> <p>Q2 for 3G</p> <p>Single box:25.5*10.8*7cm</p> <p>10pcs/carton</p> <p>38*28*25cm, 9KG/carton</p>