



Global Traders: Operators of the Unconventional Inventory Liquidation Marketplace FreeWorldImports.com

FREEWORLD SPECIAL DEALS - COMMODITIES | EQUIPMENT | PRODUCTS

OEM/ODM

POS RELATED PRODUCTS

(Thermal Printers | Barcode Scanners | POS Terminals | Touch Monitors | Cash Drawers)

309 Fellowship Road | East Gate Center | Suite 200 | Mt. Laurel | NJ 08054

Web-Presence: <http://freeworldbrand.com> | Liquidation Marketplace: <https://freeworldimports.com>

Commodities Webstore: <https://commodities.freeworldbrand.com/>

Phone/Fax: 609-256-9162 | Email: bizdev@freeworldbrand.com



Global Traders: Operators of the Unconventional Inventory Liquidation Marketplace FreeWorldImports.com

TRANSACTION / DEAL STRUCTURE

- *Branded Merchandise below wholesale price*
- *Available for Immediate Delivery – EXW Factory - (Asia) | DDP (Per Int'l Courier schedule) | Thirty (30) days USA – Long Beach Port, California*
- *Customer Branding is available*
- **Available QTY:** Per Customer Requirement

Interested parties are encouraged to contact us via email: bizdev@freeworldbrand.com for pricing and other related information.

PRODUCT RELATED IMAGES AND OTHER RELATED INFORMATION APPEAR ON THE FOLLOWING PAGES

Information related to this product includes:

- **Product Description**
- **Images**

309 Fellowship Road | East Gate Center | Suite 200 | Mt. Laurel | NJ 08054

Web-Presence: <http://freeworldbrand.com> | Liquidation Marketplace: <https://freeworldimports.com>

Commodities Webstore: <https://commodities.freeworldbrand.com/>

Phone/Fax: 609-256-9162 | Email: bizdev@freeworldbrand.com

PRODUCT IMAGES | PRODUCT DESCRIPTION

Thermal Printer								
Model	OCPP-80S	OCPP-80T	OCPP-88A	OCPP-58H	OCPP-M06	OCPP-M15	OCPP-M086	OCPP-M089
Picture								
Name	80mm Multi-interface Thermal Receipt Printer with Auto Cutter	80mm Multi-interface Thermal Receipt Printer with Auto Cutter	80mm Multi-interface Thermal Receipt Printer with Auto Cutter	58mm Desktop Thermal Receipt Printer	Mini Portable 58mm Bluetooth Thermal Printer	Mini Portable 58mm Bluetooth Thermal Printer	Mini Portable 80mm Bluetooth Thermal Printer	Mini Portable 80mm Bluetooth Thermal Printer

Barcode Scanner								
Model	OCBS-L017	OCBS-C020	OCBS-2020	OCBS-2099	OCBS-W238	OCBS-W220	OCBS-W299	OCBS-W217
Picture								
Name	Cost-effective 1D Laser Barcode Scanner	CCD Barcode Scanner	Cost-effective 1D/2D Barcode Scanner	High Pixel Omni-Directional 1D/2D Barcode Scanner	Wireless 1D/2D Barcode Scanner with Charge Base	Wireless 1D/2D Barcode Scanner	High Level 1MP Wireless 1D/2D Barcode Scanner	Wireless 1D/2D Barcode Scanner

Barcode Scanner			POS Terminal					
Model	OCBS-T209	OCBS-T218	OCBS-T214	POS-Q2	POS-T2	POS-T3	POS-Q6	POS-T2Pro
Picture								
Name	1D/2D Omni-Directional Barcode Scanner	1D/2D Omni-Directional Barcode Scanner	1D/2D Barcode Scanning Platform with Large Reading Window	5.5-inch Android 8.1 Portable POS Terminal with 58mm Thermal Printer	5.5-inch Android 8.0 Portable POS Terminal with 58mm Thermal Receipt/Label Printer	5.45-inch Android 11 Portable Ultra-thin POS Terminal with 58mm thermal Printer	5.99-inch Android 11 Portable Ultra-thin POS Terminal with 58mm thermal Printer	5.5-inch Android 12 Portable POS Terminal with 58mm Thermal Receipt/Label Printer


PRODUCT IMAGES | PRODUCT DESCRIPTION
POS System

Model	POS-G15	POS-L15	POS-1508	POS-1513	POS-1519B	POS-1516	POS-1701	POS-1801
Picture								
Name	15.6-inch Android/Windows Touch Screen POS System with Printer	15.6-inch Android/Windows Touch Screen POS System with Printer and Scanner	15.8-inch Android/Windows Self-service POS System with Printer and Scanner	15.1-inch Android/Windows Touch Screen POS System with Aluminum Housing and Base	15.1-inch Windows Touch Screen POS System with Aluminum Base	15.6-inch Android/Windows Touch Screen POS System with Aluminum Base	17.1-inch Android/Windows Touch Screen POS System with Aluminum Base	18.5-inch Windows Touch Screen POS System with Metal Housing and Base

POS System
Touch Monitor

Model	POS-M1106	OCPC-001	POS-K003	TM-1501/C	TM-1502	TM-1506	TM-1701/C	TM-1901
Picture								
Name	11.6-inch Android/Windows Touch Screen POS System with Printer, Scanner, Display, RFID and MSR for optional	10.1-inch Android/Windows Touch Screen Price Checker with 2D Barcode Scanner	21.5-inch Self-service POS System with 80mm Printer and 2D Scanner	15.1-inch Touch Screen Monitor with Metal Stand	15.1-inch Touch Screen Monitor with Foldable Stand	15.6-inch Touch Screen Monitor with Metal Stand	17-inch Touch Screen Monitor with POS Stand	19-inch Touch Screen Monitor with Metal Stand

Cash Drawer

Model	ECD-335X	ECD-330H	ECD-420X	ECD-410G-X	ECD-410H	ECD-460S	ECD-170B	BT-100U/R
Picture								
Name	335mm Metal Cash Drawer with Plastic Inner Tray	335mm Metal Cash Drawer with Removable Metal Tray	Cost-effective 405mm Metal Cash Drawer with Plastic Inner Tray	Reliable 410mm Metal Cash Drawer with Plastic Inner Tray	410mm Metal Cash Drawer with Removable Metal Tray	460mm Metal Cash Drawer with Ball Bearing Slide	460mm Flip Top Metal Cash Drawer	USB/RS232 Trigger for Cash Drawer

PRODUCT IMAGES | PRODUCT SPECIFICATIONS

DCOM Mobile Thermal Receipt Printer				
Model	DCPP-M06	DCPP-M13	DCPP-M089	DCPP-M086
Picture				
Printing Method	Thermal Line	Thermal Line	Thermal Line	Thermal Line
Printing Speed	70mm/s	70mm/s	90mm/s	90mm/s
Printing Width	48mm	48mm	72mm	72mm
Resolution	203DPI	203DPI	203DPI	203DPI
Interface	USB/RS-232/Bluetooth	USB/Bluetooth	USB/Bluetooth	USB/RS-232/Bluetooth/wifi
TPH	50KM	50KM	50KM	50KM
Power supply	DC 9V/1.5-2A	DC 5V/1A	DC 5V/1A	DC 9V/1.5-2A
Battery	7.4V DC/ 1500mAh	7.4V DC/ 1500mAh	7.4V DC/ 2600mAh	7.4V DC/ 2000mAh
Printing Command	ESC/POS	ESC/POS	ESC/POS	ESC/POS
OS Supporting	Window, Android, IOS	Window, Android, IOS	Window, Android, IOS	Window, Android, IOS
Print Font	ASCII Font A: 12×24 ASCII Font B: 9×17 Chinese: 24*24	ASCII Font A: 12×24 ASCII Font B: 9×17 Chinese: 24*24	ASCII Font A: 12×24 ASCII Font B: 9×17 Chinese: 24*24	ASCII Font A: 12×24 ASCII Font B: 9×17 Chinese: 24*24
Paper Type	Thermal roll paper	Thermal roll paper	Thermal roll paper	Thermal roll paper
Paper Width	58mm	58mm	80mm	80mm
Paper Thickness	0.06-0.08mm	0.06-0.08mm	0.06-0.08mm	0.06-0.08mm
Paper Roll Diameter	φ ≤ 40mm	φ ≤ 40mm	φ ≤ 50mm	φ ≤ 50mm
Outline Dimension	105*75*45mm	105*78*47mm	105*110*60mm	113*109*52mm
Weight	440g	390g	428g	570g
Package Box	90*120*70mm	155*128*68mm	197*130*70mm	217*118*69mm

PRODUCT IMAGES | PRODUCT SPECIFICATIONS

OCOM Desktop Thermal Receipt Printer				
Model	DCPP-80S	DCPP-80K	DCPP-80H	DCPP-58H
Picture				
Printing Method	Thermal Line	Thermal Line	Thermal Line	Thermal Line
Printing Speed	200/260/300mm/s	200/260/300mm/s	220mm/s	90mm/s
Printing Width	72mm	72mm	72mm	48mm
Resolution	203DPI	203DPI	203DPI	203DPI
Interface	USB/USB+Lan/USB+BT/USB+WIFI/URL=WIFI/URL+BT	USB/USB+Lan/USB+BT/USB+WIFI/URL+WIFI/URL+BT	USB /US+LAN /USB+Bluetooth	USB
TPH	100KM	100KM	100KM	50KM
Auto Cutter	1.5million cuts	1.5million cuts	1.5million cuts	N/A
Power Supply	DC 24V/2.5A	AC in or DC 24V/2.5A	DC 24V/1.5A	AC in
Printing Command	ESC/POS	ESC/POS	ESC/POS	ESC/POS
OS Supporting	Window, Android, IOS	Window, Android, IOS	Window, Android, IOS	Window, Android, IOS
Print Font	ASCII Font A: 12×24 ASCII Font B: 9×17 Chinese: 24*24	ASCII Font A: 12×24 ASCII Font B: 9×17 Chinese: 24*24	ASCII Font A: 12×24 ASCII Font B: 9×17 Chinese: 24*24	ASCII Font A: 12×24 ASCII Font B: 9×17 Chinese: 24*24
Paper Type	Thermal roll paper	Thermal roll paper	Thermal roll paper	Thermal roll paper
Paper Width	80mm	80mm	80mm	58mm
Paper Thickness	0.06-0.08mm	0.06-0.08mm	0.06-0.08mm	0.06-0.08mm
Paper Roll Diameter	φ ≤ 80mm	φ ≤ 80mm	φ ≤ 80mm	φ ≤ 75mm
Cash Drawer	R11	R11	R11	R11
Outline Dimension	180*142*136mm	196*145*135mm	160*135*122mm	175*130*110mm
Weight	1.65kg	1.65kg	1.1kg	0.8kg
Package Box	228*215*165mm	235*220*170mm	198*184*139mm	205*160*130mm

PRODUCT IMAGES | PRODUCT SPECIFICATIONS

DCOM Barcode Scanner					
Model	DCBS-2020	DCBS-2099	DCBS-W238	DCBS-W220	DCBS-W299
Picture					
1D/2D Barcode	1D/2D	1D/2D	1D/2D	1D/2D	1D/2D
Decoding Rate	65CM/S	200CM/S	65CM/S	65CM/S	200CM/S
Scanning Angle	Roll: 360° Pitch: ±60° Skew: ±55°	Roll: 360° Pitch: ±60° Skew: ±60°	Roll: 360° Pitch: ±60° Skew: ±55°	Roll: 360° Pitch: ±50° Skew: ±50°	Roll: 360° Pitch: ±60° Skew: ±60°
Image Sensor	640×480 CMOS	1280×800 CMOS	1280×800 CMOS	640×480 CMOS	1280×800 CMOS
Barcode	Paper barcode and screen barcode	Paper barcode and screen barcode	Paper barcode and screen barcode	Paper barcode and screen barcode	Paper barcode and screen barcode
Interface	USB	USB	USB+2.4G+BT, USB+2.4G	USB+2.4G+BT, USB+2.4G	USB+2.4G+BT, USB+2.4G
Operating Mode	Manually, Auto, Continuous	Manually, Auto, Continuous	Manually, Auto, Continuous, Command Control	Manually, Auto, Continuous	Manually, Auto, Continuous
Indicator	LED light, Buzzer	LED light, Buzzer	LED light, Buzzer	LED light, Buzzer	LED light, Buzzer
Printing Contrast	≥ 15%	≥ 15%	≥ 20%	≥ 15%	≥ 15%
Input Voltage	5±5% VDC	5±5% VDC	5±5% VDC	5±5% VDC	5±5% VDC
Current	Working: < 180 mA Standby: < 90mA	Working: < 280 mA Standby: < 130mA	Working: < 280 mA Standby: < 180mA	Working: < 200 mA Standby: < 100mA	Working: < 280 mA Standby: < 130mA
Battery Capacity	N/A	N/A	4800mAh	2000mAh	2000mAh
Connectivity	Corded	Corded	Cordless	Cordless	Cordless
Cradle	N/A	N/A	Yes	N/A	N/A

PRODUCT IMAGES | PRODUCT SPECIFICATIONS

OCOM Barcode Scanner					
Model	OCBS-T214	OCBS-T209	OCBS-T218	OCBS-L017	OCBS-C020
Picture					
1D/2D Barcode	1D/2D	1D/2D	1D/2D	1D	1D
Decoding Rate	200CM/S	200CM/S	200CM/S	Up to 300 times/sec	Up to 300 times/sec
Scanning Angle	Roll: 360° Pitch: ±65° Skew: ±65°	Roll: 360° Pitch: ±60° Skew: ±60°	Roll: 360° Pitch: ±65° Skew: ±65°	Roll: 30° Pitch: ±70° Skew: ±65°	Roll: 30° Pitch: ±50° Skew: ±50°
Image Sensor	1280×1024 CMOS	640×480 CMOS	640×480 CMOS	Laser	CCD
Barcode	Paper barcode and screen barcode	Paper barcode and screen barcode	Paper barcode and screen barcode	Paper barcode	Paper barcode and screen barcode
Interface	USB	USB	USB	USB / RS232	USB
Operating Mode	Auto, Continuous	Auto, Continuous	Auto, Continuous	Manually	Manually
Indicator	LED light, Buzzer	LED light, Buzzer	LED light, Buzzer	LED light, Buzzer	LED light, Buzzer
Printing Contrast	≥20%	≥15%	≥20%	≥30%	≥25%
Input Voltage	5±5% VDC	5±5% VDC	5±5% VDC	5±5% VDC	5±5% VDC
Current	Working: < 240 mA Standby: < 190 mA	Working: < 300 mA Standby: < 210 mA	Working: < 320 mA Standby: < 235 mA	Working: < 65 mA Standby: < 20 mA	Working: < 140 mA Standby: < 40 mA
Connectivity	Corded	Corded	Corded	Corded	Corded

PRODUCT IMAGES | PRODUCT SPECIFICATIONS

OCOM Android All-in-one POS System					
Model	POS-G156-A	POS-L156-A	POS-M1106-A	POS-1508-A	POS-K003-A
Picture					
System					
Processor	RK3568, Cortex-A55, quad core, 2.0Ghz	RK3568, Cortex-A55, quad core, 2.0Ghz	RK3568, Cortex-A55, quad core, 2.0Ghz	RK3568, Cortex-A55, quad core, 2.0Ghz	RK3568, Cortex-A55, quad core, 2.0Ghz
Memory	DDR4 2G/4G	DDR4 2G/4G	DDR4 2G/4G	DDR4 2G/4G	DDR4 2G/4G
Storage	EMMC/NAND flash 16G/32G	EMMC/NAND flash 16G/32G	EMMC/NAND flash 16G/32G	EMMC/NAND flash 16G/32G	EMMC/NAND flash 16G/32G
Supported OS	Android 11	Android 11	Android 11	Android 11	Android 11
Display					
Size	15.6-inch	15.6-inch	11.6-inch	15.8-inch	21.5-inch
Resolution	1920*1080 or 1366*768	1366*768	1366*768	1920*1080	1920*1080
Touch Screen	10-point capacitive touch	10-point capacitive touch	10-point capacitive touch	10-point capacitive touch	10-point capacitive touch
External IO ports					
USB	5*USB	6*USB	5*USB	5*USB	4*USB
LAN	1*RJ45	1*RJ45	1*RJ45	1*RJ45	1*RJ45
Cash Drawer	1*RJ11 (optional)	1*RJ11 (optional)	1*RJ11 (optional)	N/A	N/A
DC Jack	1*DC Jack	1*DC Jack	1*DC Jack	1*DC Jack	1*AC Socket
Wireless connection					
WiFi	WiFi 802.11 b.g.n	WiFi 802.11 b.g.n	WiFi 802.11 b.g.n	WiFi 802.11 b.g.n	WiFi 802.11 b.g.n
BT	Bluetooth 4.0	Bluetooth 4.0	Bluetooth 4.0	Bluetooth 4.0	Bluetooth 4.0
Audio					
Mic In	1*Mic in	1*Mic in	N/A	N/A	N/A
Line Out	1*Line out	1*Line out	1*Line out	N/A	N/A
Peripheral (Option)					
Built-in Printer	58/80mm thermal printer	58/80mm thermal printer	80mm thermal printer (standard)	80mm thermal printer (standard)	80mm thermal printer (standard)
Scanner	N/A	1D/2D scanner	1D/2D scanner	1D/2D scanner (standard)	1D/2D scanner (standard)
MSR	3-track MSR	N/A	3-track MSR	N/A	N/A
NFC	ISO 14443A/B, Mifare, Felica	ISO 14443A/B, Mifare, Felica	ISO 14443A/B, Mifare, Felica	N/A	N/A
VFD&LCD	VFD220 or LCD 220	VFD220 or LCD 220	VFD220 or LCD 220	N/A	N/A
2nd Screen	15.6 or 13.3 or 11.6-inch	15.6 or 11.6-inch	5-inch	15.8-inch	N/A
Power Source					
Power Adaptor	12V/5A or 12V/7A	12V/5A or 12V/7A	12V/5A	12V/7A	Direct AC in
Housing					
Color and Material	ABS+PC, White with Gray	ABS+PC, White and Black	ABS+PC, Black with Gray	ABS+PC, White with Gray	Metal, White

PRODUCT IMAGES | PRODUCT SPECIFICATIONS

OCOM Android All-in-one POS System			
Model	POS-1519-A	POS-1521-A	OCPC-001-A
Picture:			
System			
Processor	RK3566, Cortex-A55, Quad core, 1.8Ghz	RK3566, Cortex-A55, Quad core, 1.8Ghz	RK3566, Cortex-A55, Quad core, 1.8Ghz
Memory	DDR4 2G/4G	DDR4 2G/4G	DDR4 2G/4G
Storage	EMMC/NAND flash 16G/32G	EMMC/NAND flash 16G/32G	EMMC/NAND flash 16G/32G
Supported OS	Android 11	Android 11	Android 11
Display			
Size	15.6-inch	15.6-inch	10.1-inch
Resolution	1366*768	1366*768	1280*800
Touch Screen	10-point capacitive touch	10-point capacitive touch	10-point capacitive touch
External IO ports			
USB	6*USB	6*USB	4*USB
LAN	1*RJ45	1*RJ45	1*RJ45
DC Jack	1*DC Jack	1*DC Jack	N/A
Wireless connection			
WIFI	WIFI 802.11 b,g,n	WIFI 802.11 b,g,n	WIFI 802.11 b,g,n
BT	Bluetooth 4.0	Bluetooth 4.0	Bluetooth 4.0
Audio			
Mic In	1*Mic in	1*Mic in	N/A
Line Out	1*Line out	1*Line out	1*Line out
Peripheral (Option)			
Scanner	N/A	N/A	1D/2D scanner (standard)
VFD&LCD	VFD220 or LCD 220	VFD220 or LCD 220	N/A
Power Source			
Power Adaptor	12V/5A	12V/5A	12V/5A
Housing			
Color and Material	ABS+PC, Metal Stand, Black	ABS+PC, White or Black	ABS+PC, Black

PRODUCT IMAGES | PRODUCT SPECIFICATIONS

OCOM Windows All-in-one POS System					
Model	POS-G156-W	POS-L156-W	POS-M1106-W	POS-1508-W	POS-K003-W
Picture					
System					
Processor	I1900/I3/I5/I6412/I4125		I1900/I3/I5/I6412/I4125		I1900/I3/I5/I6412/I4125
Memory	DDR3 4G/8G, DDR4 for option		DDR3 4G/8G, DDR4 for option		DDR3 4G/8G, DDR4 for option
Storage	Msata SSD, M.2 SSD for option		Msata SSD, M.2 SSD for option		Msata SSD, M.2 SSD for option
Supported OS	Windows10 Pro		Windows10 Pro		Windows10 Pro
Display					
Size	15.6-inch	15.6-inch	11.6-inch	15.8-inch	21.5-inch
Resolution	1920*1080 or 1366*768	1920*1080 or 1366*768	1366*768	1920*1080	1920*1080
Touch Screen	10-point capacitive touch				
External IO ports					
USB	5*USB	6*USB	5*USB	5*USB	2*USB
COM	1*DB9	1*DB9	1*DB9	N/A	N/A
LAN	1*RJ45	1*RJ45	1*RJ45	1*RJ45	1*RJ45
Cash Drawer	1*RJ11 (optional)	1*RJ11 (optional)	1*RJ11	N/A	N/A
DC Jack	1*DC Jack	1*DC Jack	1*DC Jack	1*DC Jack	1*AC Socket
VGA	1*DB15	1*DB15	1*DB15	N/A	N/A
HDMI	1*HDMI for intel core I3, I5	1*HDMI for intel core I3, I5	1*HDMI for intel core I3, I5	N/A	N/A
Audio					
Mic In	1*Mic in	1*Mic in	1*Mic in	N/A	N/A
Line Out	1*Line out	1*Line out	1*Line out	N/A	N/A
Peripheral (Option)					
Built-in Printer	58/80mm thermal printer	58/80mm thermal printer	80mm thermal printer	80mm thermal printer	80mm thermal printer
Scanner	N/A	1D/2D scanner	1D/2D scanner (standard)	1D/2D scanner (standard)	1D/2D scanner (standard)
MSR	3-track MSR	3-track MSR	3-track MSR	N/A	N/A
NFC	ISO 14443A/B, Mifare, Felica	ISO 14443A/B, Mifare, Felica	ISO 14443A/B, Mifare, Felica	N/A	N/A
VFD&LCD	VFD220 or LCD 220	VFD220 or LCD 220	VFD220 or LCD 220	N/A	N/A
2nd Screen	15.6 or 13.3 or 11.6-inch	15.6 or 11.6-inch	5-inch	15.8-inch	N/A
Power Source					
Power Adaptor	12V/5A or 12V/7A	12V/5A or 12V/7A	12V/5A	12V/7A	Direct AC in
Housing					
Color and Material	ABS+PC, White with Gray	ABS+PC, White and Black	ABS+PC, Black with Gray	ABS+PC, White with Gray	Metal, White

PRODUCT IMAGES | PRODUCT SPECIFICATIONS

DCOM Windows All-in-one POS System						
Model	POS-1513	POS-1519B	POS-1516	POS-1701	POS-1801	DCPC-001-W
Picture						
System						
Processor	i1900/i3/i5/i6412/i4125	i1900/i3/i5/i6412/i4125	i1900/i3/i5/i6412/i4125	i1900/i3/i5/i6412/i4125	i1900/i3/i5/i6412/i4125	i1900
Memory	DDR3 4G/8G, DDR4 for option	DDR3 4G/8G, DDR4 for option	DDR3 4G/8G, DDR4 for option	DDR3 4G/8G, DDR4 for option	DDR3 4G/8G, DDR4 for option	DDR3 4G/8G
Storage	Msata SSD, M.2 SSD for option	Msata SSD, M.2 SSD for option	Msata SSD, M.2 SSD for option	Msata SSD, M.2 SSD for option	Msata SSD, M.2 SSD for option	Msata SSD 64G/128G
Supported OS	Windows10 Pro	Windows10 Pro	Windows10 Pro	Windows10 Pro	Windows10 Pro	Windows10 Pro
Display						
Size	15.1-inch	15.1-inch	15.6-inch	17.1-inch	18.5-inch	10.1-inch
Resolution	1024*768	1024*768	1920*1080 or 1366*768	1400*900	1366*768	1280*800
Touch Screen	10-point capacitive touch	10-point capacitive touch	10-point capacitive touch	10-point capacitive touch	10-point capacitive touch	10-point capacitive touch
External IO ports						
USB	4*USB	6*USB	4*USB	6*USB	4*USB	4*USB
COM	1*DB9	1*DB9	1*DB9	1*DB9	1*DB9	1*DB9
LAN	1*RJ45	1*RJ45	1*RJ45	1*RJ45	1*RJ45	1*RJ45
DC Jack	1*DC Jack	1*DC Jack	1*DC Jack	1*DC Jack	1*DC Jack	1*DC Jack
VGA	1*DB15	1*DB15	1*DB15	1*DB15	1*DB15	N/A
HDMI	1*HDMI for intel core i3, i5	1*HDMI for intel core i3, i5	1*HDMI for intel core i3, i5	1*HDMI for intel core i3, i5	1*HDMI for intel core i3, i5	N/A
Audio						
Mic In	1*Mic in	1*Mic in	1*Mic in	1*Mic in	1*Mic in	N/A
Line Out	1*Line out	1*Line out	1*Line out	1*Line out	1*Line out	1*Line out
Peripheral (Option)						
Scanner	N/A	N/A	N/A	N/A	N/A	1D/2D scanner (standard)
MSR	3-track MSR	3-track MSR	3-track MSR	3-track MSR	N/A	N/A
NFC	N/A	N/A	ISO 14443A/B, Mifare, Felica	ISO 14443A/B, Mifare, Felica	N/A	N/A
VFD&LCD	VFD220 or LCD 220	VFD220 or LCD 220	VFD220 or LCD 220	VFD220 or LCD 220	N/A	N/A
2nd Screen	9.7-inch	15.1 or 12.1-inch	15.6 or 11.6-inch	15.6 or 11.6-inch	11.6-inch	N/A
Power Source						
Power Adaptor	12V/5A	12V/5A	12V/5A	12V/5A	12V/5A	12V/5A
Housing						
Color and Material	Aluminium Alloy, Black	ABS+PC with Aluminium Alloy Stand, Black	ABS+PC with Aluminium Alloy Stand, Black	ABS+PC with Aluminium Alloy Stand, Black	Metal, Black	ABS+PC, Black

PRODUCT IMAGES | PRODUCT SPECIFICATIONS

OCOM Handheld POS Terminal					
Model	POS-Q2	POS-T2	POS-T3	POS-Q6	POS-T2Pro
Picture					
System	Android 8.1	Android 8.0	Android 11	Android 11	Android 12
Screen	5.5-inch capacitive multi point touch HD screen Highest resolution 720*1280	5.5-inch capacitive multi point touch HD IPS screen Highest resolution 720*1280	5.45-inch capacitive multi point touch HD screen Highest resolution 720*1440	5.99-inch capacitive multi point touch HD IPS screen Highest resolution 720*1440	5.5-inch capacitive multi point touch HD IPS screen Highest resolution 720*1280
CPU	Quad core MT6580 1.3GHz Processor	Deca-core(10-core) MT6797 2.3GHz Processor	Quad core MT6739 1.5GHz Processor	Quad core MT6739 1.3GHz Processor	Octa-core, SC9863 1.6GHz Processor
RAM+ROM	1GB RAM +8GB ROM	3GB RAM +16GB ROM	2GB RAM +16GB ROM	2GB RAM +16GB ROM	3GB RAM +16GB ROM
Scanner	Camera decoding 1D CCD scanner (option)	Camera decoding 2D Scanner (option)	Camera decoding 1D CCD scanner (option)	Camera decoding 1D CCD scanner (option)	Camera decoding 2D Scanner (option)
Printer	58mm thermal printer Width: 58mm Max. Diameter: 42mm	58mm thermal receipt or label printer Width: 58mm Max. Diameter: 40mm	58mm thermal printer Width: 58mm Max. Diameter: 42mm	58mm thermal printer Width: 58mm Max. Diameter: 50mm	58mm thermal receipt or label printer Width: 58mm Max. Diameter: 40mm
Camera	5 megapixels camera	5 megapixels camera	2 megapixels camera	5 megapixels camera	5 megapixels camera
NFC	Optional	Standard	Optional	Optional	standard
Finger Print	N/A	Optional	N/A	N/A	Optional
GPS or AGPS	AGPS+GPS	AGPS+GPS	AGPS+GPS	AGPS+GPS	AGPS+GPS
Communication	2/3G	2/3/4G	2/3/4G	2/3/4G	2/3/4G
BT	Bluetooth 4.0	Bluetooth 4.0	Bluetooth 4.0	Bluetooth 4.0	Bluetooth 4.0
WIFI	WIFI 802.11 b,g,n	WIFI 802.11 b,g,n,ac support 2.4G&5G	WIFI 802.11 b,g,n	WIFI 802.11 b,g,n	WIFI 802.11 b,g,n,ac support 2.4G&5G
Battery	7.4V/5000mAh 18650 battery pack	3.8V/6400mAh (removable)	7.4V/3500mAh (removable) 18650 battery pack	7.4V/5000mAh 18650 battery pack	3.8V/6400mAh (removable)
Audio	Digital audio speaker	Digital audio speaker	Digital audio speaker	Digital audio speaker	Digital audio speaker
MDM	YES	YES	YES	YES	YES
Sam slots	N/A	1 (option)	N/A	N/A	1 (option)
Sim slots	1	2 (default)	1	1	2 (default)
Dimension (appr.mm)	209*87.4*51.7mm	197*82*17.5mm	218.5*78.1*57.5mm	254*105*70mm	197*82*17.5mm
Peripheral Accessories	Micro USB*1 Power adapter*1 User manual*1	Type C*1 Power adapter*1 User manual*1	Type C*1 Power adapter*1 User manual*1	Micro USB*1 Power adapter*1 User manual*1	Type C*1 Power adapter*1 User manual*1

PRODUCT IMAGES | PRODUCT SPECIFICATIONS

OCOM Touch Screen Monitor					
Model	TM-1501/C	TM-1502	TM-1506	TM-1701/C	TM-1901
Picture					
Display					
Size	15.1-inch	15.1-inch	15.6-inch	17-inch	19-inch
Resolution	1024*768	1024*768	1366*768	1280*1024	1280*1024
Touch Screen	Resistive touch/capacitive touch	Resistive touch	True-flat 10-point capacitive touch	Resistive touch/capacitive touch	Resistive touch
Brightness	250cd/m ²	250cd/m ²	300cd/m ²	300cd/m ²	300cd/m ²
IO ports					
USB	1*USB for touch function	1*USB for touch function	1*USB for touch function	1*USB for touch function	1*USB for touch function
DC Jack	1*DC Jack	1*DC Jack	1*DC Jack	1*DC Jack	1*DC Jack
VGA	1*DB15	1*DB15	1*DB15	1*DB15	1*DB15
HDMI (optional)	1*HDMI	1*HDMI	1*HDMI	1*HDMI	1*HDMI
Audio					
Audio in (optional)	1*Line in	1*Line in	1*Line in	1*Line in	1*Line in
Speaker (optional)	2*8R/2W	2*8R/2W	2*8R/2W	2*8R/2W	2*8R/2W
Accessories					
Power Adaptor	100-240VAC input/12V/2.6A output	100-240VAC input/12V/2.6A output	100-240VAC input/12V/4A output	100-240VAC input/12V/4A output	100-240VAC input/12V/4A output
USB Cable	Type A USB cable	Type A USB cable	Type A to Type B USB cable	Type A USB cable	Type A USB cable
VGA Cable	Male DB15 VGA cable	Male DB15 VGA cable	Male DB15 VGA cable	Male DB15 VGA cable	Male DB15 VGA cable
HDMI Cable (optional)	1.8M HDMI cable	1.8M HDMI cable	1.8M HDMI cable	1.8M HDMI cable	1.8M HDMI cable
Housing					
Material and Color	ABS+PC with metal stand, Black	ABS+PC with foldable stand, Black	ABS+PC with metal stand, Black	ABS+PC with metal stand, Black	ABS+PC with metal stand, Black

PRODUCT IMAGES | PRODUCT SPECIFICATIONS

DCOM Cash Drawer							
Model	ECO-330D	ECO-335X	ECO-410H	ECO-410GX	ECO-420K	ECO-460S	ECO-170B
Picture							
Material	Metal	Metal	Metal	Metal	Metal	Metal	Metal
Tray	Metal tray	Plastic tray	Metal tray	Plastic tray	Plastic tray	Metal tray and ball bearing slide	N/A
Bill Tray	4 Bills	4 Bills	5 Bills	5 Bills	5 Bills	5 Bills	Adjustable up to 6 Bills
Coin Tray	One part coin tray can be removable 8 coins all can be unadjustable	Removable coin tray 8 coins all can be unadjustable	Removable coin tray 8 coins 4 of them can be adjustable	Removable coin tray 8 coins all can be adjustable	Removable coin tray 8 coins all can be unadjustable	Removable coin tray 4 or 5 adjustable coin tray	Adjustable up to 8 coins
Media Slot	1*front media slot	1*front media slot	2*front media slot	1*front media slot	1*front media slot	2*front media slot	1*front media slot
Lockset	3 positions	3 positions	3 positions	3 positions	3 positions	3 positions	2 positions
Interface	RJ11 or customized	RJ11 or customized	RJ11 or customized	RJ11 or customized	RJ11 or customized	RJ11 or customized	RJ11 or customized
Voltage	12V or 24V	12V or 24V	12V or 24V	12V or 24V	12V or 24V	12V or 24V	12V or 24V
Color	Black/beige or customized	Black/beige or customized	Black/beige or customized	Black/beige or customized	Black/beige or customized	Black/beige or customized	Black/beige or customized
Micro Switch	Optional	Optional	Optional	Optional	Optional	Optional	N/A
Weight	Net: 4.6kg Gross: 5.1kg	Net: 4.6kg Gross: 5.1kg	Net: 7kg Gross: 7.5kg	Net: 6kg Gross: 6.8kg	Net: 4.5kg Gross: 5.2kg	Net: 10.6kg Gross: 11.0kg	Net: 5.1kg Gross: 6.1kg
Dimensions	335(W)*368(L)*90(H)mm	335(W)*368(L)*90(H)mm	410(W)*420(L)*113(H)mm	410(W)*415(L)*110(H)mm	405(D)*420(W)*100(H)mm	460(W)*460(D)*115(H)mm	505(W)*20(D)*140(H)mm

OTHER FREEWORLD INVENTORY LIQUIDATION SERVICES OFFERINGS

Please click on the image or the associated hyperlink to learn more



[FWB – NON-AUCTION COMMODITIES WEBSTORE](#)

Please click on the image or the associated hyperlink to learn more



SOURCE YOUR PRODUCTS HERE | DELIVERED DUTY PAID (DDP)

Please click on the image or the associated hyperlink to learn more



DEPARTMENT STORES MIXED BUNDLES FOR BIG SAVINGS

Please click on the image or the associated hyperlink to learn more



[FWI FEATURED SUPPLIERS](#)

Please click on the image or the associated hyperlink to learn more



[24 X 7 X 365 NON-AUCTION DEALS](#)

Please click on the image or the associated hyperlink to learn more

FWI LIQUIDATION MARKETPLACE AFFILIATE PROGRAM

Become an **ONLINE INVENTORY LIQUIDATOR** using the FWI link based model which enable you to create links to any product within the FWI Marketplace. You have the ability to share these links with potential customers via email, social media and other digital mediums. You will **earn between two to five percent (2% - 5%) commission on the sales of products** which are sold based on your efforts. These links contains identifiers that will ensure that you receive compensation when a purchase is made on a linked item containing your identifier. There are no charges associated with this groundbreaking business opportunity, your participation will not cost you a dime, it is completely free of charge.

**Online
Inventory
Liquidation
Marketplace**



**FREE
WORLD
IMPORTS**

**Buying
Platform**
<https://www.freeworldimports.com/>
609-318-0570
bizdev@freeworldimports.com

ONLINE INVENTORY LIQUIDATOR REGISTRATION

[FWI AFFILIATE PROGRAM](#)

Please click on the image or the associated hyperlink to learn more



FEATURE YOUR COMPANY AND YOUR
PRODUCTS WITHIN THE UNCONVENTIONAL
INVENTORY LIQUIDATION MARKETPLACE
www.freeworldimports.com



JOIN US
AS A FREEWORLDIMPORTS SUPPLIER

[FWI SUPPLIER ENGAGEMENT](#)

Please click on the image or the associated hyperlink to learn more



VPOS **HSRLCO
SOLUTION**

DELIVERING VALUE TO CALL CENTERS AND BEYOND INTEGRATED
VIRTUAL POINT OF SALE SOLUTION

www.sasapplication.com/webapplication

CLOUD BASED SOLUTIONS FOR FORWARD LOOKING ORGANIZATIONS

Please click on the image or the associated hyperlink to learn more



PINK LABELED WOMEN'S URBAN APPAREL

FOR MORE INFORMATION FREEWORLD LIQUIDATION SERVICES

A Service of FreeWorld Brand, LLC



Phone: +1-609-256-9162

Email: bizdev@freeworldimports.com
bizdev@freeworldbrand.com