



Global Traders: Operators of the Unconventional Inventory Liquidation Marketplace FreeWorldImports.com

---

# **FREEWORLD FEATURED & SPECIAL DEALS**

## **COMMODITIES | EQUIPMENT | PRODUCTS**

### **FREEWORLD LIQUIDITY SERVICES**

## **OEM | ODM**

## **(CABLES, CHARGERS & MORE)**

Review and take advantage of the listed deals in this document - Interested parties are encouraged to contact us at: [bizdev@freeworldbrand.com](mailto:bizdev@freeworldbrand.com) with their requirements



---

309 Fellowship Road | East Gate Center | Suite 200 | Mt. Laurel | NJ 08054

Web-Presence: <http://freeworldbrand.com> | Liquidation Marketplace: <https://freeworldimports.com>

Commodities Webstore: <https://commodities.freeworldbrand.com/>

Phone/Fax: 609-256-9162 | Email: [bizdev@freeworldbrand.com](mailto:bizdev@freeworldbrand.com)



**Global Traders:** Operators of the Unconventional Inventory Liquidation Marketplace [FreeWorldImports.com](http://FreeWorldImports.com)

---

# CABLES

---


309 Fellowship Road | East Gate Center | Suite 200 | Mt. Laurel | NJ 08054

**Web-Presence:** <http://freeworldbrand.com> | **Liquidation Marketplace:** <https://freeworldimports.com>

Commodities Webstore: <https://commodities.freeworldbrand.com/>

**Phone/Fax:** 609-256-9162 | **Email:** [bizdev@freeworldbrand.com](mailto:bizdev@freeworldbrand.com)


## Cable



**Model: Y111**

**Anti-dirty cable**


- A-C: 20W, 480Mbps
- C-C: 20/60W, 480Mbps



**Model: Y112**

**Flat Jelly Silicone Cable**


- A-C: 18W, 480Mbps
- A-L: 12W, 480Mbps
- C-L: 20W, 480Mbps
- C-C: 20/60W, 480Mbps



**Model: Y113**

**Icy Gradient Cable**


- A-C: 18W, 480Mbps
- A-L: 12W, 480Mbps
- C-L: 20W, 480Mbps
- C-C: 20/60W, 480Mbps



**Model: Y121**

**Basic PVC cable**


- A-C: 18W, 480Mbps
- A-L: 12W, 480Mbps
- C-L: 20W, 480Mbps
- C-C: 20/60W, 480Mbps



**Model: Y122**

**Ultra-Slim Cable**


- A-C: 18W, 480Mbps
- A-L: 12W, 480Mbps
- C-L: 20W, 480Mbps
- C-C: 20/60W, 480Mbps



**Model: Y123**

**Classic ABS+TPE cable**


- A-C: 18W, 480Mbps
- A-L: 12W, 480Mbps
- C-L: 20W, 480Mbps
- C-C: 20/60W, 480Mbps



**Model: Y131**

**Silicone Cable**


- A-C: 18W, 480Mbps
- A-L: 12W, 480Mbps
- C-L: 20W, 480Mbps
- C-C: 20/60W, 480Mbps



**Model: Y132**

**Textured Grip Cable**

- A-C: 18W, 480Mbps
- A-L: 12W, 480Mbps
- C-L: 20W, 480Mbps
- C-C: 20/60W, 480Mbps



**Model: Y133**

**Metal tip silicone cable**

- A-C: 18W, 480Mbps
- A-L: 12W, 480Mbps
- C-L: 20W, 480Mbps
- C-C: 20/60W, 480Mbps

## Cable



Model: Y311

### Silicone cable with led display

- A-C:18W,480Mbps
- A-L:12W,480Mbps
- C-L:20W,480Mbps
- C-C:20/60/100W,480Mbps



Model: Y312

### Silicone cable with led display

- A-C:18W,480Mbps
- A-L:12W,480Mbps
- C-L:20W,480Mbps
- C-C:20/60W,480Mbps



Model: Y313

### Zinc alloy led display cable

- A-C:18W,480Mbps
- A-L:12W,480Mbps
- C-L:20W,480Mbps
- C-C:20/60/100W,480Mbps



Model: Y321

### RGB Light cable

- A-C:18W,480Mbps
- A-L:12W,480Mbps
- C-L:20W,480Mbps
- C-C:20/60W,480Mbps



Model: Y322

### Cable with a Breathing LED

- A-C:18W,480Mbps
- A-L:12W,480Mbps
- C-L:20W,480Mbps
- C-C:20/60W,480Mbps



Model: Y323

### Tech-View Cable

- A-C:18W,480Mbps
- A-L:12W,480Mbps
- C-L:20W,480Mbps
- C-C:20/60W,480Mbps



Model: Y331

### Beast Mode RGB Cable

- A-L:12W,480Mbps
- A-C:18W,480Mbps
- C-C:60W,480Mbps
- C-L:12W,480Mbps



Model: Y332

### Multicolor RGB Flow Cable

- A-C:18W,480Mbps
- A-L:12W,480Mbps
- C-L:20W,480Mbps
- C-C:20/60W,480Mbps



Model: Y333

### 4 in 1 led display cable

- A-L:12W,480Mbps
- A-C:18W,480Mbps
- C-C:60W,480Mbps
- C-L:12W,480Mbps

## Cable



New

Model: Y411

### New Coming Colorful Silicone Cable Silicone Cable

- A-C:18W,480Mbps
- A-L:12W,480Mbps
- C-L:20W,480Mbps
- C-C:20/60W,480Mbps



New

Model: Y412

- C-L:20W,480Mbps
- C-C:20/60W,480Mbps



Hot

Model: Y413

### 500Gs Magnetic Silicone Cable

- A-C:18W,480Mbps
- A-L:12W,480Mbps
- C-L:20W,480Mbps
- C-C:20/60/100W,480Mbps



Model: Y421

### 500Gs Magnetic Braided Cable

- A-C:18W,480Mbps
- A-L:12W,480Mbps
- C-L:20W,480Mbps
- C-C:20/60/100W,480Mbps



Model: Y422

### Magnetic Braided Cable

- A-C:18W,480Mbps
- A-L:12W,480Mbps
- C-L:20W,480Mbps
- C-C:20/60/100W,480Mbps



Model: Y423

### Magnetic Braided Cable

- A-C:18W,480Mbps
- A-L:12W,480Mbps
- C-L:20W,480Mbps
- C-C:20/60/100W,480Mbps



Model: Y431

### Flat Magnetic Cable

- A-C:18W,480Mbps
- A-L:12W,480Mbps
- C-L:20W,480Mbps
- C-C:20/60/100W,480Mbps



Model: Y432

### Flat Magnetic Cable

- A-C:18W,480Mbps
- A-L:12W,480Mbps
- C-L:20W,480Mbps
- C-C:20/60/100W,480Mbps



Model: Y433

### USB Retractable Cable

- A-C:18W,480Mbps
- A-L:12W,480Mbps
- C-L:20W,480Mbps
- C-C:20/60/100W,480Mbps

## Cable



Model: Y511

### Neck hanging cable


- C-L:20W,480Mbps
- C-C:60/100W,480Mbps



Model: Y512

### Portable Neck hanging/Wrist cable

- C-L:20W,480Mbps
- C-C:60/100W,480Mbps



Model: Y513

### Durable Neck hanging/Wrist cable

- C-L:20W,480Mbps
- C-C:60/100W,480Mbps



Model: Y521

### Portable Neck hanging/Wrist cable

- C-L:20W,480Mbps
- C-C:60/100W,480Mbps



Model: Y522

### A+C To(M+C+L) Braided cable

- 12W Max
- 480Mbps(C Port)



Model: Y523

### A+C To(M+C+L) silicone cable

- 15W Max
- 480Mbps(C Port)



Model: Y531

### A-C+L+M MFI Braided Cable

- A to M+C+L 18W MAX
- 480Mbps



Model: Y532

### 2 IN 1 Metal&Braided Cable

- A-C:18W,480Mbps
- A-L:12W,480Mbps
- C-L:20W,480Mbps
- C-C:20/60W,480Mbps



Model: Y533

### C-C+L Mecha-style data cable

- C-L:20W,480Mbps
- C-C:20/60W,480Mbps

## Cable



- Lumi-Silver Cable**
- A-C:18W,480Mbps
  - A-L:12W,480Mbps
  - C-L:20W,480Mbps
  - C-C:20/60W,480Mbps



- Blossom Pink Accent Cable**
- A-C:18W,480Mbps
  - A-L:12W,480Mbps
  - C-L:20W,480Mbps
  - C-C:20/60W,480Mbps



- Flower design cable**
- A-C:18W,480Mbps
  - A-L:12W,480Mbps
  - C-L:20W,480Mbps
  - C-C:20/60W,480Mbps



- Diamond Shinning cable**
- A-C:18W,480Mbps
  - A-L:12W,480Mbps
  - C-L:20W,480Mbps
  - C-C:20/60W,480Mbps



- Foamed silicone cable**
- C-C:60W,480Mbps
  - C-L:20W,480Mbps



- PU Leather cable**
- A-C:18W,480Mbps
  - A-L:12W,480Mbps
  - C-L:20W,480Mbps
  - C-C:20/60W,480Mbps



- Shimmering cable**
- A-C:18W,480Mbps
  - A-L:12W,480Mbps
  - C-L:20W,480Mbps
  - C-C:20/60W,480Mbps



- Glossy silicone cable**
- A-C:18W,480Mbps
  - A-L:12W,480Mbps
  - C-L:20W,480Mbps
  - C-C:20/60W,480Mbps



- Diamond Series Cable**
- A-C:18W,480Mbps
  - A-L:12W,480Mbps
  - C-L:20W,480Mbps
  - C-C:20/60W,480Mbps

## Cable



**Model: Y811**

**100W USB C 2.0 to USB C Cable**

- PD100W(20V/5A) fast charging
- 480Mbps data transmission
- 100%Oxygen Free Copper
- Intelligent E-marker chip inside



**Model: Y812**

**100W USB C 2.0 to USB C Cable**

- PD100W(20V/5A)fast charging
- 480Mbps data transmission
- 100%Oxygen Free Copper
- Intelligent E-marker chip inside



**Model: Y813**

**100W USB C3.2 Gen 2x1 to USB C Cable 100W**

- Support 4K@60Hz video output
- 10Gbps data transmission
- 100W(20V/5A max)fast charging
- Intelligent E-marker chip inside



**Model: Y821**

**240W USB C 2.0 to USB C Cable 90 degree**

- Aluminum shell+nylon braided jacket
- 240W(48V/5A max)fast charging
- 20Gbps data transmission
- 90 degree "L"design
- E-marker safe and fast charging chip



**Model: Y822**

**240W USB 4 Cable**

- 40Gbps fast transfer speeds
- Compatible for Thunderbolt 4/3 Cable
- Charging up to max240W(48V/5A)
- PVC jacket and PVC mold
- Output single 5K or dual 4K HD video



**Model: Y823**

**240W USB 4 Cable**

- 40Gbps fast transfer speeds
- Compatible for Thunderbolt 4/3 Cable
- Charging up to max 240W(48V/5A)
- Braided cable with tensile strength
- Output single 5K or dual 4KHD video



**Model: Y831**

**USB 3.2 Extension Cable**

- Back Up Your Files In Seconds
- Transfer Speed Up To 5Gbps



**Model: Y832**

**240W USB 4 Extension Cable**

- 240W(48V/5A max)fast charging
- Nickel plated connector
- Applicable to all C-port devices
- E-marker safe and fast charging chip



**Model: Y833**

**USB C to TV Convert Cable**

- Support 4K 30Hz&60Hz

**■ Cable**



Model: Y711

**Niche Pearl Beading Cable**

- A-L:12W,480Mbps
- A-C:18W,480Mbps



Model: Y712

**4 in 1 A+C-C+L Cable**

- A-L:12W,480Mbps
- A-C:18W,480Mbps
- C-C:60W,480Mbps
- C-L:20W,480Mbps



Model: Y713

**2 in 1A+C-C Cable With Chain**

- A-C:18W,480Mbps
- C-C:60W,480Mbps



Model: Y721

**3 in 1 Cable**

- A-L:12W
- A-C:18W
- Iwatch:2.5W



Model: Y722

**3 in 1A-C+L+M PVC Cable**

- A to M+C+L 12W
- C to M+C+L 12W



Model: Y723

**3 in 1A-C+L+M Braided Cable**

- A to M+C+L 12W
- C to M+C+L 12W



Model: Y731

**Color-Changing Temperature Cable**

- A-L:12W,480Mbps
- A-C:18W,480Mbps
- C-L:20W,480Mbps
- C-C:20/60W,480Mbps



Model: Y732

**Color Gradient Cable**

- A-L:12W,480Mbps
- A-C:18W,480Mbps
- C-L:20W,480Mbps
- C-C:20/60W,480Mbps



Model: Y733

**Football Cartoon Cable**

- A-C:18W,480Mbps
- A-L:12W,480Mbps
- C-L:20W,480Mbps
- C-C:20/60W,480Mbps



**Global Traders:** Operators of the Unconventional Inventory Liquidation Marketplace [FreeWorldImports.com](http://FreeWorldImports.com)

---

# CHARGERS

---

309 Fellowship Road | East Gate Center | Suite 200 | Mt. Laurel | NJ 08054

**Web-Presence:** <http://freeworldbrand.com> | **Liquidation Marketplace:** <https://freeworldimports.com>

Commodities Webstore: <https://commodities.freeworldbrand.com/>

**Phone/Fax:** 609-256-9162 | **Email:** [bizdev@freeworldbrand.com](mailto:bizdev@freeworldbrand.com)

## Charger



### Family-style Mini GaN wall charger Series



Power	Port	Model	Specifications	Dimension
20W	1C	TP020P1C3-2	Input:100-240V AC 50/60Hz 0.7A Output:5.0V=3.0A/9.0V=2.22A/12.0V=1.67A(Max20w)	30*30*32.5mm
30W	1C	TP030P1C-2	Input:100-240V AC 50/60Hz 1A Output:5.0V=3.0A/9.0V=3A/15.0V=2A/20V=1.5A(Max 30w)	
35W	1C+1A	TP035P2C-2	Input:100-240V AC 50/60Hz 1.5A Output C1/C2:5.0V=3.0A/9.0V=3.0A/15.0V=2.33.0A/20.0V=1.75A PPS 3.3V-11V=3A(Max35W) C1+C2:18W+18W(Max36W)	38.5*30*38.2mm
	2C	TP035PCA-2	Input:100-240VAC 50/60Hz 1.5A Output USB-C:5.0V=3.0A/9.0V=3.0A/15.0V=2.33A/20.0V=1.75A PPS 3.3V-11V=3A(Max35W) USB-A:5.0V=3.0A/9.0V=2A/12.0V=1.5A(Max 18w) C+A:18W+18W	
45W	1C	TP045PCA-2	Input:100-240V AC 50/60Hz 1.5A Output USB-C:5.0V=3.0A/9.0V=3.0A/15.0V=3.0A/20.0V=2.25A PPS 3.3V-11V=3A(Max 45W)	38.5*30*38.2mm
	1C+1A	TP045PCA-2	Input:100-240VAC 50/60Hz 1.5A Output USB-C:5.0V=3.0A/9.0V=3.0A/15.0V=3.0A/20.0V=2.25A PPS 3.3V-11V=3A(Max 45W) USB-A:5.0V=3.0A/9.0V=2A/12.0V=1.5A(Max 18W) C1+A1:5V=3A(Max 15W)	
	2C	TP045P2C-2	Input:100-240V AC 50/60Hz 1.5A Output C1/C2:5.0V=3.0A/9.0V=3.0A/15.0V=3.0A/20.0V=2.25A PPS 3.3V-11V=3A(Max 45W) C1+C2:5V=3A(Max 15W)	



USB-C supports FCP,SCP,AFC, QC3.0,PD3.0,PPS,protocols  
USB-A supports BC1.2,Apple 2. QC3.0 protocols



Over-current



Over-voltage



Temperature protection



Over-charge protection



Short circuit protection



Anti-static protection



Leakage protection



Over-power protection



Power	Port	Model	Specifications	Dimension
65W	1C	TP065CH-2	Input:100-240V AC 50/60Hz 1.5A Output USB-C:5.0V=3.0A/9.0V=3.0A/15.0V=3.0A/20.0V=3.25A PPS3.3V-11V=3A (Max65W)	48.5*30*49.5mm
	1C+1A	TP065PCA-2	Input:100-240V AC 50/60Hz 1.5A Output C1:5.0V=3.0A/9.0V=3.0A/15.0V=3.0A/20.0V=3.25A PPS3.3V-11V=3A, 3.3V-20V=3A (Max 65W) OutputA1:5.0V=3.0A/9.0V=2A/12.0V=1.5A (Max18W) C1+A1:45W+18W (Max 63W)	
	2C	TP065P2C-2	Input:100-240V AC 50/60Hz 1.5A Output C1:5.0V=3.0A/9.0V=3.0A/15.0V=3.0A/20.0V=3.25A PPS3.3V-11V=3A, 3.3V-20V=3A (Max 65W) OutputC2:5.0V=3.0A/9.0V=2.22A/12.0V=1.67A (Max 20W) C1+C2:45W+20W (Max 65W)	
100W	2C+1A	TP100P2C1-2	Input:100-240V AC 50/60Hz 2.0A Output C1/C2:5.0V=3.0A/9.0V=3.0A/15.0V=3.0A/20.0V=5A PPS3.3V-11V=5A (Max 100W) OutputA1:5.0V=3.0A/9.0V=3.0A/15.0V=2.0A/20.0V=1.5A (Max 30W) C1+C2=PD 80W+PD20W (Max 100W) C1 or C2+A1=PD 60W+QC 30W (Max 90W) C1+C2+A1=PD45W+PD20W+30W (Max95W)	66.5*32*68mm
	2C+2A	TP100P2C2A-2	Input:100-240V AC 50/60Hz 2.0A OutputC1/C2/C3:5.0V=3.0A/9.0V=3.0A/15.0V=3.0A/20.0V=5A PPS3.3V-11V=5A (Max 100W) OutputA1/A2:5.0V=3A/9.0V=3A/15.0V=2A/20.0V=1.5A (Max 30W) C1+C2=PD80W+PD20W (Max 100W) C1+C2+A1/A2=PD45W+PD20W+QC30W (Max 95W) C1/C2+A1/A2=PD60W+QC30W (Max 90W) A1+A2=5V/4.8A C1+C2+A1+A2=PD45W+PD20W+5V/4.8A (Max 89W)	
140W	2C+2A	TP140P2C2A-2	Input:100-240V AC 50/60Hz 2.0A OutputC1/C2/C3:5.0V=3.0A/9.0V=3.0A/15.0V=3.0A/20.0V=5A/28V=5A PPS3.3V-11V=5A (Max 140W) OutputA1/A2:5.0V=3A/9.0V=3A/15.0V=2A/20.0V=1.5A (Max 30W) C1+C2=PD100W+PD20W (Max 120W) C1+C2+A1/A2=PD65W+PD20W+QC30W (Max 95W) C1/C2+A1/A2=PD 65W+QC 30W (Max 95W) A1+A2=5V/4.8A C1+C2+A1+A2=PD65W+PD20W+5V/4.8A (Max 109W)	73.5*32*75mm
	3C+1A	TP1403C1A-2	Input:100-240V AC50/60Hz 2.0A OutputC1/C2/C3:5.0V=3.0A/9.0V=3.0A/15.0V=3.0A/20.0V=5.0/28V5A PPS3.3V-11V=5A (Max 140W) OutputA1:5.0V=3A/9V=3A/15.0V=2A/20.0V=1.5A (Max 30W) C1+C2=PD100W+PD20W (Max120W) C1+C2+C3=PD65W+PD20W+PD30W (Max115W) C1/C2+A1=PD 65W+QC 30W (Max 95W) C3+A1=5V/4.8A C1+C2+C3+A1=PD65W+PD20W+5V/4.8A (Max109W)	

Charger








65-140W Laptop charger

with PD3.0,PPS,QC3.0,QC4.0,APPLE 2.4A BC1.2 and other protocols










Power	Port	Model	Specifications	Dimension
65W	2C+1A	TP0652C1A-2	Input:AC100-240V. 50/60HZ 1.8A Output:65W Max USB-C1/C2 Output:5V/3A;9V/3A;12V/3A;15V/3A;20V/3.25A (Max 65W) USB-A Output:5V/3A;9V/2.22A;12V/1.67A (Max 20W) USB-C1+C2 Output:45W+20W USB-C1+A Output:45W+20W USB-C2+A Output:7.5W+7.5W USB-C1+C2+A Output:45W+7.5W+7.5W	58*58*31mm
100W	2C+1A	TP0652C1A-2	Input:AC 100-240V. 50/60HZ 2.5A Output:100W Max USB-C1/C2 Output:5V/3A;9V/3A;12V/3A;15V/3A;20V/5A (Max 100W) USB-A Output:5V/3A;9V/3A;12V/2.5A (Max 30W) USB-C1+C2 Output:65W+30W USB-C1+A Output:65W+30W USB-C2+A Output:7.5W+7.5W USB-C1+C2+A Output:65W+7.5W+7.5W	65*65*31mm
140W	3C+1A	TP0652C1A-2	Input:AC 100-240V 50/60HZ 2.5A PF>0.95 Output:140W Max USB-C1/C2output:5V/3A;9V/3A;12V/3A;15V/3A;20V/5A;28V/5A(140W Max) PPS:5-21V/5A USB-C3:5V/3A;9V/3A;12V/3A;15V/2.65A;20V/2A(40W Max) PPS:5-21V/2A USB-A Output:5V/3A;9V/2A;12V/2.5A;10V/2.25A(30W Max) USB-C1+C2 Output:70W+70W USB-C1/C2++C3 Output:100W+40W USB-C1/C2+A Output:100W+30W USB-C3+A Output:24W USB-C1+C2+C3 Output:65W+45W+30W USB-C1+C2+A Output:65W+45W+30W USB-C1/C2+(C3+A) Output:100W+24W USB-C1+C2+(C3+A1) Output:65W+45W+24W	71.5*71.5*36.5mm



Model: C111

**4 in 1 Retractable Car Chargers**

- Input:12-24V
- USB-C:66W MAX
- USB-A:5V/2.4A
- USB-C cable:5V/3A
- Lightning Cable:5V/2.4A



**Starlight**



Model: C112

**4 in 1 Retractable Car Chargers**

- Input:12-24V,Output:120W
- USB-C:100W MAX
- USB-C cable:66W Max
- Lightning Cable:5V/2.4A
- USB-A:5V/2.4A



Model: C113

**Retractable Car Chargers**

- Input:12-24V,Output:120W
- USB-C cable:100W Max
- USB-A:QC3.0
- USB-C:PD30W





309 Fellowship Road | East Gate Center | Suite 200 | Mt. Laurel | NJ 08054




Web-Presence: <http://freeworldbrand.com> | Liquidation Marketplace: <https://freeworldimports.com>




Commodities Webstore: <https://commodities.freeworldbrand.com/>

Phone/Fax: 609-256-9162 | Email: [bizdev@freeworldbrand.com](mailto:bizdev@freeworldbrand.com)


**Charger**


















Power	Port	Model	Specifications	Dimension
65W	1C	TP045CH-1	Input: 100-240V 50/60Hz 1.5A Output: USB-C: 5V=3A/9V=3AV12V=2.5A/15V=3A/20V/3.25A (65W max)	36*32*75mm
	1C+1A	TP045CC1A-1	Input: 100-240V 50/60Hz 1.5A Output: USB-C: 15V=3A/9V=3AV12V=2.5A/15V=3A20V/3.25A (65W max) USB-A: 5V/3A, 9V/2A, 12V/1.5A (18W max) C1+A1: 45W+18W	
	2C	TP045CC-1	Input: 100-240V 50/60Hz 1.5A Output: USB-C1/C: 25V=3A/9V=3A/12V=2.5A15V=3A20V/3.25A (65W max) C1+C2: 45W+20W	
	2C+1A	TP0452C1A-1	Input: 100-240V 50/60Hz 1.5A Output: USB-C1/C: 25V=3A9V=3AV12V=2.5A15V=3A20V/3.25A (65W max) USB-A: 5V3A/9V2A/12V/1.5A (18W max) C1/C2+A: 45W+18W C1+C2: 45W+20W C2+A=5V/3A C1+C2+A=45W+15W	


  
Over-current


  
Over-voltage


  
Temperature protection

  
Over-charge protection





  
Short circuit protection




  
Anti-static protection



  
Leakage protection




  
Over-power protection

**Charger**






















Power	Port	Model	Specifications	Dimension
<b>65W</b>	1C	TP045CH-2	Input: 100-240V AC 50/60Hz 1.5A Output USB-C: 5.0V=3.0A/9.0V=3.0A/15.0V=3.0A/20.0V=2.25A PPS 3.3V-11V=3A (Max 45W)	36*32*86mm
	1C+1A	TP045CA-2	Input: 100-240VAC 50/60Hz 1.5A Output USB-C: 5.0V=3.0A/9.0V=3.0A/15.0V=3.0A/20.0V=2.25A PPS 3.3V-11V=3A (Max 45W) USB-A: 5.0V=3.0A/19.0V=2A/12.0V=1.5A (Max 18W) C1+A1: 5V=3A (Max 15W)	
	2C	TP045CC-2	Input: 100-240V AC 50/60Hz 1.5A Output C1/C2: 5.0V=3.0A/9.0V=3.0A/15.0V=3.0A/20.0V=2.25A PPS 3.3V-11V=3A (Max 45W) C1+C2: 5V=3A (Max 15W)	
	2C+1A	TP0452C1A-2	Input: 100-240V50/60Hz 1.5A Output: USB-C1/C: 25V=3A/9V=3A/12V=2.5A/ 15V=3A/20V/2.25A (45W max) USB-A: 5V3A/9V2A/12V1.5A 18W max C1/C2+A: 30W+10W C1+C2: 30W+10W C2+A=5V3A C1+C2+A=30W+10W	


  
Over-current


  
Over-voltage


  
Temperature protection

  
Over-charge protection

  
Short circuit protection

  
Anti-static protection

  
Leakage protection

  
Over-power protection

**Charger**










Power	Port	Model	Specifications	Dimension
20W	1C	TP020CH1	Input:AC 100-240V 50/60Hz 0.8A Output:5V/3A, 9V/2.22A, 12V/1.67A(20W max)	30*30*38mm
	1C+1A	TP020CA-1	Input:AC 100-240V 50/60Hz 0.8A Output:USB-C:5V/3A, 9V/2.22A, 12V/1.67A(20W max) USB-A:5V/3A, 9V/2A, 12V/1.5A(18W max)Both C+A:5V/3A share(15W max)	
	2C	TP020C2-1	Input:AC 100-240V 50/60Hz 0.8A Output:USB-C1/C2:5V/3A, 9V/2.22A, 12V/1.67A(20W max)Both C1+C2:5V/3A share(15W max)	
30W	1C	TP030CH-1	Input:AC 100-240V 50/60Hz 1.0A Output:5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A(30W max)	32*32*38mm
	1C+1A	TP030CA-1	Input:100-240V 50/60Hz 0.8A Output:USBC:5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A(30W max) USB-A:5V/3A, 9V/2A, 12V/1.5A(18W max)Both C+A:5V/3A share(15W max)	
	2C	TP030C2-1	Input:100-240V 50/60Hz 0.8A Output:USB C1/C2:5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A(30W max) Both C1+C2:5V/3A share(15W max)	



**Model:C211**

**65W Retractable GaN Charger**

- C Port:20V/3.25A 65W
- USB A Port:12V/1.5A 18W
- C cable:20V/3.25A 65W
- A port+C port=5V/3A 15W
- A port+C cable=18W+45W
- C port+C cable=45W+20W



**Model:C212**

**Vacuum magnetic wireless charging**

- Strong adhesion
- Stable and non-damaging to the vehicle
- Multi-angle rotation
- Wireless charging 15W



**Model:C213**

**6 IN1 wireless charger**

- Mobile phone 15W
- Watch 5W
- Earphones 5W
- Digital Time
- 5.3 BT Speaker
- Electric bracket



Global Traders: Operators of the Unconventional Inventory Liquidation Marketplace FreeWorldImports.com

# OTHER FREEWORLD INVENTORY LIQUIDITY SERVICES OFFERINGS

*Please click on the image or the associated hyperlink to learn more*



**[FWB – SPECIAL DEALS COMMODITIES WEBSTORE](#)**

309 Fellowship Road | East Gate Center | Suite 200 | Mt. Laurel | NJ 08054

Web-Presence: <http://freeworldbrand.com> | Liquidation Marketplace: <https://freeworldimports.com>

Commodities Webstore: <https://commodities.freeworldbrand.com/>

Phone/Fax: 609-256-9162 | Email: [bizdev@freeworldbrand.com](mailto:bizdev@freeworldbrand.com)



Global Traders: Operators of the Unconventional Inventory Liquidation Marketplace FreeWorldImports.com

*Please click on the image or the associated hyperlink to learn more*

A large graphic with a dark blue background and a white semi-circle at the bottom. The word "SOURCE" is in large white letters, and "HERE" is in large orange letters. A magnifying glass with a pink handle and a white label that says "search" is positioned over the white semi-circle. A yellow feather is on the right. In the bottom left, a dark blue box contains the text "freeworldimports.com". In the bottom right, there is a logo for "FREE WORLD IMPORTS" featuring a globe and the text "A Liquidation Marketplace".

# SOURCE HERE

freeworldimports.com

FREE  
WORLD  
IMPORTS  
A Liquidation Marketplace

**SOURCE YOUR PRODUCTS HERE | DELIVERED DUTY PAID (DDP)**

309 Fellowship Road | East Gate Center | Suite 200 | Mt. Laurel | NJ 08054

Web-Presence: <http://freeworldbrand.com> | Liquidation Marketplace: <https://freeworldimports.com>

Commodities Webstore: <https://commodities.freeworldbrand.com/>

Phone/Fax: 609-256-9162 | Email: [bizdev@freeworldbrand.com](mailto:bizdev@freeworldbrand.com)

*Please click on the image or the associated hyperlink to learn more*

---



**[DEPARTMENT STORES MIXED BUNDLES FOR BIG SAVINGS](#)**



Global Traders: Operators of the Unconventional Inventory Liquidation Marketplace FreeWorldImports.com

---

*Please click on the image or the associated hyperlink to learn more*

---



**[FWI FEATURED SUPPLIERS](#)**

---

309 Fellowship Road | East Gate Center | Suite 200 | Mt. Laurel | NJ 08054

Web-Presence: <http://freeworldbrand.com> | Liquidation Marketplace: <https://freeworldimports.com>

Commodities Webstore: <https://commodities.freeworldbrand.com/>

Phone/Fax: 609-256-9162 | Email: [bizdev@freeworldbrand.com](mailto:bizdev@freeworldbrand.com)



Global Traders: Operators of the Unconventional Inventory Liquidation Marketplace [FreeWorldImports.com](https://freeworldimports.com)

---

*Please click on the image or the associated hyperlink to learn more*

---



**[24 X 7 X 365 NON-AUCTION DEALS](#)**

---

309 Fellowship Road | East Gate Center | Suite 200 | Mt. Laurel | NJ 08054

Web-Presence: <http://freeworldbrand.com> | Liquidation Marketplace: <https://freeworldimports.com>

Commodities Webstore: <https://commodities.freeworldbrand.com/>

Phone/Fax: 609-256-9162 | Email: [bizdev@freeworldbrand.com](mailto:bizdev@freeworldbrand.com)



Global Traders: Operators of the Unconventional Inventory Liquidation Marketplace FreeWorldImports.com

*Please click on the image or the associated hyperlink to learn more*

## FWI LIQUIDATION MARKETPLACE AFFILIATE PROGRAM

Become an **ONLINE INVENTORY LIQUIDATOR** using the FWI link based model which enable you to create links to any product within the FWI Marketplace. You have the ability to share these links with potential customers via email, social media and other digital mediums. You will **earn between two to five percent (2% - 5%) commission on the sales of products** which are sold based on your efforts. These links contains identifiers that will ensure that you receive compensation when a purchase is made on a linked item containing your identifier. There are no charges associated with this groundbreaking business opportunity, your participation will not cost you a dime, it is completely free of charge.

**Online  
Inventory  
Liquidation  
Marketplace**

**FREE  
WORLD  
IMPORTS**

**Buying  
Platform**  
<https://www.freeworldimports.com/>  
609-318-0570  
bizdev@freeworldimports.com

ONLINE INVENTORY LIQUIDATOR REGISTRATION

## [FWI AFFILIATE PROGRAM](#)

309 Fellowship Road | East Gate Center | Suite 200 | Mt. Laurel | NJ 08054

Web-Presence: <http://freeworldbrand.com> | Liquidation Marketplace: <https://freeworldimports.com>

Commodities Webstore: <https://commodities.freeworldbrand.com/>

Phone/Fax: 609-256-9162 | Email: [bizdev@freeworldbrand.com](mailto:bizdev@freeworldbrand.com)



Global Traders: Operators of the Unconventional Inventory Liquidation Marketplace [FreeWorldImports.com](http://FreeWorldImports.com)

---

*Please click on the image or the associated hyperlink to learn more*

---



FEATURE YOUR COMPANY AND YOUR  
PRODUCTS WITHIN THE UNCONVENTIONAL  
INVENTORY LIQUIDATION MARKETPLACE

[www.freeworldimports.com](http://www.freeworldimports.com)



**JOIN US**

AS A FREEWORLDIMPORTS SUPPLIER

**[FWI SUPPLIER ENGAGEMENT](#)**

---

309 Fellowship Road | East Gate Center | Suite 200 | Mt. Laurel | NJ 08054

Web-Presence: <http://freeworldbrand.com> | Liquidation Marketplace: <https://freeworldimports.com>

Commodities Webstore: <https://commodities.freeworldbrand.com/>

Phone/Fax: 609-256-9162 | Email: [bizdev@freeworldbrand.com](mailto:bizdev@freeworldbrand.com)

*Please click on the image or the associated hyperlink to learn more*



DELIVERING VALUE TO CALL CENTERS AND BEYOND INTEGRATED  
**VIRTUAL POINT OF SALE SOLUTION**



[www.sasapplication.com/webapplication](http://www.sasapplication.com/webapplication)

**CLOUD BASED SOLUTIONS FOR FORWARD LOOKING  
ORGANIZATIONS**

*Please click on the image or the associated hyperlink to learn more*

---



## **PINK LABELED WOMEN'S URBAN APPAREL**



Global Traders: Operators of the Unconventional Inventory Liquidation Marketplace FreeWorldImports.com

---

## ***FOR MORE INFORMATION FREEWORLD LIQUIDITY SERVICES***

*A Service of FreeWorld Brand, LLC*



**Phone:** +1-609-256-9162

**Email:** [bizdev@freeworldimports.com](mailto:bizdev@freeworldimports.com)  
[bizdev@freeworldbrand.com](mailto:bizdev@freeworldbrand.com)

---

309 Fellowship Road | East Gate Center | Suite 200 | Mt. Laurel | NJ 08054

**Web-Presence:** <http://freeworldbrand.com> | **Liquidation Marketplace:** <https://freeworldimports.com>

Commodities Webstore: <https://commodities.freeworldbrand.com/>

**Phone/Fax:** 609-256-9162 | **Email:** [bizdev@freeworldbrand.com](mailto:bizdev@freeworldbrand.com)