



Global Traders: Operators of the Unconventional Liquidity Marketplace FreeWorldImports.com

FREEWORLD FEATURED & SPECIAL DEALS COMMODITIES | EQUIPMENT | PRODUCTS

SKYAUDIO® BLUETOOTH EAR RETURN HEADPHONES

(Multiple Models & Colors)

309 Fellowship Road | East Gate Center | Suite 200 | Mt. Laurel | NJ 08054

Web-Presence: <http://freeworldbrand.com> | Liquidity Marketplace: <https://freeworldimports.com>

Phone/Fax: 609-256-9162 | Email: bizdev@freeworldbrand.com

Ear Return Headphone series



Bluetooth®

T703

Wireless Bluetooth Ear Return Headphone

1. Ear return function, allowing real-time monitoring of one's own sound when speaking
2. For Education, Learning, and Training headset
3. Kids wear this headphone to learn, enhance memory ability, exercise and improve language expression ability

- Bluetooth version: V5.2
- Driver unit: 40mm
- Impedance: 32Ω
- Sensitivity: 95dB±3dB
- Frequency Range: 20Hz-20KHz
- Battery capacity: 500mAh
- Charging time: 4hs
- Working time: 15hs(Max Volume)



clear calls



Ergonomics



Enhance Memory

-05-

Bluetooth®

T711

1. Wireless Head Mounted Bass Headphone
2. Suitable for any style of music
3. High-quality Bluetooth chip
4. Supports one-click calling
5. Ergonomic design for more comfortable wearing

- Bluetooth version: V5.2
- Driver unit: 40mm
- Impedance: 32Ω
- Sensitivity: 100dB±3dB
- Frequency Range: 20Hz-20KHz
- Battery capacity: 500mAh
- Charging time: 4hs
- Working time: 15hs(Max Volume)



clear calls



Ergonomics



Clear sound quality

Bluetooth®

T713

Wireless Bluetooth Ear Return Headphone

1. Ear return function, allowing real-time monitoring of one's own sound when speaking
2. For Education, Learning, and Training headset
3. Kids wear this headphone to learn, enhance memory ability, exercise and improve language expression ability
4. Support TF card

- Bluetooth version: V5.2
- Driver unit: 40mm
- Impedance: 32Ω
- Sensitivity: 95dB±3dB
- Frequency Range: 20Hz-20KHz
- Battery capacity: 500mAh
- Charging time: 4hs
- Working time: 15hs(Max Volume)



Clear Calls



Ergonomics



TF Card



T701



1. Call noise reduction for clearer sound quality
2. Comfortable and durable
3. Imported QCC chips with stable connection
4. Raw material injection molding, sturdier and more durable
5. Suitable for courses, call centers, conferences, etc
6. Compatible with Microsoft Teams, convenient for office use
7. Steel bar bow, bending without deformation

- Driver unit: 40mm
- Impedance: 32Ω
- Sensitivity: 105dB±3dB
- Frequency Range: 20Hz-20KHz
- Battery capacity: 500mAh
- Charging time: 4hs
- Working time: 15hs(Max Volume)



-10-



T705



1. Call noise reduction for clearer sound quality
2. Comfortable and durable
3. Imported QCC chips with stable connections
4. Raw material injection molding, more sturdy and durable
5. Suitable for courses, call centers, conferences, etc
6. Compatible with Microsoft Teams, convenient for office use
7. Steel bar bow, bending without deformation

- Driver unit: 40mm
- Impedance: 32Ω
- Sensitivity: 105dB±3dB
- Frequency Range: 20Hz-20KHz
- Battery capacity: 500mAh
- Charging time: 4hs
- Working time: 15hs(Max Volume)



-12-

Business Headphone Series



T711USB

1. Call noise reduction for clearer sound quality
2. TPU environmental material label pole flexible adjustment
3. Comfortable to wear and durable
4. Raw material injection molding, sturdier and more durable
5. Suitable for courses, call centers, conferences, etc
6. TPU with shielded main cable to isolate noise interference
7. Steel bar bow, bending without deformation

- Driver unit: Ø40mm
- Impedance: 32Ω
- Frequency Range: 20Hz-20KHz
- Sensitivity: 105±3dB
- Cable Length: 2m±3%
- Port: USB/TYPE-C/3.5mm/Crystal Head



-16-



T715

1. Call noise reduction for clearer sound quality
2. TPU environmental material label pole flexible adjustment
3. Comfortable and durable
4. Raw material injection molding, sturdier and more durable
5. Suitable for courses, call centers, conferences, etc
6. TPU with shielded main cable to isolate noise interference
7. Steel bar bow, bending without deformation

- Driver unit: Ø40mm
- Impedance: 32Ω
- Frequency Range: 20Hz-20KHz
- Sensitivity: 105±3dB
- Cable Length: 2m±3%
- Port: USB/TYPE-C/3.5mm/Crystal Head



-18-



T712ENC

1. ENC noise-cancellation for clearer sound quality
2. TPU environmental material label pole flexible adjustment
3. Comfortable and durable
4. Raw material injection molding, sturdier and more durable
5. Suitable for courses, call centers, conferences, etc
6. TPU with shielded main cable

- Driver unit: Ø40mm
- Impedance: 32Ω
- Frequency Range: 20Hz-20KHz
- Sensitivity: 105±3dB
- Cable Length: 2m±3%
- Port: USB/TYPER-C/3.5mm/Crystal Head



-20-

Bluetooth Headphone Series



 Bluetooth®

T700

1. Wireless Head Mounted Bass Headphone
2. Suitable for any style of music
3. High-quality Bluetooth chip
4. Supports one-click calling
5. Ergonomic design for more comfortable wearing

- Driver unit: 40mm
- Impedance: 32Ω
- Headphone Power: 20mW
- Sensitivity: 105dB±/-3dB
- Frequency Range: 20Hz-20KHz
- Operating distance: 10 meters
- Battery capacity 300 mAh(Option 500mAh)
- Charging time: 2 hours
- Work time: 8 hours(Max Volume)
- Standby time: 48hours



-21-



Bluetooth

T602

1. Wireless Head Mounted Bass Headphone
2. Suitable for any style of music
3. Small and easy to carry
4. High-quality Bluetooth chip
5. Supports one-click calling
6. Ergonomic design for more comfortable wearing

- Bluetooth Chipset: CSR8645
- Bluetooth version: 5.2
- Supported protocols: HSP, HFP, A2DP, AVRCP
- Material: Metal Decoration, ABS
- Driver unit: 40mm
- Impedance: 16Ω
- Headphone Power: 20mW
- Sensitivity: 105dB±3dB
- Frequency Range: 20Hz-20KHz
- Operating distance: 10 meters
- Battery capacity: 300 mAh
- Charging time: 2hours
- Working time: 8hours(Max Volume)
- Standby time: 48hours
- Net Weight: 153g



-24-




Bluetooth

T735

Bluetooth ANC Active Noise Cancellation Headphone

1. ANC Active Noise Cancellation function
2. Ultra-long working time (Bluetooth 30hours/ANC 24hours)
3. Support audio code SBC&AAC
4. Supreme stereo sound quality
5. For watching movie,listening to music,answering call etc.

- Bluetooth version: Bluetooth V5.3
- Bluetooth chip: JLAB7018
- Supports audio: SBC, and AAC
- Battery: 600Mah
- Bluetooth music duration: approximately 30 hours
- ANC music duration: approximately 24 hours
- Charging time: approximately 2.5 hours
- Ultra long distance: >10M
- ANC active noise reduction function



-25-



Bluetooth®

T400

1. 2 IN 1 headphone & speaker one button to switch
2. Dual horn design
3. Raw material injection molding, sturdier and more durable
4. Compatible with apt-X and A2DP codes for precise low-latency sound

- Chipset: CSR8645
- Support Protocols: HSP,HFP,A2DP,AVRCP,apt-X
- Material: Stainless, ABS and Protein Leather
- Driver Unit: 40mm
- Impedance: 32Ω
- Headphone Power: 20mW
- Speaker Driver unit: 45mm
- Speaker Impedance: 4Ω
- Speaker Power: 2.5W
- Sensitivity: 105±3dB
- Frequency Range: 20Hz-20KHz
- Operating Distance: 10m
- Battery Capacity: 1400mAh
- Charging time: 3 hours
- Working time: 80 hours
- Standby time: 190 hours
- Net Weight: 400g



-28-



H600

Gaming Headset with LED Light

- Driver Diameter: 40mm
- Impedance: 32Ω
- Sensitivity: 102±3DB
- Frequency: 20HZ-20KHZ
- Mic Diameter: 6.0*2.7mm
- Mic Sensitivity: -38±3dB
- Mic impedance: 2.2KΩ
- Cable length: 2.2M±0.3
- LED Operating
- Headset interface: USB+3.5mm



-30-

Kids Headphone Series



-31-

H77

Wired Headphone+DIY Decoration

- Driver unit: 40mm
- Sensitivity: 85dB±3dB
- Cord Length: 1.2m±3%
- Plug: φ3.5mm Stereo
- Frequency Range: 20HZ-20KHz
- Cord Material: TPE
- Net Weight: 150g



DIY



Foldable Design



Comfortable

-32-

H518

Children Wired Headphone

- Driver unit: 40mm
- Impedance: 32Ω
- Sensitivity: 85dB±3dB
- Frequency Range: 20Hz-20KHz
- Cord Length: 1.2m±3%
- Cord Material: TPE
- Plug: φ3.5mm Stereo
- Net Weight: 158g



85dB Limited



Super Durable



Colorful

V77

Children Wired Headphone

- Driver unit: 40mm
- Impedance: 32Ω
- Sensitivity: 85dB±3dB
- Frequency Range: 20Hz-20KHz
- Cord Length: 1.2m±3%
- Cord Material: TPE
- Plug: φ3.5mm Stereo
- Net Weight: 130g



DIY



Foldable Design



Comfortable



T50

Bluetooth Bone Conduction Video Headset

1. 5G technology wireless transmission
2. HD video resolution
3. Bone conduction transmission technique, non-contact ear stereo exclusive patent
4. IPX65 waterproof and dustproof
5. Sound is transmitted through the ear bone through high-frequency and low-density vibrations safer better health
6. It can be used for riding, outdoor sports and security,ect
7. You can be aware of your environment while listening to your phone, driving, walking, or riding



- Sensitivity:10000mw/Lux-see
- Pixel size:6μm×6μm
- Image area:3888μm-2430μm
- Output Format: MJPEG/Yuvz(YUYV)
- S/N Ratio:45dB
- Dynamic Range:65dB
- Port type: USB2.0 High Speed
- Automatic Exposure Control(AEC):Support
- Automatic White Balance: Support

T702

Solution 1: Microsoft Teams



Business ENC Headset Support Microsoft Teams

1. ENC noise-cancellation for clear calls
2. AI entrances, compatible with Microsoft Teams functionality
3. TPU environmentally friendly material label pole, flexible adjustment
4. Comfortable to wear and durable
5. Raw material injection molding, more sturdy and durable.
6. Suitable for courses, call centers, conferences, etc;
7. TPU with shielded main cable to isolate noise interference
8. Steel bar bow, bending without deformation
9. Independent cable control, adjustable volume, easy to use

- Driver unit: Ø40mm
- Impedance: 32Ω
- Frequency Range: 20Hz-20KHz
- Sensitivity: 105±3dB
- Cable Length: 2m±3%
- Port: USB/TYPER-C



T702

Solution 2: Microsoft Copilot



Business ENC Headphone Support Microsoft Copilot

1. ENC noise-cancellation for clear calls
2. AI entrances, compatible with Microsoft Copilot functionality
3. TPU environmentally friendly material label pole, flexible adjustment
4. Comfortable to wear and durable
5. Raw material injection molding, more sturdy and durable.
6. Suitable for courses, call centers, conferences, etc;
7. TPU with shielded main cable to isolate noise interference
8. Steel bar bow, bending without deformation
9. Independent cable control, adjustable volume, easy to use

- Driver unit: Ø40mm
- Impedance: 32Ω
- Frequency Range: 20Hz-20KHz
- Sensitivity: 105±3dB
- Cable Length: 2m±3%
- Port: USB/TYPER-C



THE FREORLD LIQUIDITY SERVICES OFFERINGS

Please click on the image or the associated hyperlink to learn more



[FWB – SPECIAL DEALS COMMODITIES WEBSTORE](#)

Please click on the image or the associated hyperlink to learn more



DEPARTMENT STORES MIXED BUNDLES FOR BIG SAVINGS

Please click on the image or the associated hyperlink to learn more



[FWI FEATURED SUPPLIERS](#)

Please click on the image or the associated hyperlink to learn more



24 X 7 X 365 NON-AUCTION DEALS

Please click on the image or the associated hyperlink to learn more

FWI LIQUIDATION MARKETPLACE AFFILIATE PROGRAM

Become an **ONLINE INVENTORY LIQUIDATOR** using the FWI link based model which enable you to create links to any product within the FWI Marketplace. You have the ability to share these links with potential customers via email, social media and other digital mediums. You will **earn between two to five percent (2% - 5%) commission on the sales of products** which are sold based on your efforts. These links contains identifiers that will ensure that you receive compensation when a purchase is made on a linked item containing your identifier. There are no charges associated with this groundbreaking business opportunity, your participation will not cost you a dime, it is completely free of charge.



**Online
Inventory
Liquidation
Marketplace**

**FREE
WORLD
IMPORTS**

**Buying
Platform**
<https://www.freeworldimports.com/>
609-318-0570
bizdev@freeworldimports.com

ONLINE INVENTORY LIQUIDATOR REGISTRATION

[FWI AFFILIATE PROGRAM](#)

Please click on the image or the associated hyperlink to learn more



FEATURE YOUR COMPANY AND YOUR
PRODUCTS WITHIN THE UNCONVENTIONAL
INVENTORY LIQUIDATION MARKETPLACE

www.freeworldimports.com



JOIN US
AS A FREORLDIMPORTS SUPPLIER

[FWI SUPPLIER ENGAGEMENT](#)

Please click on the image or the associated hyperlink to learn more



VPOS **HSBLCO
SOLUTION**

DELIVERING VALUE TO CALL CENTERS AND BEYOND INTEGRATED
VIRTUAL POINT OF SALE SOLUTION

www.sasapplication.com/webapplication

CLOUD BASED SOLUTIONS FOR FORWARD LOOKING ORGANIZATIONS

Please click on the image or the associated hyperlink to learn more



PINK LABELED WOMEN'S URBAN APPAREL



Global Traders: Operators of the Unconventional Liquidity Marketplace FreeWorldImports.com

FOR MORE INFORMATION TO INCLUDE:

1. ORDER PROCESSING | MOQ VARIATIONS | OTHER PRODUCT RELATED INFORMATION

Please email us at: bizdev@freeworldimports.com

PRODUCTS ARE ARRIVING DAILY!

CONTACT US WITH YOUR REQUIREMENTS

FOR MORE INFORMATION

FREEWORLD LIQUIDITY SERVICES

A Service of FreeWorld Brand, LLC



Phone: +1-609-256-9162

Email: bizdev@freeworldimports.com
bizdev@freeworldbrand.com



Global Traders: Operators of the Unconventional Liquidity Marketplace FreeWorldImports.com
